



Table of contents

Please note, this communication applies to Anthem HealthKeepers Plus, Medallion and Anthem HealthKeepers Plus, Commonwealth Coordinated Care Plus (Anthem CCC Plus) of fered by HealthKeepers, Inc.

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)	3
Adults' Access to Preventative/Ambulatory Health Services (AAP)	5
Follow-Up Care for Children Prescribed ADHD Medication (ADD)	6
Annual Dental Visit (ADV)	8
One or more dental visit with a dental practitioner during the measurement year	8
Antidepressant Medication Management (AMM)	9
Asthma Medication Ratio (AMR)	11
Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)	13
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	15
Breast Cancer Screening (BCS)	17
Blood Pressure Control for Patients with Diabetes (BPD)	19
Controlling High Blood Pressure (CBP)	22
Cervical Cancer Screening (CCS)	25
Childhood Immunization Status (CIS)	28
Chlamydia Screening in Women (CHL)	31
Appropriate Testing for Pharyngitis (CWP)	32
Eye Exam for Patients with Diabetes (EED).	34
Follow-Up After Emergency Department Visit for Substance Use (FUA)	37
Follow-Up After Hospitalization for Mental Illness (FUH)	40
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	43
Hemoglobin A1c Control for Patients with Diabetes (HBD)	46
Initiation and Engagement of Substance Use Disorder Treatment (IET)	48
Immunizations for Adolescents (IMA)	52
Kidney Health Evaluation for Patients with Diabetes (KED)	54
https://providers.anthem.com/ya	

Use of Imaging Studies for Low Back Pain (LBP)	.56
Lead Screening in Children (LSC)	.58
Prenatal and Postpartum Care (PPC)	.60
Statin Therapy for Patients with Cardiovascular Disease (SPC)	.67
Statin Therapy for Patients with Diabetes (SPD)	.71
Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	
Appropriate Treatment for Upper Respiratory Infection (URI)	.76
Well-Child Visits in the First 30 Months of Life (W30)	.78
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents (WC	
Child and Adolescent Well-Care Visits (WCV)	.82

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)

Since there is considerable evidence that prescribing antibiotics for uncomplicated acute bronchitis/bronchiolitis is <u>not</u> indicated unless they are associated comorbid diagnosis, this HEDIS® measure looks at the percentage of members ages 3 months and older with a diagnosis of acute bronchitis/ bronchiolitis that did **not** result in an antibiotic dispensing event.

Exclusions:

- Members diagnosed with pharyngitis or a competing diagnosis are excluded if during the period 30 days prior to the episode date through three days after the episode date (34 days total).
- Members with a diagnosis of the following during the 12 months prior to or on the episode date are excluded:
 - o HIV
 - o HIV type 2
 - o Malignant neoplasms of skin
 - o Emphysema
 - o Chronic obstructive pulmonary disease (COPD)
 - Comorbid conditions
 - o Disorders of the immune system
- Members in hospice or using hospice services anytime during the measurement year are excluded.

Description	CPT®/HCPCS/ICD-10
Acute bronchitis	ICD-10: J20.3, J20.4, J20.5, J20.6, J20.7, J20.8, J20.9, J21.0, J21.1,
	J21.8, J21.9
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

• If prescribing an antibiotic for a bacterial infection (or comorbid condition) in members with acute bronchitis, be sure to use the diagnosis code for the bacterial infection and/or comorbid condition.

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

- If a patient insists on an antibiotic:
 - Refer to the illness as a chest cold rather than bronchitis; members tend to associate the label with a less-frequent need for antibiotics.
 - Write a prescription for symptom relief, such as an over-the-counter cough medicine.
 - Treat with antibiotics if associated comorbid diagnosis.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

Other available resources

Go to https://www.cdc.gov/antibiotic-use/index.html

We help you with avoidance of antibiotic treatment for members with acute bronchitis by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

Adults' Access to Preventative/Ambulatory Health Services (AAP)

This HEDIS measure looks at the percentage of members 20 years of age and older who had an ambulatory or preventive care visit. The organization reports percentages for members who had an ambulatory or preventive care visit during the measurement year.

Exclusions:

Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS
Ambulatory visits	CPT: 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214,
	99215, 99241, 99242, 99243, 99244, 99245, 99341, 99342, 99343,
	99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383,
	99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395,
	99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99429,
	99483
	HCPCS: G0402, G0438, G0439, G0463, T1015
	ICD-10-CM: Z00.00, Z00.01, Z00.121, Z00.129, Z00.3, Z00.5,
	Z00.8, Z02.0, Z02.1, Z02.2, Z02.3, Z02.4, Z02.5, Z02.6, Z02.71,
	Z02.79, Z02.81, Z02.82, Z02.83, Z02.89, Z02.9, Z76.1, Z76.2
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

Follow-Up Care for Children Prescribed ADHD Medication (ADD)

This measure looks at the percentage of children newly prescribed attention-deficit/hyperactivity disorder (ADHD) medication who had at least three follow-up care visits within a 10-month period, one of which was within 30 days of when the first ADHD medication was dispensed. Two rates are reported:

- **Initiation Phase:** the percentage of members 6 to 12 years of age as of the index prescription start date (IPSD) with an ambulatory prescription dispensed for ADHD medication, who had one follow-up visit with practitioner with prescribing authority during the 30-day Initiation Phase
- Continuation and Maintenance (C&M) Phase: the percentage of members 6 to 12 years of age as of the IPSD with an ambulatory prescription dispensed for ADHD medication, who remained on the medication for at least 210 days and who, in addition to the visit in the Initiation Phase, had at least two follow-up visits with a practitioner within 270 days (nine months) after the Initiation Phase ended

Record your efforts:

When prescribing a new ADHD medication:

- Be sure to schedule a follow-up visit right away within 30 days of ADHD medication initially prescribed or restarted after a 120-day break.
- Schedule follow-up visits while members are still in the office.
- Have your office staff call members at least three days before appointments.
- After the initial follow-up visits, schedule at least two more office visits in the next nine months to monitor patient's progress.

Be sure that follow-up visits include the diagnosis of ADHD.

Exclusions:

- Exclude members who had an acute inpatient encounter for a mental, behavioral or neurodevelopmental disorder during the 300 days (10 months) after the IPSD.
- Members with a diagnosis of narcolepsy
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS
Behavioral health	CPT: 98960-98962, 99078, 99202-99205, 99211-99215, 99241-99245,
(BH) outpatient	99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404,
	99411, 99412, 99483, 99492, 99493, 99494, 99510

	HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002,
	H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010,
	H2011, H2013-H2020, T1015
BH stand-alone	CPT: 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316,
nonacute inpatient	99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336,
	99337 HCPCS: H0017-H0019, T2048
Online	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
assessments	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

- Educate your members and their parents, guardians, or caregivers about the use of and compliance with long-term ADHD medications and the condition.
- Collaborate with other organizations to share information; research best practices about ADHD interventions and appropriate standards of practice and their effectiveness and safety.
- Contact your Provider Solutions representative for copies of our ADHD-related patient materials.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.
- We help you with follow-up care for children who are prescribed ADHD medications by:
 - Providing *Clinical Practice Guidelines* on our provider self-service website.
 - Providing the *HEDIS Measure Physician Desktop Reference Guide* and other helpful tools on our website.
 - Helping you schedule appointments for your members if needed.
 - Educating our members on ADHD through newsletters and health education fliers.

Other available resources

You can find more information and tools online at:

- www.healthychildren.org
- www.brightfutures.org
- www.chadd.org

Annual Dental Visit (ADV)

This measure looks at members 2 to 20 years of age who had at least one dental visit during the measurement year. This only applies if dental care is a covered benefit in the organizations Medicaid contract.

Record your efforts

One or more dental visit with a dental practitioner during the measurement year

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Description	HCPCS
Hospice encounter	HCPCS: G9473, G9474, G9475, G9476, G9477, G9478, G9479,
	Q5003, Q5004, Q5005, Q5006, Q5007, Q5008, Q5010, S9126,
	T2042, T2043, T2044, T2045, T2046

Helpful tips

Educate your members and their spouses, caregivers, and/or guardians about the importance of:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.
- Offering current *Clinical Practice Guidelines* on our provider self-service website.

Other available resources

You can find more information and tools online at:

https://www.cdc.gov/oralhealth/basics/childrens-oral-health/index.html

Notes				

Antidepressant Medication Management (AMM)

This measure looks at the percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment. Two rates are reported:

- Effective Acute Phase Treatment: the percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks)
- Effective Continuation Phase Treatment: the percentage of members who remained on an antidepressant medication for at least 180 days (six months)

Record your efforts:

- Identify all acute and nonacute inpatient stays.
- Identify the admission and discharge dates for the stay. Either an admission or discharge during the required time frame meets criteria.

Exclusions

- Members who did not have an encounter with a diagnosis of major depression during the 121-day period from 60 days prior to the index prescription start date (IPSD), through the IPSD and the 60 days after the IPSD.
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10
Major depression	ICD-10: F32.0-F32.4, F32.9, F33.0-F33.3, F33.41, F33.9
BH outpatient	CPT: 98960-98962, 99078, 99202-99205, 99211-99215,
	99241-99245, 99341-99345, 99347-99350, 99381-99387,
	99391-99397, 99401-99404, 99411, 99412, 99483, 99492-99494,
	99510
	HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002,
	H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000,
	H2010, H2011,H2013-H2020, T1015
Electroconvulsive	CPT: 90870
therapy	ICD-10-PCS: GZB0ZZZ, GZB1ZZZ, GZB2ZZZ, GZB3ZZZ,
	GZB4ZZZ
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips

Educate your members and their spouses, caregivers, and/or guardians about the importance of:

- Complying with long-term medications.
- Not abruptly stopping medications without consulting you.
- Contacting you immediately if they experience any unwanted/adverse reactions so that their treatment can be re-evaluated.
- Scheduling and attending follow-up appointments to review the effectiveness of their medications.
- Calling your office if they cannot get their medications refilled.
- Discuss the benefits of participating in a behavioral health case management program.
- Ask your members who have a behavioral health diagnosis to provide you access to their behavioral health records if you are their primary care provider.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

We help you with antidepressant medication management by:

• Offering current *Clinical Practice Guidelines* on our provider self-service website.

Other available resources

You can find more information and tools online at:

- www.ahrq.gov
- www.ncbi.nlm.nih.gov

Notes			

Asthma Medication Ratio (AMR)

This HEDIS measure looks at the percentage of members 5 to 64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.5 or greater during the measurement year.

Record your efforts:

- Oral medication dispensing event: multiple prescriptions for different medications dispensed on the same day are counted as separate dispensing events If multiple prescriptions for the same medication are dispensed on the same day, sum up the days' supply and divide by 30. Use the drug ID to determine if the prescriptions are the same or different.
- Inhaler dispensing event: all inhalers (for example, canisters) of the same medication dispensed on the same day count as one dispensing event Medications with different drug IDs dispensed on the same day are counted as different dispensing events.
- **Injection dispensing events:** Each injection counts as one dispensing event. Multiple dispensed injections of the same or different medications count as separate dispensing events.
- Units of medications: When identifying medication units for the numerator, count each individual medication, defined as an amount lasting 30 days or less, as one medication unit. One medication unit equals one inhaler canister, one injection, or a 30-day or less supply of an oral medication.

Exclusions:

- Members who had no asthma controller or reliever medications dispensed during the measurement year
- Members in hospice or using hospice services during the measurement year
- Member with any of the below listed conditions:
 - o Emphysema
 - o Other emphysema
 - o Chronic obstructive pulmonary disease (COPD)
 - Obstructive chronic bronchitis
 - o Chronic respiratory conditions due to fumes or vapors
 - o Cystic fibrosis
 - Acute respiratory failure

Description	ICD-10
Asthma	ICD-10: J45.21, J45.22, J45.30-J45.32, J45.40-J45.42, J45.50-J45.52,
	J45.901, J45.902, J45.909, J45.991, J45.998

Online	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
assessments	HCPCS: G0071, G2010, G2012
Telephone	CPT: 98966, 98967, 98968, 99441, 99442, 99443
visits	

Helpful tips:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with patient scheduling if needed.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes				
	_			

Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM)

This HEDIS measure looks at the percentage of children and adolescents 1 to 17 years of age who had two or more antipsychotic prescriptions and had metabolic testing. Three rates are reported:

- The percentage of children and adolescents on antipsychotics who received blood glucose testing
- The percentage of children and adolescents on antipsychotics who received cholesterol testing
- The percentage of children and adolescents on antipsychotics who received blood glucose and cholesterol testing

Record your efforts:

- At least one test for blood glucose or HbA1c
- At least one test for LDL-C or cholesterol
- If your office does not perform in-house lab testing, make sure your members labs results are recorded in the medical record with your initials where you have acknowledged review of results.

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

CPT/CAT II/LOINC
CPT: 82465, 83718, 83722, 84478
LOINC: 2085-9, 2093-3, 2571-8, 3043-7, 9830-1
CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
LOINC: 10450-5, 1492-8, 1494-4, 1496-9, 1499-3, 1501-6, 1504-0,
1507-3, 1514-9, 1518-0, 1530-5, 1533-9, 1554-5, 1557-8, 1558-6,
17865-7, 20436-2, 20437-0, 20438-8, 20440-4, 26554-6, 41024-1,
49134-0, 6749-6, 9375-7
CPT: 83036, 83037
LOINC: 17856-6, 4548-4, 4549-2
CAT II: 3044F, 3046F, 3051F, 3052F
CPT: 80061, 83700, 83701, 83704, 83721
LOINC: 12773-8, 13457-7, 18261-8, 18262-6, 2089-1, 49132-4,
55440-2, 96259-7

LDL-C lab test results	CAT II: 3048F, 3049F, 3050F
or findings	

How can we help?

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Helpful tip:

• If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			
-			
-			

Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)

This HEDIS measure looks at the percentage of children and adolescents 1 to 17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment.

Record your efforts

Documentation of psychosocial care in the 121-day period from 90 days prior to the IPSD through 30 days after the IPSD.

Exclusions

At least one acute inpatient encounter during the measurement year with a diagnosis of:

- Schizophrenia
- Schizoaffective disorder
- Bipolar disorder
- Psychotic disorder
- Autism
- Other developmental disorder

Members in hospice or using hospice services anytime during the measurement year are excluded.

Description	CPT/HCPCS/LOINC
Psychosocial care	CPT: 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845,
	90846, 90847, 90849, 90853, 90875, 90876, 90880
	HCPCS: G0176, G0177, G0409, G0410, G0411, H0004, H0035,
	H0036, H0037, H0038, H0039, H0040, H2000, H2001, H2011, H2012,
	H2013, H2014, H2017, H2018, H2019, H2020, S0201, S9480, S9484,
	S9485
BH outpatient	CPT: 98960-98962, 99078, 99201-99205, 99211-99215, 99241-99245,
	99341-99345, 99347-99350, 99381-99387, 99391-99397, 99401-99404,
	99411, 99412, 99483, 99492, 99493, 99494, 99510
	HCPCS: G0155, G0176, G0177, G0409, G0463, G0512, H0002,
	H0004, H0031, H0034, H0036, H0037, H0039, H0040, H2000, H2010,
	H2011, H2013-H2020, T1015

BH stand-alone	CPT: 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316,
nonacute inpatient	99318, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336,
_	99337
	HCPCS: H0017-H0019, T2048
Visit setting	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839,
unspecified	90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222,
	99223, 99231, 99232, 99233, 99238, 99239, 99251, 99252, 99253,
	99254, 99255
Online	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
assessments	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tip:

• If using an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with patient scheduling if needed.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

Breast Cancer Screening (BCS)

This HEDIS measure looks at women 50 to 74 years of age who had a mammogram to screen for breast cancer.

Record your efforts

Include documentation of all types and methods of mammograms including:

- Screening.
- Diagnostic.
- Film.
- Digital.
- Digital breast tomosynthesis.

In establishing health history with new members, please make sure you ask about when members last mammogram was performed, document at a minimum, year performed in your health history.

Gaps in care are not closed by the following, as they are performed as an adjunct to mammography:

- Breast ultrasounds.
- MRIs.
- Biopsies.

Exclusions:

- Women who had a bilateral mastectomy or unilateral mastectomy with a bilateral modifier (must be from the same procedure)
- Members receiving palliative care
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS
Mammography	CPT: 77061-76063,77065-77067
	LOINC: 24604-1, 24605-8, 24606-6, 24610-8, 26175-0, 26176-8, 26177-6,
	26287-3, 26289-9, 26291-5, 26346-7, 26347-5, 26348-3, 26349-1, 26350-9,
	26351-7, 36319-2, 36625-2, 36626-0, 36627-8, 36642-7, 36962-9, 37005-6,
	37006-4, 37016-3, 37017-1, 37028-8, 37029-6, 37030-4, 37037-9, 37038-7,
	37052-8, 37053-6, 37539-4, 37542-8, 37543-6, 37551-9, 37552-7, 37553-5,
	37554-3, 37768-9, 37769-7, 37770-5, 37771-3, 37772-1, 37773-9, 37774-7,
	37775-4, 38070-9, 38071-7, 38072-5, 38090-7, 38091-5, 38807-4, 38820-7,

	38854-6, 38855-3, 42415-0, 42416-8, 46335-6, 46336-4, 46337-2, 46338-0,
	46339-8, 46350-5, 46351-3, 46356-2, 46380-2, 48475-8, 48492-3, 69150-1,
	69251-7, 69259-0
Online	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
assessments	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

How can we help?

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes				
·	 ·	 	·	·

Blood Pressure Control for Patients with Diabetes (BPD)

This HEDIS measure looks at the percentage **of members 18 to** 75 years of age with diabetes (type 1 and 2) whose blood pressure (BP) was adequately controlled (< 140/90 mm Hg) during the measurement year.

Record your efforts:

• Members 18 to 75 years of age whose BP is <140/90 mm Hg

What does not count?

Do not include BP readings:

- Taken during an acute inpatient stay or an ED visit.
- Taken on the same day as a diagnostic test or diagnostic or therapeutic procedure that requires a change in diet or change in medication on or one day before the day of the test or procedure, with the exception of fasting blood tests.
- Taken by the member using a non-digital device such as with a manual blood pressure cuff and a stethoscope.

Exclusions:

- Members who do not have a diagnosis of diabetes
- Members in hospice or using hospice services anytime during the measurement year
- Members receiving palliative care

Description	CPT/HCPCS/ICD-10/CAT II
Diastolic BP	CAT II: 3078F-3080F
	LOINC: 75995-1, 8453-3, 8454-1, 8455-8, 8462-4,
	8496-2, 8514-2, 8515-9, 89267-9
Diastolic 80 to 89	CAT II : 3079F
Diastolic greater than/equal to 90	CAT II : 3080F
Diastolic Less Than 80	CAT II : 3078F
Systolic BP	CAT II: 3074F, 3075F, 3077F
	LOINC: 75997-7, 8459-0, 8460-8, 8461-6, 8480-6,
	8508-4, 8546-4, 8547-2, 89268-7
Systolic greater than/equal to 140	CAT II: 3077F
Systolic less than 140	CAT II: 3074F, 3075F
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423,
	99457
	HCPCS: G0071, G2010, G2012

Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443
Telephone visits	C1 1. 70700, 70707, 70700, 77 111, 77 112, 77 113

Helpful tips:

- Improve the accuracy of BP measurements performed by your clinical staff by:
 - o Providing training materials from the American Heart Association.
 - Conducting BP competency tests to validate the education of each clinical staff member.
 - o Making a variety of cuff sizes available.
- Instruct your office staff to recheck BPs for all members with initial recorded readings greater than systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits; have your staff record the recheck in member's medical records.
- Refer high-risk members to our hypertension programs for additional education and support.
- Educate members and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
 - o Heart-healthy eating and a low-salt diet.
 - o Smoking cessation and avoiding secondhand smoke.
 - o Adding regular exercise to daily activities.
 - o Home BP monitoring.
 - o Ideal body mass index (BMI).
 - o The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

We support you in helping members control high blood pressure by:

- Providing online *Clinical Practice Guidelines* on our provider self-service website.
- Reaching out to our hypertensive members through our programs.
- Helping identify your hypertensive members.
- Helping you schedule, plan, implement and evaluate a health screening Clinic Day; call your Provider Solutions representative to find out more.
- Educating our members on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources

You can find more information and tools online at:

- www.nhlbi.nih.gov
- https://www.cdc.gov/bloodpressure/index.htm

Notes	
	·

Controlling High Blood Pressure (CBP)

This HEDIS measure looks at the percentage of members ages 18 to 85 years who have had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (< 140/90 mm Hg) during the measurement year.

Record your efforts

Document blood pressure and diagnosis of HTN. Members whose BP is adequately controlled include:

- Members 18 to 85 years of age who had a diagnosis of HTN and whose BP was adequately controlled (< 140/90 mm Hg) during the measurement year.
- The most recent BP reading during the measurement year on or after the second diagnosis of hypertension:
 - o If no BP is recorded during the measurement year, assume that the member is *not* controlled.

What does not count?

- If taken on the same day as a diagnostic test or procedure that requires a change in diet or medication regimen
- On or one day before the day of the test or procedure with the exception of fasting blood tests
- Taken during an acute inpatient stay or an ED visit
- Taken by the member using a non-digital device such as with a manual blood pressure cuff and a stethoscope.

Exclusions:

- ESRD
- Kidney transplant
- Pregnancy
- Non acute inpatient stay
- Members ages 66 to 80 with frailty and advanced illness
- Members 81 and above with frailty
- Members receiving palliative care
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10/CAT II	
Essential HTN	ICD-10: I10	
Diastolic BP	CAT II: 3078F-3080F	

F	•
	LOINC: 8453-3, 8454-1, 8455-8, 8462-4, 8496-2,
	8514-2, 8515-9, 89267-9
Diastolic 80 to 89	CAT-11 : 3079F
Diastolic greater than/equal to 90	CAT-11 : 3080F
Diastolic Less Than 80	CAT-11 : 3078F
Systolic BP	CAT II: 3074F, 3075F, 3077F
	LOINC: 75997-7, 8459-0, 8460-8, 8461-6,
	8480-6, 8508-4, 8546-4, 8547-2, 89268-7
Systolic greater than/equal to 140	CAT II: 3077F
Systolic less than 140	CAT II: 3074F, 3075F
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423,
	99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

- Improve the accuracy of BP measurements performed by your clinical staff by:
 - o Providing training materials from the American Heart Association.
 - Conducting BP competency tests to validate the education of each clinical staff member.
 - o Making a variety of cuff sizes available.
- Instruct your office staff to recheck BPs for all members with initial recorded readings greater than systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits; have your staff record the recheck in member's medical records.
- Refer high-risk members to our hypertension programs for additional education and support.
- Educate members and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
 - o Heart-healthy eating and a low-salt diet.
 - o Smoking cessation and avoiding secondhand smoke.
 - o Adding regular exercise to daily activities.
 - o Home BP monitoring.
 - o Ideal body mass index (BMI).
 - o The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

We support you in helping members control high blood pressure by:

- Providing online *Clinical Practice Guidelines* on our provider self-service website.
- Reaching out to our hypertensive members through our programs.
- Helping identify your hypertensive members.
- Helping you schedule, plan, implement and evaluate a health screening Clinic Day; call your Provider Solutions representative to find out more.
- Educating our members on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources

You can find more information and tools online at:

- www.nhlbi.nih.gov
- https://www.cdc.gov/bloodpressure/index.htm

Notes		

Cervical Cancer Screening (CCS)

This HEDIS measure looks at women 21 to 64 years of age who were screened for cervical cancer using either of the following criteria:

- Women 21 to 64 years of age who had cervical cytology performed within the last three years
- Women 30 to 64 years of age who had cervical high-risk human papillomavirus (hrHPV) testing performed within the last five years
- Women 30 to 64 years of age who had cervical cytology/hrHPV cotesting within the last five years

Record your efforts

Make sure your medical records reflect:

- The date when the cervical cytology was performed.
- The results or findings
- Notes in patient's chart if patient has a history of hysterectomy.
 - Complete details if it was a complete, total or radical abdominal or vaginal
 hysterectomy with no residual cervix; also, document history of cervical agenesis
 or acquired absence of cervix. (Include, at a minimum, the year the surgical
 procedure was performed.)

Exclusions

Members who have one of the following in their history can be excluded:

- Absence of cervix
- Members receiving palliative care
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/LOINC
Cervical cytology lab	CPT: 88141-88143,88147,88148,88150,88152-88154,
test	88164-88167, 88174, 88175
	HCPCS: G0123, G0124, G0141,
	G0143-G0145, G0147, G0148, P3000, P3001, Q0091
	LOINC: 10524-7, 18500-9, 19762-4, 19764-0, 19765-7, 19766-5,
	19774-9, 33717-0, 47527-7, 47528-5
hrHPV lab test	CPT: 87624, 87625
	HCPCS: G0476

	LOINC: 21440-3, 30167-1, 38372-9, 59263-4, 59264-2, 59420-0,		
	69002-4, 71431-1, 75694-0, 77379-6, 77399-4, 77400-0,		
	82354-2, 82456-5, 82675-0, 95539-3		
Absence of cervix	ICD-10-CM: Q51.5, Z90.710, Z90.712		
diagnosis			
Hysterectomy with no	CPT: 51925, 57530, 57531, 57540, 57545, 57550, 57555, 57556,		
residual cervix	58150, 58152, 58200, 58210, 58240, 58260, 58262, 58263, 58267,		
	58270, 58275, 58280, 58285, 58290, 58291, 58292, 58294, 58548,		
	58550, 58552, 58553, 58554, 58570, 58571, 58572, 58573, 58575,		
	58951, 58953, 58954, 58956, 59135		
	ICD-10-PCS: 0UTC0ZZ, 0UTC4ZZ, 0UTC7ZZ, 0UTC8ZZ		

Note: The Logical Observation Identifier Names and Codes (LOINC) are for reporting clinical observations and laboratory testing.

Helpful tips:

- Discuss the importance of well-woman exams, mammograms, Pap tests and HPV testing with all female members between ages 21 to 64 years.
- Be a champion in promoting women's health by reminding them of the importance of annual wellness visits.
- Refer members to another appropriate provider if your office does not perform Pap tests and request copies of Pap test/HPV co-testing results be sent to your office.
- Talk to your Provider Solutions representative to determine if a health screening Clinic Day has been scheduled in your community. Our staff may be able to help plan, implement and evaluate events for a particular preventive screening, like a cervical cancer screening or a complete comprehensive women's health screening event (only if this is offered in your practice area).
- Train your staff on the use of educational materials to promote cervical cancer screening.
- Use a tracking mechanism, (for example, EMR flags and/or manual tracking tool) to identify members due for cervical cancer screening.
- Display posters and educational messages in treatment rooms and waiting areas to help motivate members to initiate discussions with you about screening.
- Train your staff on preventive screenings or find out if we provide training.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

We help you get our members this critical service by:

- Offering you access to our *Clinical Practice Guidelines* on our provider self-service website.
- Coordinating with you to plan and focus on improving health awareness for our members by providing health screenings, activities, materials and resources if available or as needed.
- Educating members on the importance of cervical cancer screening through various sources, such as phone calls, post cards, newsletters and health education fliers if available.

You can find more information and tools online at www.uspreventiveservicestaskforce.org.

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Contact your Provider Solutions representative for any questions during office visits.

Other available resources

Natao			
Notes			

Childhood Immunization Status (CIS)

The percentage of children turning 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus influenza type B (HiB); three hepatitis B (Hep B), one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday.

- Hep B "initial dose" is the only vaccine that can be given before 42 days after birth
- Influenza cannot be given until infant is 6 months of age
- MMR, VZV and Hep A can only be given between 1 st and 2nd birthday to close the gap
- Second Influenza vaccination may be the LAIV given on members 2nd birthday

Immunization	Dose(s)
DTaP	4
IPV	3
MMR	1
Hib	3
Нер В	3
VZV	1
PCV	4
Hep A	1
Rotavirus	• Two-dose (Rotarix)
	Three-dose (Rotateq) vaccine
Influenza	Second dose may be LAIV given on 2nd birthday

Record your efforts

Once you give our members their needed immunizations, let us and the state know by:

- Recording the immunizations in your state registry.
- Documenting the immunizations (historic and current) within medical records to include:
 - o A note indicating the name of the specific antigen and the date of the immunization.
 - The certificate of immunization prepared by an authorized health care provider or agency.
 - o Parent refusal, documented history of anaphylactic reaction to serum/vaccinations, illnesses or seropositive test result.
 - The date of the first hepatitis B vaccine given at the hospital and name of the hospital if available.

 A note that the "member is up to date" with all immunizations but which does not list the dates of all immunizations and the names of the immunization agents does not constitute sufficient evidence of immunization for HEDIS reporting.

Exclusions:

- Anaphylactic reaction due to vaccination
- Disorders of the immune system
- Encephalopathy due to the vaccination
- HIV
- HIV type 2
- Intussusception
- Malignant neoplasm of lymphatic tissue
- Severe combined immunodeficiency
- Vaccine causing adverse effect
- Members in hospice or using hospice services anytime during the measurement year

Codes to identify immunizations:

Immunization	CPT/HCPCS/ICD-10	CVX
DTaP	CPT: 90697, 90698, 90700, 90723	20, 50, 106, 107, 110, 120, 146
IPV	CPT: 90697, 90698, 90713, 90723	10, 89, 110, 120, 146
MMR	CPT: 90707, 90710	03, 94
Hib	CPT: 90644, 90647, 90648,	17, 46, 47, 48, 49, 50, 51, 120,
	90697, 90698, 90748	146, 148
Нер В	CPT: 90697, 90723, 90740,	08, 44, 45, 51, 110, 146
	90744, 90747, 90748	
VZV	CPT: 90710, 90716	21,94
PCV	CPT: 90670,	109, 133, 152
Hep A	CPT: 90633	31, 83, 85
Rotavirus (two- or	Two-dose: 90681	Two-dose: 119
three-dose)	Three-dose: 90680	Three-dose: 116, 122
Influenza	CPT: 90655, 90657, 90661,	88, 140, 141, 150, 153, 155,
	90673, 90685, 90686, 90687,	158, 161
	90688, 90689	

Influenza: live	CPT: 90660,90672	•	111: influenza virus
attenuated for			vaccine, live attenuated, for
intranasal use			intranasal
		•	149: influenza, live,
			intranasal, quadrivalent

Helpful tips:

- If you use an EMR, create a flag to track members due for immunizations.
- Extend your office hours into the evening, early morning or weekends to accommodate working parents.
- Develop or implement standing orders for nurses and physician assistants in your practice to allow staff to identify opportunities to immunize.
- Enroll in the Vaccines for Children (VFC) program to receive vaccines. For questions about enrollment and vaccine orders, contact your state VFC coordinator. Find your coordinator when you visit www.cdc.gov/vaccines/programs/vfc/contacts-state.html or call 1-800-CDC-INFO (1-800-232-4636).
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

We can help you get children in for their immunizations by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with patient scheduling if needed.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Call your Provider Solutions representative for more information.

Notes			

Chlamydia Screening in Women (CHL)

This HEDIS measure looks at the percentage of women 16 to 24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.

Record your efforts

Indicate the date the test was performed and the results

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Based on a pregnancy test alone and who meet either of the following:

- A pregnancy test and a prescription for isotretinoin on the date of the pregnancy test or the six days after
- A pregnancy test and an x-ray on the date of the pregnancy test or the six days after

Description	CPT/HCPCS/LOINC
Chlamydia testing	CPT: 87110, 87270, 87320, 87490-87492, 87810
	LOINC: 14463-4, 14464-2, 14467-5, 14474-1, 14513-6, 16600-9,
	21190-4, 21191-2, 21613-5, 23838-6, 31775-0, 31777-6, 36902-5,
	36903-3, 42931-6, 43304-5, 43404-3, 43405-0, 43406-8, 44806-8,
	44807-6, 45068-4, 45069-2, 45075-9, 45076-7, 45084-1, 45091-6,
	45095-7, 45098-1, 45100-5, 47211-8, 47212-6, 49096-1, 4993-2,
	50387-0, 53925-4, 53926-2, 557-9, 560-3, 6349-5, 6354-5, 6355-2,
	6356-0, 6357-8, 80360-1, 80361-9, 80362-7, 91860-7

How can we help?

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Helpful resource:

• www.cdc.gov/std/chlamydia/default.htm

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Appropriate Testing for Pharyngitis (CWP)

This HEDIS measure evaluates members 3 years of age and older where the member was diagnosed with pharyngitis, dispensed an antibiotic and received a group A streptococcus (strep) test for the episode.

Record your efforts:

- Document results of all strep tests or refusal for testing in medical record.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

Exclusions:

- Visits that result in an inpatient stay
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10/ LOINC
Pharyngitis	ICD10: J02.0, J02.8, J02.9, J03.00, J03.01, J03.80. J03.81, J03.90,
	J03.91
Group A	CPT: 87070, 87071, 87081, 87430, 87650-87652, 87880
streptococcal tests	LOINC: 11268-0, 17656-0, 17898-8, 18481-2, 31971-5,
	49610-9, 5036-9, 60489-2, 626-2, 6557-3, 6558-1, 6559-9, 68954-7,
	78012-2
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

- If a patient tests negative for group A strep but insists on an antibiotic:
 - Refer to the illness as a sore throat due to a cold; members tend to associate the label with a less-frequent need for antibiotics.
 - Write a prescription for symptom relief, like over-the-counter medications.
- Educate members on the difference between bacterial and viral infections. This is the key point in the success of this measure. Use CDC handouts or education tools as needed.
- Discuss with members ways to treat symptoms:
 - o Get extra rest.
 - o Drink plenty of fluids.
 - o Use over-the-counter medications.
 - o Use the cool-mist vaporizer and nasal spray for congestion.

- o Eat ice chips or use throat spray/lozenges for sore throats.
- Educate members and their parents or caregivers that they can prevent infection by:
 - Washing hands frequently.
 - o Disinfecting toys.
 - o Keeping the child out of school or day care for at least 24 hours until antibiotics have been taken and symptoms have improved.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Helpful resources:

- www.CDC.gov/getsmart
- www.CDC.gov/antibiotic-use

Notes			

Eye Exam for Patients with Diabetes (EED)

This HEDIS measure looks at the percentage of members 18 to 75 years of age with diabetes (types 1 and 2) who had a retinal eye exam.

Record your efforts:

- A retinal or dilated eye exam by an eye care professional (optometrist or ophthalmologist) in the measurement year.
- A negative retinal or dilated eye exam (negative for retinopathy) by an eye care professional in the year prior to the measurement year.
- Bilateral eye enucleation any time during the member's history through December 31 of the measurement year.

Exclusions:

- Members who do not have a diagnosis of diabetes
- Members in hospice or using hospice services anytime during the measurement year
- Members receiving palliative care

Unilateral eye enucleation left

ICD-10-PCS	
08T1XZZ	

Unilateral eye enucleation right

ICD-10-PCS	
08T0XZZ	

Services	CPT
Diabetic retinal screenings	CPT: 67028, 67030, 67031, 67036, 67039-67043,
	67101, 67105, 67107, 67108, 67110, 67113, 67121,
	67141, 67145, 67208, 67210, 67218, 67220, 67221,
	67227, 67228, 92002, 92004, 92012, 92014, 92018,
	92019, 92134, 92201, 92202, 9222792228, 92230,
	92235, 92240, 92250, 92260, 99203-99205,
	99213-99215, 99242-99245
	HCPCS: S0620, S0621, S3000
Diabetic retinal screening negative in	CPT-CAT II: 3072F
prior year	

Eye exam with evidence of retinopathy	CPT-CAT II: 2022F, 2024F, 2026F,
Eye exam without evidence of	CPT-CAT II: 2023F, 2025F, 2033F,
retinopathy	
Unilateral eye enucleation	CPT: 65091, 65093, 65101, 65103, 65105, 65110,
	65112, 65114
Automated Eye Exam	CPT: 92229
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423,
	99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

- For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.
- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a patient's screenings are due.
- Send appointment reminders and call members to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results, eye exam results or any specialist referral and document on your chart.
- Refer members to the network of eye providers for their annual diabetic eye exam.
- Educate your members and their families, caregivers, and guardians on diabetes care, including:
 - o Taking all prescribed medications as directed.
 - o Adding regular exercise to daily activities.
 - o Having a diabetic eye exam each year with an eye care provider.
 - o Regularly monitoring blood sugar and blood pressure at home.
 - o Maintaining healthy weight and ideal body mass index.
 - o Eating heart-healthy, low-calorie and low-fat foods.
 - o Stopping smoking and avoiding second-hand smoke.
 - Keeping all medical appointments; getting help with scheduling necessary appointments, screenings and tests to improve compliance.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

We can help you with comprehensive diabetes care by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Providing programs that may be available to our diabetic members.

Please contact your local Provider Solutions representative for more information.

- Supplying copies of educational resources on diabetes that may be available for your office.
- Providing education at your office if available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes ______

Follow-Up After Emergency Department Visit for Substance Use (FUA)

This HEDIS measure evaluates the percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of substance use disorder (SUD), or any diagnosis of drug overdose, who had a follow up visit for SUD. Two rates are reported:

- The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days)
- The percentage of ED visits for which the member received follow-up within seven days of the ED visit (eight total days)

Record your efforts:

- Thirty-Day Follow-Up: a member has a follow-up visit or a pharmacotherapy dispensing event 30 days after the ED visit (31 total days); include events and visits that occur on the date of the ED visit.
- Seven-Day Follow-Up: a member has a follow-up visit or a pharmacotherapy dispensing event seven days after the ED visit (eight total days); include events and visits that occur on the date of the ED visit.

Exclusions:

- ED visits that result in an inpatient stay
- Members in hospice or using hospice services anytime during the measurement year

Services	CPT/HCPCS
Alcohol and other	ICD-10-CM: F10.10, F10.120, F10.121, F10.129, F10.130, F10.131,
drugs (AOD)	F10.132, F10.139, F10.14, F10.150, F10.151, F10.159, F10.180, F10.181,
abuse and	F10.182, F10.188, F10.19, F10.20, F10.220, F10.221, F10.229, F10.230,
dependence	F10.231, F10.232, F10.239, F10.24, F10.250, F10.251, F10.259, F10.26,
	F10.27, F10.280, F10.281, F10.282, F10.288, F10.29, F11.10, F11.120,
	F11.121, F11.122, F11.129, F11.13, F11.14, F11.150, F11.151, F11.159,
	F11.181, F11.182, F11.188, F11.19, F11.20, F11.220, F11.221, F11.222,
	F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281, F11.282,
	F11.288, F11.29, F12.10, F12.120, F12.121, F12.122, F12.129, F12.13,
	F12.150, F12.151, F12.159, F12.180, F12.188, F12.19, F12.20, F12.220,
	F12.221, F12.222, F12.229, F12.23, F12.250, F12.251, F12.259, F12.280,
	F12.288, F12.29, F13.10, F13.120, F13.121, F13.129, F13.130, F13.131,
	F13.132, F13.139, F13.14, F13.150, F13.151, F13.159, F13.180, F13.181,
	F13.182, F13.188, F13.19, F13.20, F13.220, F13.221, F13.229, F13.230,
	F13.231, F13.232, F13.239, F13.24, F13.250, F13.251, F13.259, F13.26,
	F13.27, F13.280, F13.281, F13.282, F13.288, F13.29, F14.10, F14.120,

	F14.121, F14.122, F14.129, F14.13, F14.14, F14.150, F14.151, F14.159,
	F14.180, F14.181, F14.182, F14.188, F14.19, F14.20, F14.220, F14.221,
	F14.222, F14.229, F14.23, F14.24, F14.250, F14.251, F14.259, F14.280,
	F14.281, F14.282, F14.288, F14.29, F15.10, F15.120, F15.121, F15.122,
	F15.129, F15.13, F15.14, F15.150, F15.151, F15.159, F15.180, F15.181,
	F15.182, F15.188, F15.19, F15.20, F15.220, F15.221, F15.222, F15.229,
	F15.23, F15.24, F15.250, F15.251, F15.259, F15.280, F15.281, F15.282,
	F15.288, F15.29, F16.10, F16.120, F16.121, F16.122, F16.129, F16.14,
	F16.150, F16.151, F16.159, F16.180, F16.183, F16.188, F16.19, F16.20,
	F16.220, F16.221, F16.229, F16.24 F16.250, F16.251, F16.259, F16.280,
	F16.283, F16.288, F16.29, F18.10, F18.120, F18.121, F18.129, F18.14,
	F18.150, F18.151, F18.159, F18.17, F18.180, F18.188, F18.19, F18.20,
	F18.220, F18.221, F18.229, F18.24, F18.250, F18.251, F18.259, F18.27,
	F18.280, F18.288, F18.29, F19.10, F19.120, F19.121, F19.122, F19.129,
	F19.130, F19.131, F19.132, F19.139, F19.14, F19.150, F19.151, F19.159,
	F19.16, F19.17, F19.180, F19.181, F19.182, F19.188, F19.19, F19.20,
	F19.220, F19.221, F19.222, F19.229, F19.230, F19.231, F19.232,
	F19.239, F19.24, F19.250, F19.251, F19.259, F19.26, F19.27, F19.280,
	F19.281, F19.282, F19.288, F19.29
	LTTODOG TIOOGO TIOOGO TOEEN TOEEN TOEEN TOEEN TOEEN TOEEN
AOD medication	HCPCS: H0020, H0033, J0570, J0571, J0572, J0573, J0574, J0575,
AOD medication treatment	HCPCS : H0020, H0033, J0570, J0571, J0572, J0573, J0574, J0575, J2315, Q9991, Q9992, S0109
	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409
treatment	J2315, Q9991, Q9992, S0109
treatment BH assessment Substance	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932,
treatment BH assessment	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980,
treatment BH assessment Substance	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922,
treatment BH assessment Substance	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982,
treatment BH assessment Substance	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93,
treatment BH assessment Substance	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920,
treatment BH assessment Substance	J2315, Q9991, Q9992, S0109 CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950,
treatment BH assessment Substance	CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988,
treatment BH assessment Substance	CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988, F13.99, F14.90, F14.920, F14.921, F14.922, F14.929, F14.93, F14.94,
treatment BH assessment Substance	CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988, F13.99, F14.90, F14.920, F14.921, F14.922, F14.929, F14.93, F14.94, F14.950, F14.951, F14.959, F14.980, F14.981, F14.982, F14.988, F14.99,
treatment BH assessment Substance	CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988, F13.99, F14.90, F14.920, F14.921, F14.922, F14.929, F14.93, F14.94, F14.950, F14.951, F14.959, F14.980, F14.981, F14.982, F14.988, F14.99, F15.90, F15.920, F15.921, F15.922, F15.929, F15.93, F15.94, F15.950,
treatment BH assessment Substance	CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988, F13.99, F14.90, F14.920, F14.921, F14.922, F14.929, F14.93, F14.94, F14.950, F14.951, F14.959, F14.980, F14.981, F14.982, F14.988, F14.99, F15.90, F15.920, F15.921, F15.922, F15.929, F15.93, F15.94, F15.950, F15.951, F15.959, F15.980, F15.981, F15.982, F15.988, F15.99, F16.90,
treatment BH assessment Substance	CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988, F13.99, F14.90, F14.920, F14.921, F14.922, F14.929, F14.93, F14.94, F14.950, F14.951, F14.959, F14.980, F14.981, F14.982, F14.988, F14.99, F15.90, F15.920, F15.921, F15.922, F15.929, F15.93, F15.94, F15.950, F15.951, F15.959, F15.980, F15.981, F15.982, F15.988, F15.99, F16.90, F16.920, F16.921, F16.929, F16.94, F16.950, F16.951, F16.959, F16.980,
treatment BH assessment Substance	CPT: 99408, 99409 HCPCS: G0396, G0397, G0442, G2011, H0001, H0002, H0031, H0049 ICD-10-CM: F10.920, F10.921, F10.929, F10.930, F10.931, F10.932, F10.939, F10.94, F10.950, F10.951, F10.959, F10.96, F10.97, F10.980, F10.981, F10.982, F10.988, F10.99, F11.90, F11.920, F11.921, F11.922, F11.929, F11.93, F11.94, F11.950, F11.951, F11.959, F11.981, F11.982, F11.988, F11.99, F12.90, F12.920, F12.921, F12.922, F12.929, F12.93, F12.950, F12.951, F12.959, F12.980, F12.988, F12.99, F13.90, F13.920, F13.921, F13.929, F13.930, F13.931, F13.932, F13.939, F13.94, F13.950, F13.951, F13.959, F13.96, F13.97, F13.980, F13.981, F13.982, F13.988, F13.99, F14.90, F14.920, F14.921, F14.922, F14.929, F14.93, F14.94, F14.950, F14.951, F14.959, F14.980, F14.981, F14.982, F14.988, F14.99, F15.90, F15.920, F15.921, F15.922, F15.929, F15.93, F15.94, F15.950, F15.951, F15.959, F15.980, F15.981, F15.982, F15.988, F15.99, F16.90,

	E10.00 E10.00 E10.000 E10.001 E10.000 E10.000 E10.000 E10.001
	F18.99, F19.90, F19.920, F19.921, F19.922, F19.929, F19.930, F19.931,
	F19.932, F19.939, F19.94, F19.950, F19.951, F19.959, F19.96, F19.97,
	F19.980, F19.981, F19.982, F19.988, F19.99
Substance use	CPT: 99408, 99409
disorder services	HCPCS: G0396, G0397, G0443, H0001, H0005, H0007, H0015, H0016,
	H0022, H0047, H0050, H2035, H2036, T1006, T1012
Substance use	HCPCS: H0006, H0028
services	
Opioid use	HCPCS: G2086, G2087
disorder (OUD)	Her es. 32000, 32007
monthly office	
based treatment	
OUD weekly	HCPCS: G2067, G2068, G2069, G2070, G2072, G2073
drug treatment	Her ep. 02007, 02000, 02007, 02070, 02072, 02073
service	
~	HCDCS, C2071, C2074, C2075, C2074, C2077, C2080
OUD weekly	HCPCS: G2071, G2074, G2075, G2076, G2077, G2080
nondrug service	
Online	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
assessments	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

- Offer current *Clinical Practice Guidelines* on our provider self-service website.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources

You can find more information and tools online at:

- www.mhpa.org
- www.qualityforum.org

Helpful tip:

 If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Follow-Up After Hospitalization for Mental Illness (FUH)

This HEDIS measure evaluates members ages 6 years and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health provider. Two rates are reported:

- The percentage of discharges for which the member received follow-up within 30 days after discharge
- The percentage of discharges for which the member received follow-up within seven days after discharge

Exclusions:

- Exclude discharges followed by readmission or direct transfer to a nonacute inpatient care setting within the 30-day follow-up period, regardless of principal diagnosis for the readmission.
- Members in hospice or using hospice services anytime during the measurement year

Services	CPT/HCPCS			
Transitional care management	CPT: 99495, 99496			
services				
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443			
Telehealth POS	02			
Visit setting unspecified	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837,			
	90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875,			
	90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238,			
	99239, 99251, 99252, 99253, 99254, 99255			

Description	ICD-10
Mental illness	F20.0-F20.3, F20.5, F20.81, F20.89, F20.9, F21, F22, F23, F24,
	F25.0, F25.1, F25.8, F25.9, F28, F29, F30.10-F30.13, F30.2-F30.4,
	F30.8, F30.9, F31.0, F31.10-F31.13, F31.2, F31.30-F31.32, F31.4,
	F31.5, F31.60-F31.64, F31.70-F31.78, F31.81, F31.89, F31.9,
	F32.0-F32.5, F32.8, F32.81, F32.89, F32.9, F33.0-F33.3,
	F33.40-F33.42, F33.8, F33.9, F34.0, F34.1, F34.8, F34.81, F34.89,
	F34.9, F39, F42, F42.2-F42.4, F42.8, F42.9, F43.0, F43.10-F43.12,
	F43.20-F43.25, F43.29, F43.8, F43.9, F44.89, F53, F53.0, F53.1,
	F60.0-F60.7, F60.81, F60.89, F60.9, F63.0-F63.3, F63.81, F63.89,
	F63.9, F68.10-F68.13, F68.8, F68.A, F84.0, F84.2, F84.3, F84.5,
	F84.8, F84.9, F90.0-F90.2, F90.8, F90.9, F91.0-F91.3, F91.8, F91.9,
	F93.0, F93.8, F93.9, F94.0-F94.2, F94.8, F94.9

Description	ICD-10
Mental health	F03.90, F03.91, F20.0-F20.3, F20.5, F20.81, F20.89, F20.9,
diagnosis	F21-F24, F25.0, F25.1, F25.8, F25.9, F28, F29, F30.10-F30.13,
	F30.2-F30.4, F30.8, F30.9, F31.0, F31.10-F31.13, F31.2,
	F31.30-F31.32, F31.4, F31.5, F31.60-F31.64, F31.70-F31.78,
	F31.81, F31.89, F31.9, F32.0-F32.5, F32.8, F32.81, F32.89, F32.9,
	F33.0-F33.3, F33.40-F33.42, F33.8, F33.9, F34.0, F34.1, F34.8,
	F34.81, F34.89, F34.9, F39, F40.00-F40.02, F40.10, F40.11,
	F40.210, F40.218, F40.220, F40.228, F40.230-F40.233,
	F40.240-F40.243, F40.248, F40.29, F40.291, F40.298, F40.8, F40.9,
	F41.0, F41.1, F41.3, F41.8, F41.9, F42, F42.2-F42.4, F42.8, F42.9,
	F43.0, F43.10-F43.12, F43.20-F43.25, F43.29, F43.8, F43.9,
	F44.0-F44.2, F44.4-F44.7, F44.81, F44.89, F44.9, F45.0, F45.1,
	F45.20-F45.22, F45.29, F45.41, F45.42, F45.8, F45.9, F48.1, F48.2,
	F48.8, F48.9, F50.00-F50.02, F50.2, F50.8, F50.82, F50.89, F50.9,
	F51.01-F51.05, F51.09, F51.11-F51.13, F51.19, F51.3-F51.5, F51.8,
	F51.9, F52.0, F52.1, F52.21, F52.22, F52.31, F52.32, F52.4, F52.5,
	F52.6, F52.8, F52.9, F53, F53.0, F53.1, F59, F60.0-F60.7, F60.81,
	F60.89, F60.9, F63.0-F63.3, F63.81, F63.89, F63.9, F64.0-F64.2,
	F64.8, F64.9, F65.0-F65.4, F65.5-F65.52, F65.81, F65.89, F65.9,
	F66, F68.10-F68.13, F68.8, F69, F80.0-F80.2, F80.4, F80.81,
	F80.82, F80.89, F80.9, F81.0, F81.2, F81.81, F81.89, F81.9, F82,
	F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, F88, F89, F90.0, F90.1,
	F90.2, F90.8, F90.9, F91.0-F91.3, F91.8, F91.9, F93.0, F93.8, F93.9,
	F94.0-F94.2, F94.8, F94.9, F95.0-F95.2, F95.8, F95.9, F98.0, F98.1,
	F98.21, F98.29, F98.3-F98.5, F98.8, F98.9, F99

Helpful tips:

- Educate your members and their spouses, caregivers, or guardians about the importance of compliance with long-term medications, if prescribed.
- Encourage members to participate in our behavioral health case management program for help getting a follow-up discharge appointment within seven days and other support.
- Teach member's families to review all discharge instructions for members and ask for details of all follow-up discharge instructions, such as the dates and times of appointments. The post discharge follow up should optimally be within seven days of discharge.
- Ask members with a mental health diagnosis to allow you access to their mental health records if you are their primary care provider.

- Telehealth services that are completed by a qualified mental health provider can be used for this measure.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

We help you with follow-up after hospitalization for mental illness by:

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources

You can find more information and tools online at:

- www.mhpa.org
- www.qualityforum.org

Notes				
-				
-				
-				

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

This HEDIS measure evaluates members ages 6 years and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness. Two rates are reported:

- 1. The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days)
- 2. The percentage of ED visits for which the member received follow-up within seven days of the ED visit (eight total days)

Exclusions:

- ED visits that result in an inpatient stay
- ED visits followed by admission to an acute or nonacute inpatient care setting on the date of the ED visit or within the 30 days after the ED visit (31 total days)
- Members in hospice or using hospice services anytime during the measurement year

Services	CPT/HCPCS
BH outpatient	CPT: 98960-98962, 99078, 99202-99205, 99211-99215,
_	99241-99245, 99341-99345, 99347-99350, 99381-99387,
	99391-99397, 99401-99404, 99411, 99412, 99483,99492,
	99493, 99494, 99510
	HCPCS: G0155, G0176, G0177, G0409, G0463, G0512,
	H0002, H0004, H0031, H0034, H0036, H0037, H0039,
	H0040, H2000, H2010, H2011, H2013-H2020, T1015
Telehealth POS	02
Visit setting unspecified	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837,
	90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875,
	90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238,
	99239, 99251, 99252, 99253, 99254, 99255
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Description	ICD-10
Mental illness	F20.0-F20.3, F20.5, F20.81, F20.89, F20.9, F21, F22, F23, F24, F25.0,
	F25.1, F25.8, F25.9, F28, F29, F30.10-F30.13, F30.2-F30.4, F30.8,
	F30.9, F31.0, F31.10-F31.13, F31.2, F31.30-F31.32, F31.4, F31.5,
	F31.60-F31.64, F31.70-F31.78, F31.81, F31.89, F31.9, F32.0-F32.5,
	F32.8, F32.81, F32.89, F32.9, F33.0-F33.3, F33.40-F33.42, F33.8, F33.9,
	F34.0, F34.1, F34.8, F34.81, F34.89, F34.9, F39, F42, F42.2-F42.4,
	F42.8, F42.9, F43.0, F43.10-F43.12, F43.20-F43.25, F43.29, F43.8,
	F43.9, F44.89, F53. F53, F53.1, F60.0-F60.7, F60.81, F60.89, F60.9,
	F63.0-F63.3, F63.81, F63.89, F63.9, F68.10-F68.13, F68.8, F68.A, F84.0,
	F84.2, F84.3, F84.5, F84.8, F84.9, F90.0-F90.2, F90.8, F90.9,
	F91.0-F91.3, F91.8, F91.9, F93.0, F93.8, F93.9, F94.0-F94.2, F94.8,
	F94.9
Mental health	F03.90, F03.91, F20.0-F20.3, F20.5, F20.81, F20.89, F20.9, F21-F24,
diagnosis	F25.0, F25.1, F25.8, F25.9, F28, F29, F30.10-F30.13, F30.2-F30.4,
	F30.8, F30.9, F31.0, F31.10-F31.13, F31.2, F31.30-F31.32, F31.4, F31.5,
	F31.60-F31.64, F31.70-F31.78, F31.81, F31.89, F31.9, F32.0-F32.5,
	F32.8, F32.81, F32.89, F32.9, F33.0-F33.3, F33.40-F33.42, F33.8, F33.9,
	F34.0, F34.1, F34.8, F34.81, F34.89, F34.9, F39, F40.00-F40.02, F40.10,
	F40.11, F40.210, F40.218, F40.220, F40.228, F40.230-F40.233,
	F40.240-F40.243, F40.248, F40.29, F40.291, F40.298, F40.8, F40.9,
	F41.0, F41.1, F41.3, F41.8, F41.9, F42, F42.2-F42.4, F42.8, F42.9, F43.0,
	F43.10-F43.12, F43.20-F43.25, F43.29, F43.8, F43.9, F44.0-F44.2,
	F44.4-F44.7, F44.81, F44.89, F44.9, F45.0, F45.1, F45.20-F45.22,
	F45.29, F45.41, F45.42, F45.8, F45.9, F48.1, F48.2, F48.8, F48.9,
	F50.00-F50.02, F50.2, F50.8, F50.82, F50.89, F50.9, F51.01-F51.05,
	F51.09, F51.11-F51.13, F51.19, F51.3-F51.5, F51.8, F51.9, F52.0, F52.1,
	F52.21, F52.22, F52.31, F52.32, F52.4, F52.5, F52.6, F52.8, F52.9, F53,
	F53.0, F53.1, F59, F60.0-F60.7, F60.81, F60.89, F60.9, F63.0-F63.3,
	F63.81, F63.89, F63.9, F64.0-F64.2, F64.8, F64.9, F65.0-F65.4,
	F65.5-F65.52, F65.81, F65.89, F65.9, F66, F68.10-F68.13, F68.8, F69,
	F80.0-F80.2, F80.4, F80.81, F80.82, F80.89, F80.9, F81.0, F81.2, F81.81,
	F81.89, F81.9, F82, F84.0, F84.2, F84.3, F84.5, F84.8, F84.9, F88, F89,
	F90.0, F90.1, F90.2, F90.8, F90.9, F91.0-F91.3, F91.8, F91.9, F93.0,
	F93.8, F93.9, F94.0-F94.2, F94.8, F94.9, F95.0-F95.2, F95.8, F95.9,
	F98.0, F98.1, F98.21, F98.29, F98.3-F98.5, F98.8, F98.9, F99

We help you with follow-up after hospitalization for mental illness by:

- Offer current *Clinical Practice Guidelines* on our provider self-service website.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources

You can find more information and tools online at:

- www.mhpa.org
- www.qualityforum.org

Helpful tip:

 If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

Hemoglobin A1c Control for Patients with Diabetes (HBD)

This measure looks at the percentage of members 18 to 75 years of age with diabetes (types 1 and 2) whose hemoglobin A1c (HbA1c) was at the following levels during the measurement year:

- HbA1c control (<8.0%)
- HbA1c poor control (>9.0%)

Record your efforts:

• Document the date when the HbA1c test was performed and the result

Exclusions:

- Members who do not have a diagnosis of diabetes
- Members in hospice or using hospice services anytime during the measurement year
- Members receiving palliative care

Services	Codes
HbA1c level greater than 9	CPT-CAT II : 3046F
HbA1c level less than 7	CPT-CAT II : 3044F
HbA1c level greater than or equal to 7 or less than 8	CPT-CAT II : 3051F
HbA1c Level greater than or equal to 8 or less than 9	CPT-CAT II : 3052F
HbA1c tests results or findings	CPT-CAT II : 3044F, 3046F, 3051F, 3052F
HbA1c lab test	CPT: 83036, 83037
	LOINC: 17856-6, 4548-4, 4549-2
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

- For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.
- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a patient's screenings are due.

- Send appointment reminders and call members to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results and document on your chart.
- Draw labs in your office if accessible or refer members to a local lab for screenings.
- Educate your members and their families, caregivers, and guardians on diabetes care, including:
 - o Taking all prescribed medications as directed.
 - o Adding regular exercise to daily activities.
 - o Regularly monitoring blood sugar and blood pressure at home.
 - o Maintaining healthy weight and ideal body mass index.
 - o Eating heart-healthy, low-calorie and low-fat foods.
 - o Stopping smoking and avoiding second-hand smoke.
 - Fasting prior to having blood sugar and lipid panels drawn to ensure accurate results.
 - Keeping all medical appointments; getting help with scheduling necessary appointments, screenings and tests to improve compliance.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

We can help you with comprehensive diabetes care by:

- Providing online *Clinical Practice Guidelines* on our provider self-service website.
- Providing programs that may be available to our diabetic members.
- Supplying copies of educational resources on diabetes that may be available for your office.
- Scheduling Clinic Days or providing education at your office if available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Please contact your local Provider Solutions representative for more information.

Notes			

Initiation and Engagement of Substance Use Disorder Treatment (IET)

This measure looks at the percentage of new substance use disorder (SUD) episodes that result in treatment initiation and engagement. Two rates are reported:

- **Initiation of SUD Treatment:** the percentage of new SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter, partial hospitalization, telehealth visit or medication treatment within 14 days
- Engagement of SUD Treatment: the percentage of new SUD episodes that have evidence of treatment engagement within 34 days of initiation

Record your efforts:

• At each follow-up appointment use the same diagnosis for substance use disorder

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Initiation and engagement of alcohol and other drug dependence treatment (IET) codes:

Description	Codes
Alcohol abuse and	ICD-10-CM: F10.10, F10.120, F10.121, F10.129, F10.130,
dependence	F10.131, F10.132, F10.139, F10.14, F10.150, F10.151, F10.159,
	F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220,
	F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24,
	F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281,
	F10.282, F10.288, F10.29
AOD abuse and	ICD-10-CM: F10.10, F10.120, F10.121, F10.129, F10.130,
dependence	F10.131, F10.132, F10.139, F10.14, F10.150, F10.151, F10.159,
	F10.180, F10.181, F10.182, F10.188, F10.19, F10.20, F10.220,
	F10.221, F10.229, F10.230, F10.231, F10.232, F10.239, F10.24,
	F10.250, F10.251, F10.259, F10.26, F10.27, F10.280, F10.281,
	F10.282, F10.288, F10.29, F11.10, F11.120, F11.121, F11.122,
	F11.129, F11.13, F11.14, F11.150, F11.151, F11.159, F11.181,
	F11.182, F11.188, F11.19, F11.20, F11.220, F11.221, F11.222,
	F11.229, F11.23, F11.24, F11.250, F11.251, F11.259, F11.281,
	F11.282, F11.288, F11.29, F12.10, F12.120, F12.121, F12.122,
	F12.129, F12.13, F12.150, F12.151, F12.159, F12.180, F12.188,
	F12.19, F12.20, F12.220, F12.221, F12.222, F12.229, F12.23,
	F12.250, F12.251, F12.259, F12.280, F12.288, F12.29, F13.10,
	F13.120, F13.121, F13.129, F13.130 F13.131, F13.132,

Description	Codes
	F13.139, F13.14, F13.150, F13.151, F13.159, F13.180, F13.181,
	F13.182, F13.188, F13.19, F13.20, F13.220, F13.221, F13.229,
	F13.230, F13.231, F13.232, F13.239, F13.24, F13.250, F13.251,
	F13.259, F13.26, F13.27, F13.280, F13.281, F13.282, F13.288,
	F13.29, F14.10, F14.120, F14.121, F14.122, F14.129, F14.13,
	F14.14, F14.150, F14.151, F14.159, F14.180, F14.181, F14.182,
	F14.188, F14.19, F14.20, F14.220, F14.221, F14.222, F14.229,
	F14.23, F14.24, F14.250, F14.251, F14.259, F14.280, F14.281,
	F14.282, F14.288, F14.29, F15.10, F15.120, F15.121, F15.122,
	F15.129, F15.13, F15.14, F15.150, F15.151, F15.159, F15.180,
	F15.181, F15.182, F15.188, F15.19, F15.20, F15.220, F15.221,
	F15.222, F15.229, F15.23, F15.24, F15.250, F15.251, F15.259,
	F15.280, F15.281, F15.282, F15.288, F15.29, F16.10, F16.120,
	F16.121, F16.122, F16.129, F16.14, F16.150, F16.151, F16.159,
	F16.180, F16.183, F16.188, F16.19, F16.20, F16.220, F16.221,
	F16.229, F16.24 F16.250, F16.251, F16.259, F16.280, F16.283,
	F16.288, F16.29, F18.10, F18.120, F18.121, F18.129, F18.14,
	F18.150, F18.151, F18.159, F18.17, F18.180, F18.188, F18.19,
	F18.20, F18.220, F18.221, F18.229, F18.24, F18.250, F18.251,
	F18.259, F18.27, F18.280, F18.288, F18.29, F19.10, F19.120,
	F19.121, F19.122, F19.129, F19.130, F19.131, F19.132, 19.139,
	F19.14, F19.150, F19.151, F19.159, F19.16, F19.17, F19.180,
	F19.181, F19.182, F19.188, F19.19, F19.20, F19.220, F19.221,
	F19.222, F19.229, F19.230, F19.231, F19.232, F19.239, F19.24,
	F19.250, F19.251, F19.259, F19.26, F19.27, F19.280, F19.281, F19.282, F19.288, F19.29
Detoxification	HCPCS: H0008-H0014
Detoxification	ICD-10-PCS: HZ2ZZZZ
Opioid abuse and	ICD-10-CM: F11.10, F11.120-F11.122, F11.129, F11.13,
dependence	F11.14, F11.150, F11.151, F11.159, F11.181, F11.182, F11.188,
dependence	F11.19, F11.20, F11.220, F11.221, F11.222, F11.229, F11.23,
	F11.24, F11.250, F11.251, F11.259, F11.281, F11.282, F11.288,
	F11.29,
Other drug abuse and	ICD-10: F12.10, F12.120, F12.121, F12.122, F12.129, F12.13,
dependence	F12.150, F12.151, F12.159, F12.180, F12.188, F12.19, F12.20,
	F12.220, F12.221, F12.229, F21.23, F12.250, F12.251, F12.259,
	F12.280, F12.288, F12.29, F13.10, F13.120, F13.121.F13.129,
	F13.130, F13.131, F13.132, F13.139, F13.14, F13.150, F13.151,

Description	Codes
-	F13.159, F13.180, F13.181, F13.182, F13.188, F13.19, F13.20,
	F31.120, F13.221, F13.229-F13.232, F13.239, F13.24, F13.250,
	F13.251, F13.259, F13.26, F13.27, F13.280-F13.282, F13.288,
	F13.29, F14.10, F14.120, F14.121, F14.122, F14.129, F14.13,
	F14.14, F14.150, F14.151, F14.159, F14.180-F14.182, F14.188,
	F14.19, F14.20, F14.220-F14.222, F14.229, F14.23, F14.24,
	F14.250, F14.251, F14.259. F14.280-F14.282, F14.288, F14.29,
	F15.10, F15.120-F15.122, F15.229, F15.13, F15.14, F15.150,
	F15.151, F15.159, F15.180, F15.181, F15.182, F15.188, F15.19,
	F15.20, F15.220, F15.221, F15.222, F15.229, F15.23, F15.24,
	F15.250, F15.251, F15.259, F15.280-F15.282, F15.288, F15.29,
	F16.10, F16.120, F16.121, F16.122, F16.129, F16.14, F16.150,
	F16.151, F16.159, F16.180, F16.183, F16.188, F16.19, F16.20,
	F16.220, F16.221, F16.229, F16.24, F16.250, F16.251, F16.259,
	F16.280, F16.283, F16.288, F16.29, F18.10, F18.120, F18.121,
	F18.129, F18.14, F18.150, F18.151, F18.159, F18.17, F18.180,
	F18.188, F18.19, F18.20, F18.220, F18.221, F18.229, F18.24,
	F18.250, F18.251, F18.259, F18.27, F18.280, F18.288, F18.29,
	F19.10, F19.120, F19.121, F19.122, F19.129, F19.130, F19.131,
	F19.132, F19.139, F19.14, F19.150, F19.151, F19.159, F19.16,
	F19.17, F19.180-F19.182, F19.188, F19.19, F19.20,
	F19.220-F19.222, F19.229, F19.230-F19.232, F19.239, F19.24,
	F19.250, F19.251, F19.259, F19.26, F19.27,
	F19.280-F19.282, F19.288, F19.29
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

We can help you with monitoring initiation and engagement of alcohol and other drug dependence treatment by:

- Reaching out to providers to be advocates and providing the resources to educate our members.
- Calling our behavioral health Provider Service for additional information.
- Guiding with the above noted services to drive member success in completing alcohol and other drug dependence treatment.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Helpful tip:

• If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes	
	_

Immunizations for Adolescents (IMA)

This measure reviews members 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.

Vaccines administered on or before their 13th birthday:

- One MCV/meningococcal vaccine on or between 11th and 13th birthdays, and one Tdap or one Td vaccine on or between their 10th and 13th birthdays
- At least two doses of HPV vaccine with DOS at 146 days apart on or between the 9th and 13th birthdays:
 - Or at least three HPV vaccines with different dates of service on or between the 9th and 13th birthdays

Record your efforts

Immunization information obtained from the medical record:

- A note indicating the name of the specific antigen and the date of the immunization.
- A certificate of immunization prepared by an authorized health care provider or agency, including the specific dates and types of immunizations administered.
- Document in the medical record parent or guardian refusal.

Two-dose HPV vaccination series:

• There must be at least 146 days between the first and second dose of the HPV vaccine.

Meningococcal:

• Do not count meningococcal recombinant (serogroup B) (MenB) vaccines.

Exclusions:

- Anaphylactic Reaction to Serum/Vaccination
- Encephalopathy Due to Vaccination
- Vaccine Causing Adverse Effect
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT	CVX
Meningococcal	90733, 90619, 90734	108, 114, 136, 147, 167
Tdap	90715	115
HPV	90649, 90650, 90651	62, 118, 137, 165

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Helpful tip:

 If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes						
	·	·				
		·	·	·	·	

Kidney Health Evaluation for Patients with Diabetes (KED)

This measure evaluates members 18 to 85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year.

Exclusions:

- Members with evidence of ESRD
- Members receiving palliative care
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10/ LOINC
Estimated glomerular	CPT: 80047, 80048, 80050, 80053, 80069, 82565
filtration rate lab test	LOINC: 48642-3, 48643-1, 50044-7, 50210-4, 50384-7,
	62238-1, 69405-9, 70969-1, 77147-7, 88293-6, 88294-4, 94677-
	2, 96591-3, 96592-1
Urine albumin creatinine	LOINC: 13705-9, 14958-3, 14959-1, 30000-4, 32294-1,
ratio lab test	44292-1, 59159-4, 76401-9, 77253-3, 77254-1, 89998-9, 9318-7
Urine creatinine lab test	CPT: 82570
	LOINC: 20624-3, 2161-8, 35674-1, 39982-4, 57344-4, 57346-9,
	58951-5
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes		

Contact your local Provider Solutions representative for more information.

Use of Imaging Studies for Low Back Pain (LBP)

This HEDIS measure looks at the percentage of members 18 years as of January 1 of the measurement year to 75 years as of December 31 of the measurement year with a primary diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis.

The measure is reported as an inverted rate. A higher score indicates appropriate treatment of low back pain (for example, the proportion for whom imaging studies did not occur).

Exclusions:

- Cancer
- Recent trauma
- Intravenous drug abuse
- Neurological impairment
- HIV
- Spinal infection
- Major organ transplant
- Prolonged use of corticosteroids
- Osteoporosis
- Lumbar surgery
- Spondylopathy
- Fragility fractures
- Palliative care
- Advanced illness
- Frailty
- Members in hospice or using hospice services anytime during the measurement year

Services	CPT/HCPCS/ICD-10
Uncomplicated low	ICD10CM: M47.26-M47.28, M47.816-M47.818, M47.896-M47.898,
back pain	M48061, M48.07, M48.08, M51.16, M51.17, M51.26, M51.27,
	M51.36, M51.37, M51.86, M51.87, M53.2X6-M53.2X8, M53.3,
	M53.86-M53.88, M54.16-M54.18, M54.30-M54.32, M54.40-M54.42,
	M54.5, M54.89, M54.9, M99.03, M99.04, M99.23, M99.33, M99.43,
	M99.53, M99.63, M99.73, M99.83, M99.84, S33.100A, S33.100D,
	S33.100S, S33.110A, S33.110D, S33.110S, S33.120A, S33.120D,
	S33.120S, S33.130A, S33.130D, S33.130S, S33.140A, S33.140D,
	S33.140S, S33.5XXA, S33.6XXA, S33.8XXA, S33.9XXA,

	S39.002A, S39.002D, S39.002S, S39.012A, S39.012D, S39.012S,
	S39.092A, S39.092D, S39.092S, S39.82XA, S39.82XD, S39.82XS,
	S39.92XA, S39.92XD, S39.92XS
Imaging study	CPT: 72020, 72052, 72100, 72110, 72114, 72120, 72131-72133,
	72141, 72142, 72146-72149, 72156, 72158, 72200, 72202, 72220
Osteopathic and	CPT: 98925-98929, 98940-98942
chiropractic	
manipulative	
treatment	
Physical therapy	CPT: 97110, 97112, 97113, 97124, 97140, 97161-97164
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Contact your local Provider Solutions representative for more information.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			
-			

Lead Screening in Children (LSC)

This HEDIS measure looks at members who turned 2 years old during the measurement year and had one or more capillary or venous lead blood tests for lead poisoning by their 2nd birthday.

Record your efforts

When documenting lead screening, include:

- Date the test was reported.
- Results or findings.

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Codes to identify lead test:

Services	CPT/LOINC
Lead tests	CPT: 83655
	LOINC: 10368-9, 10912-4, 14807-2, 17052-2, 25459-9, 27129-6,
	32325-3,5671-3,5674-7,77307-7

The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Draw patient's blood while they are in your office instead of sending them to the lab.
- Consider performing finger stick screenings in your practice.
- Assign one staff member to follow up on results when members are sent to a lab for screening.
- Develop a process to check medical records for lab results to ensure previously ordered lead screenings have been completed and documented.
- Use sick and well-child visits as opportunities to encourage parents to have their child tested.
- Include a lead test reminder with lab name and address on your appointment confirmation/reminder cards.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

We help you with lead screening in children by:

- Offering current Clinical Practice Guidelines on our provider self-service website
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources

https://www.cdc.gov/nceh/lead/audience/healthcare-providers.html

Notes	
	<u> </u>

Prenatal and Postpartum Care (PPC)

This HEDIS measure looks at women who delivered a live birth between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these women, the measure assesses the following facets of prenatal and postpartum care:

- **Timeliness of prenatal care:** the percentage of deliveries that received a prenatal care visit in the first trimester, on or before the enrollment start date or within 42 days of enrollment in the organization
- **Postpartum care:** the percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery

Record your efforts:

Prenatal care visit must include one of the following:

- Diagnosis of pregnancy
- A physical examination that includes one of the following:
 - o Auscultation for fetal heart tone
 - o Pelvic exam with obstetric observations
 - o Measurement of fundus height
- Evidence that a prenatal care procedure was performed such as one of the following:
 - Obstetric panel including hematocrit, differential WBC count, platelet count, hepatitis B surface antigen, rubella antibody, syphilis test, RBC antibody screen, Rh and ABO blood typing)
 - o TORCH antibody panel alone
 - o A rubella antibody test/titer with an Rh incompatibility (ABO/Rh) blood typing
 - o Ultrasound of a pregnant uterus
- Documentation of LMP, EDD or gestational age in conjunction with *either* of the following.
 - o Prenatal risk assessment and counseling/education
 - o Complete obstetrical history

Postpartum care visit on or between seven and 84 days after delivery

Documentation in the medical record must include a note indicating the date when a postpartum visit occurred and *one* of the following.

- Pelvic exam
- Evaluation of weight, BP, breasts and abdomen
- Notation of breastfeeding is acceptable for the evaluation of breasts component
- Notation of postpartum care, including, but not limited to:
 - o Notation of postpartum care, PP care, PP check, 6-week check

- o A preprinted *Postpartum Care* form in which information was documented during the visit
- Perineal or cesarean incision/wound check
- Screening for depression, anxiety, tobacco use, substance use disorder or preexisting mental health disorders
- Glucose screening for women with gestational diabetes
- Documentation of any of the following topics:
 - o Infant care or breastfeeding
 - o Resumption of intercourse, birth spacing or family planning.
 - o Sleep/fatigue
 - o Resumption of physical activity and attainment of healthy weight

Exclusions:

- Nonlive births
- Members in hospice or using hospice services anytime during the measurement year

Pregnancy diagnosis

```
ICD-10
O09.00-O09.03, O09.10-O09.13, O09.211-O09.213, O09.219, O09.291-O09.293, O09.299,
O09.30-O09.33, O09.40-O09.43, O09.511-O09.513, O09.519, O09.521-O09.523, O09.529,
009.611-009.613, 009.619, 009.621-009.623, 009.629, 009.70-009.73,
009.811-009.813, 009.819, 009.821-009.823, 009.829, 009.891-009.893, 009.899,
O09.90-O09.93, O09.A0-O09.A3, O10.011-O10.013, O10.019, O10.111-O10.113, O10.119,
010.211-010.213, 010.219, 010.311-010.313, 010.319, 010.411-010.413, 010.419,
O10.911-O10.913, O10.919, O11.1-O11.3, O11.9, O12.00-O12.03, O12.10-O12.13,
012.20-012.23, 013.1-013.3, 013.9, 014.00, 014.02, 014.03, 014.10, 014.12-014.13,
014.20,014.22, 014.23, 014.90, 014.92, 014.93, 015.00, 015.02, 015.03, 015.1, 015.9,
O16.1, O16.2, O16.3, O16.9, O20.0, O20.8, O20.9, O21.0-O21.1, O21.2, O21.8, O21.9,
O22.00-O22.03, O22.10-O22.13, O22.20-O22.23, O22.30-O22.33, O22.40-O22.43,
O22.50-O22.53, O22.8X1-O22.8X3, O22.8X9, O22.90-O22.93, O23.00-O23.03,
O23.10-O23.13, 023.20-O23.23, O23.30-O23.33, O23.40-O23.43, O23.511-O23.513,
O23.519, O23.521-O23.23, O23.529, O23.591-O23.593, O23.599, O23.90-O23.93,
024.011-024.013, 024.019, 024.111-024.113, 024.119, 024.311-024.313, 024.319,
024.410, 024.414, 024.415, 024.419, 024.811-024.813, 024.819, 024.911-024.913,
024.919, 025.10-025.13, 026.00-026.03, 026.10-026.13, 026.20-026.23, 026.30-026.33,
O26.40-O26.43, O26.50-O26.53, O26.611-O26.613, O26.619, O26.711-O26.713, O26.719,
O26.811-O26.813, O26.819, O26.821-O26.823, O26.829, O26.831-O26.833, O26.839,
O26.841-O26.843, O26.849, O26.851-O26.853, O26.859, O26.86, O26.872, O26.873,
O26.879, O26.891-O26.893, O26.899, O26.90-O26.93, O28.0-O28.5, O28.8-O28.9,
```

```
O29.011-O29.013, O29.019, O29.021-O29.023, O29.029, O29.091-O29.093, O29.099,
029.111-029.113. 029.119. 029.121-029.123. 029.129. 029.191-029.193. 029.199.
029.211-029.213, 029.219, 029.291-029.293, 029.299, 029.3X1-029.3X3, 029.3X9,
O29.40-O29.43, O29.5X1-O29.5X3, O29.5X9, O29.60-O29.63, O29.8X1-O29.8X3,
O29.8X9, O29.90-O29.93, O30.001-O30.003, O30.009, O30.011-O30.013, O30.019,
O30.021-O30.023, O30.029, O30.031-O30.033, O30.039, O30.041-O30.043, O30.049,
O30.091-O30.093, O30.099, O30.101-O30.103, O30.109, O30.111-O30.113, O30.119,
O30.121-O30.123, O30.129, O30.131-O30.133, O30.139, O30.191-O30.193, O30.199,
O30.201-O30.203, O30.209, O30.211-O30.213, O30.219, O30.221-O30.223, O30.229,
O30.291-O30.293, O30.299, O30.231-O30.233, O30.239, O30.291-O30.293, O30.299,
O30.801-O30.803, O30.809, O30.811-O30.813, O30.819, O30.821-O30.823, O30.829,
O30.831-O30.833, O30.839, O30.891-O30.893, O30.899, O30.90-O30.93,
031.00X0-O31.00X5, 031.00X9, O31.01X0-O31.01X5, O31.01X9, O31.02X0-O31.02X5,
O31.02X9, O31.03X0-O31.03X05, O31.03X9, O31.10X0-O31.10X5, O31.10X9,
O31.11X0-O31.11X5, O31.11X9, O31.12X0-O31.12X5, O31.12X9, O31.13X0-O31.13X5,
O31.13X9, O31.20X0-O31.20X5, O31.20X9, O31.21X0-O31.21X5, O31.21X9,
O31.22X0-O31.22X5, O31.22X9, O31.23X0-O31.23X5, O31.23X9, O31.30X0-O31.30X5,
O31.30X9, O31.31X0-O31.31X5, O31.31X9, O31.32X0-O31.32X5, O31.32X9,
O31.33X0-O31.33X5, O31.33X9, O31.8X10-O31.8X15, O31.8X19, O31.8X20-O31.8X25,
O31.8X29, O31.8X30-O31.8X35, O31.8X39, O31.8X90-O31.8X95, O31.8X99,
O32.0XX0-O32.0XX5, O32.0XX9, O32.1XX0-O32.1XX5, O32.1XX9,
O32.2XX0-O32.2XX5, O32.2XX9, O32.3XX0-O32.3XX5, O32.3XX9,
O32.4XX0-O32.4XX5, O32.4XX9, O32.6XX0-O32.6XX5, O32.6XX9,
O32.8XX0-O32.8XX5, O32.8XX9, O32.9XX0-O32.9XX5, O32.9XX9, O33.0-O33.2.
O33.3XX0-O33.3XX5, O33.3XX9, O33.4XX0-O33.4XX5, O33.4XX9,
O33.5XX0-O33.5XX5, O33.5XX9, O33.6XX0-O33.6XX5, O33.6XX9, O33.7-O33.7XX5,
O33.7XX9, 33.8-33.9, O34.00-O34.03, O34.10-O34.13, O34.21, O34.211, O34.212,
034.218, 034.219, 034.22, 034.29, 034.30-034.33, 034.40-034.43, 034.511-034.513,
034.519, 034.521-034.523, 034.529, 034.531-034.533, 034.539, 034.591-034.593,
O34.599, O34.60-O34.63, O34.70-O34.73, O34.80-O34.83, O34.90-O34.93,
O35.0XX0-O35.0XX5, O35.0XX9, O35.1XX0-O35.1XX5, O35.1XX9,
O35.2XX0-O35.2XX5, O35.2XX9, O35.3XX0-O35.3XX5, O35.3XX9,
O35.4XX0-O35.4XX5, O35.4XX9, O35.5XX0-O35.5XX5, O35.5XX9,
O35.6XX0-O35.6XX5, 035.6XX9, O35.7XX0-O35.7XX5, O35.7XX9,
O35.8XX0-O35.8XX5, O35.8XX9, O35.9XX0-O35.9XX5, O35.9XX9, O36.0110-O36.0115,
O36.0119, O36.0120-O36.0125, O36.0129, O36.0130-O36.0135, O36.0139,
O36.0190-O36.0195, O36.0199, O36.0910-O36.0915, O36.0919, O36.0920-O36.0925,
O36.0929, O36.0930-O36.0935, O36.0939, O36.0990-O36.0995, O36.0999,
O36.1110-O36.1115, O36.1119, O36.1120-O36.1125, O36.1129, O36.1130-O36.1135,
```

```
O36.1139, O36.1190-O36.1195, O36.1199, O36.1910-O36.1915, O36.1919, O36.1925,
O36.1929, O36.1930-O36.1935, O36.1939, O36.1990-O36.1995, O36.1999,
O36.20X0-O36.20X5, O36.20X9, O36.21X0-O36.21X5, O036.21X9, 36.22X0-O36.22X5,
O36.22X9, O36.23X0-O36.23X5, O36.23X9, O36.4XX0-O36.4XX5, O36.4XX9,
O36.5110-O36.5115, O36.5119, O36.5120-O36.5125, O36.5129, O36.5130-O36.5135,
O36.5139. O36.5190-O36.5195. O36.5199. O36.5910-O36.5915. O36.5919.
O36.5920-O36.5925, O36.5929, O36.5930-O36.5935, O36.5939, O36.5990-O36.5995,
O36.5999, O36.60X0-O36.60X5, O36.60X9, O36.61X0-O36.61X5, O36.61X9,
O36.62X0-O36.62X5, O36.62X9, O36.63X0-O36.63X5, O36.63X9, O36.70X0-O36.70X5,
O36.70X9, O36.71X0-O36.71X5, O36.71X9, O36.72X0-O36.72X5, O36.72X9,
O36.73X0-O36.73X5, O36.73X9, O36.80X0-O36.80X5, O36.80X9, O36.8120-O36.8125,
O36.8129, O36.8130, O36.8135, O36.8139, O36.8190-O36.8195, O36.8199,
O36.8210-O36.8215, O36.8219, O36.8220-O36.8225, O36.8229, O36.8230-O36.8235,
O36.8239, O36.8290-O36.8295, O36.8299, O36.8310-O36.8315, O36.8319-O36.8325,
O36.8329-O36.O36.8335, O36.8339, O36.8390-O36.8395, O36.8399, O36.8910-O36.8915,
O36.8919, O36.8920-O36.8925, O36.8929, O36.8930-O36.8935, O36.8939,
O36.8990-O36.8995, O36.8999, O36.90X0-O36.90X5, O36.90X9, O36.91X0-O36.91X5,
O36.91X9, O36.92X0-O36.92X5, O36.92X9, O36.93X0-O36.93X5, O36.93X9,
O40.1XX0-O40.1XX5, O40.1XX9-O40.2XX0-O40.2XX5, O40.2XX9, O40.3XX0,
O40.3XX5, O40.3XX9, O40.9XX0-O40.9XX5, O40.9XX9, O41.00X0-O41.00X5,
O41.00X9, O41.01X0-O41.01X5, O41.01X9, 041.02X0-O41.02X5, O41.02X9,
O41.03X0-O41.03X5, O41.03X9, O41.1010-O41.1015, O41.1019, O41.1020-O41.1025,
O41.1029.O41.1030-O41.1035.O41.1039.O41.1090-O41.1095.O41.1099.
O41.1210-O41.1215, O41.1219, O41.1220-O41.1225, O41.1229, O41.1230-O41.1235,
O41.1239, O41.1290-O41.1295, O41.1299, O41.1410-O41.1415, O41.1419,
O41.1420-O41.1425, O41.1429, O41.1430-O41.1435, O41.1439, O41.1490-O41.1495,
O41.1499, O41.8X10-O41.8X15, O41.8X19, O41.8X20-O41.8X25, O41.8X29,
O41.8X30-O41.8X35, O41.8X39, O41.8X90-O41.8X95, O41.8X99, O41.90X0-O41.90X5,
O41.90X9, O41.91X0-O41.91X5, 041.91X9, O41.92X0-O41.92X5, O41.92X9, O41.93X0-
O41.93X5, O41.93X9, O42.00-O42.013, O42.019, O42.02, O42.10, O42.111-O42.113,
O42.119, O42.12, O42.90, O42.911-O42.913, O42.919, O42.92, O43.011-O43.013, O43.019,
043.021-043.023, 043.029, 043.101-043.103, 043.109, 043.111-043.113, 043.119,
O43.121-O43.123, O43.129, O43.191-O43.193, O43.199, 043.211-O43.213, O43.219,
O43.221-O43.223, O43.229, O43.231-O43.233, O43.239, O43.811-O43.813, O43.819,
O43.891-O43.893, O43.899, O43.90-O43.93, O44.00-O44.03, O44.10-O44.13,
O44.20-O44.23, O44.30-O44.33, O44.40-O44.43, O44.50-O44.53, O45.001-O45.003,
O45.009, 045.011-O45.013, O45.019, O45.021-O45.023, O45.029, O45.091-O45.093,
O45.099, O45.8X1-O45.8X3, O45.8X9, O45.90-O45.93, O46.001-O46.003, O46.009,
O46.011-O46.013, O46.019, O46.021-O46.023, O46.029, O46.091-O46.093, O46.099,
```

```
O46.8X1-O46.8X3, 046.8X9, O46.90-O46.93, O47.00, O47.02, O47.03, O47.1, O47.9,
O48.0, O48.1, O60.00, O60.02, O60.03, O60.10X0-O60.10X5, O60.10X9,
O60.12X0-O60.12X5, O60.12X9, O60.13X5, O60.13X9-O60.14X5, O60.14X9, O60.20X0-
O60.20X5, O60.20X9, O60.22X0-O60.22X5, O60.22X9, O60.23X0-O60.23X5, O60.23X9,
O61.0, O61.1, O61.8-O62.4, O62.8, O62.9, O63.0-O63.2, O63.9, O64.0XX0-O64.0XX5,
O64.0XX9, O64.1XX0-O64.1XX5, O64.1XX9, O64.2XX0-O64.2XX5, O64.2XX9,
O64.3XX0-O64.3XX5, O64.3XX9, O64.4XX0-O64.4XX5, O64.4XX9,
O64.5XX0-O64.5XX5, O64.5XX9, O64.8XX0-O64.8XX5, O64.8XX9, O64.9XX0-
O64.9XX5, O64.9XX9, O65.0-O65.5, O65.8-066.3, O66.40, O66.41, O66.5, O66.6, O66.8,
O66.9. O67.0. O67.8. O67.9. O68. O69.0XX0-O69.0XX5. O69.0XX9.
O69.1XX0-O69.1XX5, O69.1XX9, O69.2XX0-O69.2XX5, O69.2XX9,
O69.3XX0-O69.3XX5. O69.3XX9. O69.4XX0-O69.4XX5. O69.4XX9.
O69.5XX0-O69.5XX5, O69.5XX9, O69.81X0-O69.81X5, O69.81X9-O69.82X5, O69.82X9,
069.89X0-069.89X5, O69.89X9, O69.9XX0-069.9XX5, O69.9XX9, O70.0-O70.4.
O70.9 - O71.00, O71.02 - O71.03, O71.1 - O71.7, O71.81 - O71.82, O71.89, O71.9, O72.0 - O72.3,
073.0, O73.1, 074.0-O74.9, O75.0-O75.5, O75.81, O75.82, O75, 89, O75.9, O76, O77.0,
O77.1, O77.8, O77.9, O80, O82, O85, O86.00-O86.04, O86.09, O86.11-O86-13,
086.19-086.22, 086.29, 086.4, 086.81, 086.89, 087.0-087.4, 087.8, 087.9,
088.011-088.013, 088.019, 088.02, 088.03, 088.111-088.113, 088.119, 088.12, 088.13,
088.211-088.213, 088.219, 088.22, 088.23, 088.311-088.313, 088.319, 088.32, 088.33,
088.811-088.813, 088.819, 088.82, 088.83, 088.811-088.813, 088.819, 088.82, 088.83,
089.01, 089.09, 089.1-089.6, 089.8, 089.9, 090.0-090.6, 090.81, 090.89, 090.9,
091.011-091.013, 091.019, 091.02, 091.03, 091.111-091.113, 091.119, 091.12, 091.13,
091.211-091.213, 091.219, 091.22, 091.23, 092.011-092.013, 092.019, 092.02, 092.03,
O92.111-O92.113, O92.119, O92.12, O92.13, O92.20, O92.29, O92.3-O92.6, O92.70,
092.79, 098.011-098.013, 098.019, 098.02, 098.03, 098.111-098.113, 098.119, 098.12,
098.13, 098.211-098.213, 098.219, 098.22, 098.23, 098.311-098.313, 098.319, 098.32,
098.33, 098.411-098.413, 098.419, 098.42, 098.43, 098.511-098.513, 098.519, 098.52,
O98.53, O98.611-O98.613, O98.619, O98.62, O98.63, O98.711-O98.713, O98.719, O98.72,
O98.73, O98.811-O98.813, O98.819, O98.82, O98.83, O98.911-O98.913, O98.919, O98.92,
098.93, 099.011-099.013, 099.019, 099.02, 099.03, 099.111-099.113, 099.119, 099.12,
099.13, 099.210-099.215, 099.280-099.285, 099.310-099.315, 099.320-099.325,
099.330-099.335, 099.340-099.345, 099.350-099.355, 099.411-099.413, 099.419,
099.42, 099.43, 099.511-099.513, 099.519, 099.52, 099.53, 099.611-099.613, 099.619,
099.62, 099.63, 099.711-099.713, 099.719, 099.72, 099.73, 099.810, 099.814, 099.815,
O99.820, O99.824, O99.825, O99.830, O99.834, O99.835, O99.840-O99.845, O99.89,
O99.891, O9A.111-O9A.113, O9A.119, O9A.12-O9A.13, O9A.211-O9A.213, O9A.219,
O9A.22-O9A.23, O9A.311-O9A.313, O9A.319, O9A.32, O9A.33, O9A.411-O9A.413,
O9A.419, O9A.42, O9A.43, O9A.511-O9A.513, O9A.519, O9A.52, O9A.53, Z03.71-Z03.75,
```

Z03.79, Z32.01, Z33.1-Z33.2, Z33.3, Z34.00-Z34.03, Z34.80-Z34.83, Z34.90-Z34.93, Z36.0-Z36.5, Z36.81-Z36.89, Z36.8A, Z36.9

Deliveries

ICD-10
10D00Z0, 10D00Z1, 10D00Z2, 10D07Z3-10D07Z8, 10E0XZZ

Postpartum visits

ICD-10-CM
Z01.411, Z01.419, Z01.42, Z30.430, Z39.1, Z39.2

Services	CPT/ CPT-CAT II/HCPCS/LOINC
Deliveries	CPT: 59400, 59409, 59410, 59510, 59514, 59515,
	59610, 59612, 59614, 59618, 59620, 59622
Prenatal bundled services	CPT: 59400, 59425, 59426, 59510, 59610, 59618,
	HCPCS: H1005
Prenatal visits	CPT: 99202-99205, 99211-99215, 99241-99245,
	99483
	HCPCS: G0463, T1015
Stand-alone prenatal visits	CPT: 99500
	CPT-CAT II: 0500F, 0501F, 0502F
	HCPCS: H1000-H1004
Postpartum bundles services	CPT: 59400, 59410, 59510, 59515, 59610, 59614,
	59618, 59622
Home visit prenatal monitoring	CPT: 99500
Postpartum visit	CPT: 57170, 58300, 59430, 99501,
	CPT-CAT II: 0503F
	HCPCS: G0101
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423,
	99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

These codes are used to capture encounter data for individual prenatal and postpartum visits. Category II codes do not generate payment but help with more accurate reporting. The designated CPT Category II codes should be used in conjunction with the date of the prenatal or postpartum visit.

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Contact your local Provider Solutions representative for more information.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes		
-		
-		
-		
-		
-		

Statin Therapy for Patients with Cardiovascular Disease (SPC)

This HEDIS measure looks at the percentage of males 21 to 75 years of age and females 40 to 75 years of age during the measurement year, who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria. The following rates are reported:

- Received statin therapy: Members who were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year.
- Statin adherence 80%: Members who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period.

Exclusions:

- Members in hospice or using hospice services anytime during the measurement year
- Pregnancy
- In vitro fertilization
- At least one prescription for clomiphene
- ESRD
- Cirrhosis
- Myalgia, myositis, myopathy or rhabdomyolysis
- Members 66 years or older with frailty or advanced illness
- Members receiving palliative care

Description	CPT/HCPCS/ICD-10-PCS
Coronary artery bypass	CPT: 33510-33514, 33516-33519, 33521-33523, 33530,
graft (CABG)	33533-33536
	HCPCS: S2205-S2209
	ICD-10-PCS: 0210083, 0210088, 0210089, 0210093, 0210098,
	0210099,0211083,0211088,0211089,0211093,0211098,
	0211099, 0212083,0212088, 0212089, 0212093, 0212098,
	0212099, 0213083, 0213088, 0213089, 0213093, 0213098,
	0213099, 021008C, 021008F, 021008W, 021009C, 021009F,
	021009W, 02100A3, 02100A8, 02100A9, 02100AC, 02100AF,
	02100AW, 02100J3, 02100J8, 02100J9, 02100JC, 02100JF,
	02100JW, 02100K3, 02100K8, 02100K9, 02100KC, 02100KF,
	02100KW, 02100Z3, 02100Z8, 02100Z9, 02100ZC, 02100ZF,
	021108C, 021108F, 021108W, 021109C, 021109F, 021109W,
	02110A3, 02110A8, 02110A9, 02110AC, 02110AF, 02110AW,
	02110J3, 02110J8, 02110J9, 02110JC, 02110JF, 02110JW,

	02110K3, 02110K8, 02110K9, 02110KC, 02110KF, 02110KW,
	02110Z3, 02110Z8, 02110Z9, 02110ZC, 02110ZF, 021208C,
	021208F, 021208W, 021209C, 021209F, 021209W, 02120A3,
	02120A8, 02120A9, 02120AC, 02120AF, 02120AW, 02120J3,
	02120J8, 02120J9, 02120JC, 02120JF, 02120JW, 02120K3,
	02120K8, 02120K9, 02120KC, 02120KF, 02120KW, 02120Z3,
	02120Z8, 02120Z9, 02120ZC, 02120ZF, 021308C, 021308F,
	021308W, 021309C, 021309F, 021309W, 02130A3, 02130A8,
	02130A9, 02130AC, 02130AF, 02130AW, 02130J3, 02130J8,
	02130J9, 02130JC, 02130JF, 02130JW, 02130K3, 02130K8,
	02130K9, 02130KC, 02130KF, 02130KW, 02130Z3, 02130Z8,
	02130Z9, 02130ZC, 02130ZF
Myocardial infarction (MI)	ICD-10-CM: I21.01, I21.02, I21.09, I21.11, I21.19, I21.21,
	I21.29, I21.3, I21.4, I21.9, I21.A1, I21.A9, I22.0-I22.2, I22.8,
	I22.9-I23.8, I25.2
Other revascularization	CPT: 37220, 37221, 37224-37231
Percutaneous coronary	CPT: 92920, 92924, 92928, 92933, 92937, 92941, 92943
intervention (PCI)	HCPCS: C9600, C9602, C9604, C9606, C9607
, ,	ICD-10-PCS: 0270346, 0270356, 0270366, 0270376, 0270446,
	0270456, 0270466, 0270476, 0271346, 0271356, 0271366,
	0271376, 0271446, 0271456, 0271466, 0271476, 0272346,
	0272356, 0272366, 0272376, 0272446, 0272456, 0272466,
	0272476, 0273346, 0273356, 0273366, 0273376, 0273446,
	0273456, 0273466, 0273476, 02703E6, 02704E6, 02713E6,
	02714E6, 02723E6, 02724E6, 02733E6, 02734E6, 027034Z,
	027035Z, 027036Z, 027037Z, 02703D6, 02703DZ, 02703EZ,
	02703F6, 02703FZ, 02703G6, 02703GZ, 02703T6, 02703TZ,
	02703Z6, 02703ZZ, 027044Z, 027045Z, 027046Z, 027047Z,
	02704D6, 02704DZ, 02704EZ, 02704F6, 02704FZ, 02704G6,
	02704GZ, 02704T6, 02704TZ, 02704Z6, 02704ZZ, 027134Z,
	027135Z, 027136Z, 027137Z, 02713D6, 02713DZ, 02713EZ,
	02713F6, 02713FZ, 02713G6, 02713GZ, 02713T6, 02713TZ,
	02713Z6, 02713ZZ, 027144Z, 027145Z, 027146Z, 027147Z,
	02714D6, 02714DZ, 02714EZ, 02714F6, 02714FZ, 02714G6,
	02714GZ, 02714T6, 02714TZ, 02714Z6, 02714ZZ, 027234Z,
	02714GZ, 027141G, 027141Z, 02714ZG, 02714ZZ, 027234Z, 027235Z, 027236Z, 027237Z, 02723DG, 02723DZ, 02723EZ,
	02723F6, 02723FZ, 02723G6, 02723GZ, 02723T6, 02723TZ,
	02723Z6, 02723ZZ, 027244Z, 027245Z, 027245Z, 027246Z,
	027247Z, 02724D6, 02724DZ, 02724EZ, 02724F6, 02724FZ,
	02/2+12, $02/2+D0$, $02/2+D2$, $02/2+D2$, $02/2+D0$, $02/2+D2$,

	02724G6, 02724GZ, 02724T6, 02724TZ, 02724Z6, 02724ZZ,
	027334Z, 027335Z, 027336Z, 027337Z, 02733D6, 02733DZ,
	02733EZ, 02733F6, 02733FZ, 02733G6, 02733GZ, 02733T6,
	02733TZ, 02733Z6, 02733ZZ, 027344Z, 027345Z, 027346Z,
	027347Z, 02734D6, 02734DZ, 02734EZ, 02734F6, 02734FZ,
	02734G6, 02734GZ, 02734TZ, 02734Z6, 02734ZZ,
Ischemic vascular disease	ICD-10-CM: I20.0, I20.8, I20.9, I24.0, I24.8, I24.9, I25.10,
(IVD)	I25.110, I25.111, I25.119, I25.5, I25.6, I25.700, I25.701,
	125.708-125.711, 125.718-125.7021, 125.728-125.731, 125.738,
	125.739, 125.750, 125.751, 125.758, 125.759, 125.760, 125.761,
	I25.768, I25.769, I25.790, I25.791, I25.798, I25.799 I25.810,
	125.811, 125.812, 125.82, 125.83, 125.84, 125.89, 125.9, 163.20,
	I63.211, I63.212, I63.213, I63.219, I63.22, I63.231, I63.232,
	I63.233, I63.239, I63.29, I63.50, I63.511, I63.512, I63.513,
	I63.519, I63.521, I63.522, I63.523, I63.529, I63.531, I63.532,
	163.533, 163.539, 163.541, 163.542, 163.543, 163.549, 163.59,
	I65.01, I65.02, I65.03, I65.09, I65.1, I65.21, I65.22, I65.23,
	I65.29, I65.8, I65.9, I66.01, I66.02, I66.03, I66.09, I66.11,
	I66.12, I66.13, I66.19, I66.21, I66.22, I66.23, I66.29, I66.3,
	I66.8, I66.9, I67.2, I70.1, I70.201, I70.202, I70.203, I70.208,
	I70.209, I70.211, I70.212, I70.213, I70.218, I70.219, I70.221,
	170.222, 170.223, 170.228, 170.229, 170.231, 170.232, 170.233,
	170.234, 170.235, 170.238, 170.239, 170.241, 170.242, 170.243,
	I70.244, I70.245, I70.248, I70.249, I70.25, I70.261, I70.262,
	170.263, 170.268, 170.269, 170.291, 170.292, 170.293, 170.298,
	170.299, 170.301, 170.302, 170.303, 170.308, 170.309, 170.311,
	170.312, 170.313, 170.318, 170.319, 170.321, 170.322, 170.323,
	170.328, 170.329, 170.331, 170.332, 170.333, 170.334, 170.335,
	170.338, 170.339, 170.341, 170.342, 170.343, 170.344, 170.345,
	170.348, 170.349, 170.35, 170.361, 170.362, 170.363, 170.368,
	170.369, 170.391, 170.392, 170.393, 170.398, 170.399, 170.401,
	I70.402, I70.403, I70.408, I70.409, I70.411, I70.412, I70.413,
	170.418, 170.419, 170.421, 170.422, 170.423, 170.428, 170.429,
	170.431, 170.432, 170.433, 170.434, 170.435, 170.438, 170.439,
	170.441, 170.442, 170.443, 170.444, 170.445, 170.448, 170.449,
	170.45, 170.461, 170.462, 170.463, 170.468, 170.469, 170.491,
	170.492, 170.493, 170.498, 170.499, 170.501, 170.502, 170.503,
	170.508, I70.509, I70.511, I70.512, I70.513, I70.51, I70.519,
	170.521, 170.522, 170.523, 170.528, 170.529, 170.531, 170.532,

	170.533, 170.534, 170.53, 170.538, 170.53, 170.541, 170.542,
	170.543, 170.544, 170.545, 170.548, 170.549, 170.55, 170.561,
	170.562, 170.563, 170.568, 170.569, 170.591, 170.592, 170.593,
	170.598, 170.599, 170.601, 170.602, 170.603, 170.608, 170.609,
	I70.611, I70.612, I70.613, I70.618, I70.619, I70.621, I70.622,
	170.623, 170.628, 170.629, 170.631, 170.632, 170.633, 170.634,
	170.635, 170.638, 170.639, 170.641, 170.642, 170.643, 170.644,
	170.645, 170.648, 170.649, 170.65, 170.661, 170.662, 170.663,
	170.668, 170.669, 170.691, 170.692, 170.693, 170.698, 170.699,
	170.701, 170.702, 170.703, 170.708, 170.709, 170.711, 170.712,
	170.713, 170.718, 170.719, 170.721, 170.722, 170.723, 170.728,
	170.729, 170.731, 170.732, 170.733, 170.734, 170.735, 170.738,
	170.739, 170.741, 170.742, 170.743, 170.744, 170.745, 170.748,
	170.749, 170.75, 170.761, 170.762, 170.763, 170.768, 170.769,
	170.791, 170.792, 170.793, 170.798, 170.799, 170.92, 175.011,
	175.012, 175.013, 175.019, 175.021, 175.022, 175.023, 175.029,
	I75.81, I75.89, T82.855A, T82.855D, T82.855S, T82.856A,
	T82.856D, T82.856S
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Contact your local Provider Solutions representative for more information.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Statin Therapy for Patients with Diabetes (SPD)

This HEDIS measures looks at the percentage of members 40 to 75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria.

Two rates are reported:

- **Received statin therapy:** members who were dispensed at least one statin medication of any intensity during the measurement year
- **Statin Adherence 80%**: members who remained on a statin medication of any intensity for at least 80% of the treatment period

Record your efforts:

- Document review of continued use of prescribed medications during member visits
- Document evidence of exclusion criteria

Exclusions:

- CABG
- MI
- PCI
- Other revascularization procedures
- Ischemic vascular disease (IVD)
- Pregnancy
- Polycystic ovarian syndrome
- In vitro fertilization
- Prescription for clomiphene
- ESRD
- Cirrhosis
- Myalgia, myositis, myopathy or rhabdomyolysis
- Members age 66 and older who meet both frailty and advanced illness criteria
- Members receiving palliative care
- Members in hospice or using hospice services anytime during the measurement year

Services	CPT/HCPCS/ICD-10
Diabetes	ICD-10: E10.10-11, E10.21-22, E10.29, E10.311, E10.319,
	E10.321, E10.3211-E10.3213, E10.3219, E10.329, E10.3291,
	E10.3292, E10.3293, E10.3299, E10.331, E10.3311-E10.3313,
	E10.3319, E10.339, E10.3391-E10.3393, E10.3399, E10.341,

	E10.3411-3413, E10.3419, E10.349, E10.3491-E10.3493,
	E10.3499, E10.351, E10.3511-E10.3513, E10.3519,
	E10.3521-E10.3523, E10.3529, E10.3531-E10.3533, E10.3539,
	E10.3541-E10.3543, E10.3549, E10.3551-E10.3553, E10.3559,
	E10.359, E10.3591-E10.3593, E10.3599, E10.36, E10.37X1-
	E10.37X3, E10.37X9, E10.39-E10.44, E10.49, E10.51-E10.52,
	E10.59, E10.610, E10.618, E10.620-E10.622, E10.628, E10.630,
	E10.638, E10.641, E10.649, E10.65, E10.69, E10.8, E10.9,
	E11.00-E11.01, E11.10-E11.11, E11.21-E11.22, E11.29, E11.311,
	E11.319, E11.321, E11.3211-E11.3213, E11.3219, E11.329,
	E11.3291-E11.3293, E11.3299, E11.331, E11.3311-E11.3313,
	E11.3319, E11.339, E11.3391-E11.3393, E11.3399, E11.341,
	E11.3411-E11.3413, E11.3419, E11.349, E11.3491-E11.3493,
	E11.3499, E11.351, E11.3511-E11.3513, E11.3519,
	E11.3521-E11.3523, E11.3529, E11.3531-E11.3533, E11.3539,
	E11.3541-E11.3543, E11.3549, E11.3551-E.11.3553, E11.3559,
	E11.359-E11.3593, E11.3599, E11.36, E11.37X1-E11.37X3,
	E11.37X9, E11.39-44, E11.49, E11.51-52, E11.59, E11.610,
	E11.618, E11.620-22, E11.628, E11.630, E11.638, E11.641,
	E11.649, E11.65, E11.69, E11.8, E11.9, E13.00, E13.01, E13.10,
	E13.11, E13.21-22, E13.29, E13.311, E13.319, E13.321,
	E13.3211-E13.3213, E13.3219, E13.329, E13.3291-E13.3293,
	E13.3299, E13.331, E13.3311-E13.3313, E13.3319, E13.339,
	E13.3391-E13.3393, E13.3399, E13.341, E13.3411-E13.3413,
	E13.3419, E13.349, E13.3491-E13.3493, E13.3499, E13.351,
	E13.3511-E13.3513, E13.3519, E13.3521-E13.3523, E13.3529,
	E13.3531-E13.3533, E13.3539, E13.3541-E13.3543, E13.3549,
	E13.3551-E13.3553, E13.3559, E13.359, E13.3591-E13.3593,
	E13.3599, E13.36, E13.37X1-E13.37X3, E13.37X9, E13.39,
	E13.40, E13.41-44, E13.49, E13.51, E13.52, E13.59, E13.610,
	E13.618, E13.620-22, E13.628, E13.630, E13.638, E13.641,
	E13.649, E13.65, E13.69, E13.8, E13.9, O24.011-024.013,
	O24.019, O24.02, O24.03, O24.111-113, O24.119, O24.12, O24.13,
	O24.311-313, O24.319, O24.32, O24.33, O24.811-813, O24.819,
	O24.82, O24.83
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Contact your local Provider Solutions representative for more information.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

This HEDIS measure looks at members 18 to 64 with schizophrenia, schizoaffective disorder or bipolar disorder and who were dispensed an antipsychotic medication and had a diabetic screening test during the measurement year.

Record your efforts:

- Document review of continued use of prescribed medications during member visits
- Document evidence of exclusion criteria

An antipsychotic medication dispensed event during the measurement year identified by claim/encounter data or pharmacy data **and** a glucose test or an HbA1c test performed during the measurement year, as identified by claim/encounter or automated laboratory data.

Exclusions:

- Members with diabetes by claim encounter data and by pharmacy data.
- Members in hospice or using hospice services anytime during the measurement year

Services	CPT/HCPCS/ICD-10
Glucose lab tests	CPT: 80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
	LOINC: 10450-5, 1492-8, 1494-4, 1496-9, 1499-3, 1501-6, 1504-0,
	1507-3, 1514-9, 1518-0, 1530-5, 1533-9, 1554-5, 1557-8, 1558-6,
	17865-7, 20436-2, 20437-0, 20438-8, 20440-4, 26554-6, 41024-1,
	49134-0, 6749-6, 9375-7
HbA1c lab tests	CPT: 83036, 83037
	LOINC: 17856-6, 4548-4, 4549-2
Long-acting injections	HCPCS: J0401, J1631, J1943, J1944, J2358, J2426, J2680, J2794,
	J2798
Bipolar disorder	ICD-10: F30.10-F30.13, F30.2-F30.4, F30.8, F30.9, F31.0,
	F31.10-F31.13, F31.2, F31.30-F31.32, F31.4, F31.5, F31.60-F31.64,
	F31.70-F31.78
Other bipolar disorder	ICD-10: F31.81, F31.89, F31.9
Schizophrenia	ICD-10: F20.0-F20.5, F20.81, F20.89, F20.9, F25.0, F25.1, F25.8,
-	F25.9
Visit setting	CPT: 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838,
unspecified	90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221,

	99222, 99223, 99231, 99232, 99233, 99238, 99239, 99251, 99252,
	99253, 99254, 99255
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Contact your local Provider Solutions representative for more information.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

Appropriate Treatment for Upper Respiratory Infection (URI)

This HEDIS measure looks at the percentage of episodes for members 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in a dispensed antibiotic prescription.

Since there is considerable evidence that prescribing antibiotics is not the first line of treatment for cold or sore throat caused by viruses; *Clinical Practice Guidelines* recommend only individuals with lab-confirmed group A strep or other bacteria-related ailments be treated with appropriate antibiotics.

Record your efforts:

- Document results of all strep tests or refusal for testing in medical records.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

Exclusions:

- Visits that result in an inpatient stay
- Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10
Pharyngitis	ICD-10-CM: J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81,
	J03.90, J03.91
URI	ICD-10-CM: J00, J06.0, J06.9
Online assessments	CPT: 98970, 98971, 98972, 99421, 99422, 99423, 99457
	HCPCS: G0071, G2010, G2012
Telephone visits	CPT: 98966, 98967, 98968, 99441, 99442, 99443

Helpful tips:

- If a patient tests negative for group A strep but insists on an antibiotic:
 - o Refer to the illness as a sore throat due to a cold; members tend to associate the label with a less-frequent need for antibiotics.
 - Write a prescription for symptom relief, like over-the-counter medications.
- Educate members on the difference between bacterial and viral infections. This is the key point in the success of this measure.
- Discuss with members ways to treat symptoms:
 - o Get extra rest.
 - o Drink plenty of fluids.
 - o Use over-the-counter medications.

- Use the cool-mist vaporizer and nasal spray for congestion.
- o Eat ice chips or use throat spray/lozenges for sore throats.
- Educate members and their parents or caregivers that they can prevent infection by:
 - o Washing hands frequently.
 - o Disinfecting toys.
 - Keeping the child out of school or day care for at least 24 hours until antibiotics have been taken and symptoms have improved.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

• Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Helpful resources:

- www.CDC.gov/getsmart
- www.CDC.gov/antibiotic-use

Notes			
<u> </u>			

Well-Child Visits in the First 30 Months of Life (W30)

This HEDIS measure looks at the percentage of members who had the following number of well-child visits with a PCP during the last 15 months. The following rates are reported:

- Well-Child Visits in the First 15 Months: children who turned 15 months old during the measurement year: six or more well-child visits
- Well-Child Visits for Age 15 Months to 30 Months: children who turned 30 months old during the measurement year: Two or more well-child visits

Record your efforts

Documentation from the medical record must include a note indicating a visit with a PCP, the date when the well-child visit occurred and evidence of *all* of the following:

- A health history: Health history is an assessment of the member's history of disease or illness. Health history can include, but is not limited to, past illness (or lack of illness), surgery or hospitalization (or lack of surgery or hospitalization) and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific age-appropriate mental developmental milestones, which are behaviors seen in children as they grow and develop.
- **A physical exam** (for example, height, weight, BMI, heart, lungs, abdomen, more than one system assessed)
- **Health education/anticipatory guidance:** Health education/anticipatory guidance is given by the health care provider to parents or guardians in anticipation of emerging issues that a child and family may face.

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10
Well-care	CPT: 99381-99385, 99391-99395, 99461
	HCPCS: G0438, G0439, S0302, S0610, S0612, S0613
	ICD-10: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2,
	Z00.3, Z01.411, Z01.419, Z02.5, Z76.1, Z76.2

Helpful tips:

• Use your member roster to contact members who are due for an exam or are new to your practice.

- Schedule the next visit at the end of the appointment.
- If you use EMRs, consider creating a flag to track members due or past due for a visit. If you do not use EMRs, consider creating a manual tracking method. Sick visits may be a missed opportunity for your patient to get a wellness exam.
- Consider extending your office hours into the evening, early morning or weekend to accommodate working parents.
- Remember to include the applicable ICD-10 code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing individualized reports of your members overdue for services.
- Encouraging members to get preventive care through our programs. Contact your Provider Solutions representative for more information.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			
	-		
-			

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents (WCC)

This HEDIS measure looks at members ages 3 to 17 years who had one or more outpatient visits with PCPs or OB/GYNs during the year and documented evidence of weight assessment, physical activity and nutritional counseling.

Record your efforts

Three separate rates are reported:

- Height, weight and BMI percentile (not BMI value):
 - o May be a BMI growth chart if utilized
- Counseling for nutrition (diet):
 - o Services rendered during a telephone visit, e-visit or virtual check-in meet criteria
- Counseling for physical activity (sports participation/exercise):
 - o Services rendered for obesity or eating disorders may be used to meet criteria
 - Services rendered during a telephone visit, e-visit or virtual check-in meet criteria

Exclusion:

• Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10
BMI percentile	ICD10: Z68.51-Z68.54
	LOINC: 59574-4, 59575-1, 59576-9
Nutrition counseling	CPT: 97802, 97803, 97804
	HCPCS: G0270, G0271, G0447, S9449, S9452, S9470
	ICD-10-CM: Z71.3
Physical activity	HCPCS: G0447, S9451
counseling	ICD-10-CM: Z02.5, Z71.82

Helpful tips:

- Measure height and weight at least annually and document the BMI percentile for age in the medical record.
- Consider incorporating appropriate nutritional and weight management questioning and counseling into your routine clinical practice.
- Document any advice you give the patient.

- Document face-to-face discussion of current nutritional behavior, like appetite or meal patterns, eating and dieting habits, any counselling or referral to nutrition education, any nutritional educational materials that were provided during the visit, anticipatory guidance for nutrition, eating disorders, nutritional deficiencies, underweight, and obesity or overweight discussion.
- Document face-to-face discussion of current physical activity behaviors, like exercise routines, participation in sports activities or bike riding, referrals to physical activity, educational material that was provided, anticipatory guidance on physical activity, and obesity or overweight discussion.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Contact your local Provider Solutions representative for more information.

Notes			

Child and Adolescent Well-Care Visits (WCV)

This HEDIS measure looks at members ages 3 to 21 years who had one or more well-care visits with a PCP or OB/GYN during the measurement year.

Record your efforts

Documentation must include a note indicating a visit to a PCP, the date when the well-child visit occurred and evidence of *all* of the following:

- A health history: Health history is an assessment of the member's history of disease or illness. Health history can include, but is not limited to, past illness (or lack of illness), surgery or hospitalization (or lack of surgery or hospitalization) and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific age-appropriate mental developmental milestones, which are behaviors seen in children as they grow and develop.
- **A physical exam** (for example, height, weight, BMI, heart, lungs, abdomen, more than one system assessed)
- **Health education/anticipatory guidance:** Health education/anticipatory guidance is given by the health care provider to parents or guardians in anticipation of emerging issues that a child and family may face.

Exclusions:

• Members in hospice or using hospice services anytime during the measurement year

Description	CPT/HCPCS/ICD-10
Well-care	CPT: 99381-99385, 99391-99395, 99461
	HCPCS: G0438, G0439, S0302, S0610, S0612, S0613
	ICD-10: Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.2,
	Z00.3, Z01.411, Z01.419, Z02.5, Z76.1, Z76.2

Helpful tips:

- Use your member roster to contact members who are due for an annual exam.
- Schedule the next visit at the end of the appointment.

- If you use EMRs, consider creating a flag to track members due or past due for
 preventive services. If you do not use EMRs, consider creating a manual tracking method
 for well checks. Sick visits may be missed opportunities for your patient to get health
 checks.
- Consider extending your office hours into the evening, early morning or weekend to accommodate working parents.
- Remember to include the applicable ICD-10 code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Providing individualized reports of your members overdue for services.
- Encouraging members to get preventive care through our programs.
- Contacting your Provider Solutions representative for more information.
- Members are eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

