



HEDIS Benchmarks and Coding Guidelines for Quality Care





HEDIS Coding Booklet 2025

Anthem Blue Cross and Blue Shield | Serving Hoosier Healthwise, Healthy Indiana Plan, Hoosier Care Connect, and Indiana PathWays for Aging

Table of Contents

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)	3
Adults' Access to Preventive/Ambulatory Health Services (AAP)	6
Asthma Medication Ratio (AMR)	9
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)) 12
Blood Pressure Control for Patients With Diabetes (BPD)	16
Controlling High Blood Pressure (CBP)	20
Chlamydia Screening (CHL)	24
Cardiac Rehabilitation (CRE)	27
Appropriate Testing for Pharyngitis (CWP)	29
Eye Exam for Patients With Diabetes (EED)	33
Follow-up After Emergency Department Visit for Substance Use (FUA)	36
Follow-Up After Hospitalization for Mental Illness (FUH)	41
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)	45
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	51
Glycemic Status Assessment for Patients With Diabetes (GSD)	55
Initiation and Engagement of Substance Use Disorder Treatment (IET)	58
Kidney Health Evaluation for Patients with Diabetes (KED)	64
Use of Imaging Studies for Low Back Pain (LBP)	67
Lead Screening in Children (LSC)	71
Oral Evaluation, Dental Services (OED)	73
Prenatal and Postpartum Care (PPC)	74
Statin Therapy for Patients with Cardiovascular Disease (SPC)	
Statin Therapy for Patients With Diabetes (SPD)	81
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)	84

Providers who are contracted with Anthem Blue Cross and Blue Shield to serve Hoosier Healthwise, Healthy Indiana Plan, Hoosier Care Connect, and Indiana PathWays for Aging through an accountable care organization (ACO), participating medical group (PMG) or Independent Physician Association (IPA) are to follow guidelines and practices of the group. This includes but is not limited to authorization, covered benefits and services, and claims submittal. If you have questions, please contact your group administrator or your Anthem network representative.

Anthem Blue Cross and Blue Shield is the trade name of Anthem Insurance Companies, Inc. Independent licensee of the Blue Cross Blue Shield Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc.

HEDIS Coding Booklet 2025 Page 2 of 98

Topical Fluoride for Children (TFC)	88
Appropriate Treatment for Upper Respiratory Infection (URI)	89
Well-Child Visits in the First 30 Months of Life (W30)	92
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)	92
Child and Adolescent Well-Care Visits (WCV)	97

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)

This HEDIS® measure looks at the percentage of episodes for patients ages 3 months and older with a diagnosis of acute bronchitis/bronchiolitis that did **not** result in an antibiotic dispensing event July 1 of the year prior to the measurement year to June 30 of the measurement year.

Exclusions:

- Patients who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Patients who die at any time during the measurement year

Description	CPT®/HCPCS
Outpatient, ED,	CPT
and Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,
	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281,
	99282, 99283, 99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421,
	99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483 HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or
	more of a virtual (non-face-to-face) communication between a rural health
	clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or
	FQHC patient, or 5 minutes or more of remote evaluation of recorded video
	and/or images by an RHC or FQHC practitioner, occurring in lieu of an office
	visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-face visit, services
	limited to a new beneficiary during the first 12 months of Medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of
	service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of
	service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from a
	related e/m service provided within the previous 7 days nor leading to an e/m

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All enrollee care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of patients. Your state/provider contract(s), Medicaid, enrollee benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our enrollees and meet the HEDIS measure for quality reporting based on the care you provide our patients. Please note: The information provided is based on HEDIS MY2025 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

Description	CPT®/HCPCS
	service or procedure within the next 24 hours or soonest available
	appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from a
	related service provided within the previous 7 days nor leading to a service or
	procedure within the next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report evaluation
	and management services, provided to an established patient, not originating
	from a related service provided within the previous 7 days nor leading to a
	service or procedure within the next 24 hours or soonest available
	appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive
Description	ICD-10-CM
Pharyngitis	J02.0: Streptococcal pharyngitis
	J02.8: Acute pharyngitis due to other specified organisms
	J02.9: Acute pharyngitis, unspecified
	J03.00: Acute streptococcal tonsillitis, unspecified
	J03.01: Acute recurrent streptococcal tonsillitis
	J03.80: Acute tonsillitis due to other specified organisms
	J03.81: Acute recurrent tonsillitis due to other specified organisms
	J03.90: Acute tonsillitis, unspecified
	J03.91: Acute recurrent tonsillitis, unspecified

Helpful tips:

- If a patient insists on an antibiotic:
 - Refer to the illness as a chest cold rather than bronchitis; patients tend to associate the label with a less frequent need for antibiotics.

HEDIS Coding Booklet 2025 Page 5 of 98

- The illness is caused by a virus and antibiotics do not work on viruses. Only treat with an antibiotic if the patient has a comorbid condition.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you with avoidance of antibiotic treatment for patients with acute bronchitis/bronchiolitis by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Other available resources:

• Go to https://cdc.gov/antibiotic-use/index.html

Adults' Access to Preventive/Ambulatory Health Services (AAP)

This HEDIS measure looks at the percentage of patients 20 years of age and older who had an ambulatory or preventive care visit. The organization reports percentages for patients who had an ambulatory or preventive care visit during the measurement year.

- Patients who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Patients who died during the measurement year

Description	CPT/HCPCS
Ambulatory	СРТ
Visits	92002, 92004, 92012, 92014, 98966, 98967, 98968, 98970, 98971, 98972, 98980,
	98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243,
	99244, 99245, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316,
	99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383,
	99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397,
	99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441,
	99442, 99443, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or
	more of a virtual (non-face-to-face) communication between a rural health
	clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or
	FQHC patient, or 5 minutes or more of remote evaluation of recorded video
	and/or images by an RHC or FQHC practitioner, occurring in lieu of an office
	visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-face visit, services
	limited to a new beneficiary during the first 12 months of Medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of service
	(PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from a
	related e/m service provided within the previous 7 days nor leading to an e/m
	service or procedure within the next 24 hours or soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established

Description	CPT/HCPCS
	patient, not originating from a related e/m service provided within the previous
	7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from a
	related service provided within the previous 7 days nor leading to a service or
	procedure within the next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report evaluation
	and management services, provided to an established patient, not originating
	from a related service provided within the previous 7 days nor leading to a
	service or procedure within the next 24 hours or soonest available
	appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the previous
	7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment; 11-20 minutes of medical discussion
	S0620: Routine ophthalmological examination including refraction; new patient
	S0621: Routine ophthalmological examination including refraction; established
	patient
	T1015: Clinic visit/encounter, all-inclusive

Description	ICD-10-CM
Reason for	Z00.00: Encounter for general adult medical examination without abnormal
Ambulatory Visit	findings
	Z00.01: Encounter for general adult medical examination with abnormal
	findings
	Z00.3: Encounter for examination for adolescent development state
	Z00.5: Encounter for examination of potential donor of organ and tissue
	Z00.8: Encounter for other general examination
	Z02.0: Encounter for examination for admission to educational institution
	Z02.1: Encounter for pre-employment examination
	Z02.2: Encounter for examination for admission to residential institution
	Z02.3: Encounter for examination for recruitment to armed forces
	Z02.4: Encounter for examination for driving license
	Z02.5: Encounter for examination for participation in sport
	Z02.6: Encounter for examination for insurance purposes
	Z02.71: Encounter for disability determination
	Z02.79: Encounter for issue of other medical certificate
	Z02.81: Encounter for paternity testing
	Z02.82: Encounter for adoption services
	Z02.83: Encounter for blood-alcohol and blood-drug test

Description	ICD-10-CM
	Z02.89: Encounter for other administrative examinations
	Z02.9: Encounter for administrative examinations, unspecified
	Z76.1: Encounter for health supervision and care of foundling

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

• Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Asthma Medication Ratio (AMR)

This HEDIS measure looks at the percentage of patients 5 to 64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.5 or greater during the measurement year.

Record your efforts:

- Oral medication dispensing event: Multiple prescriptions for different medications dispensed on the same day are counted as separate dispensing events If multiple prescriptions for the same medication are dispensed on the same day, sum up the days' supply and divide by 30. Use the drug ID to determine if the prescriptions are the same or different.
- Inhaler dispensing event: All inhalers (for example, canisters) of the same medication dispensed on the same day count as one dispensing event Medications with different drug IDs dispensed on the same day are counted as different dispensing events.
- Injection dispensing events: Each injection counts as one dispensing event. Multiple dispensed injections of the same or different medications count as separate dispensing events.
- Units of medications: When identifying medication units for the numerator, count each individual medication, defined as an amount lasting 30 days or less, as one medication unit. One medication unit equals one inhaler canister, one injection, one infusion, or a 30-day or less supply of an oral medication.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients who had no asthma controller or reliever medications dispensed during the measurement year should be excluded.
- Patients who had a diagnosis that requires a different treatment approach than patients with asthma at any time during the patient's history through December 31 of the measurement year
 Do not include laboratory claims (claims with POS code 81).

Description	ICD-10-CM/CPT/HCPCS
Asthma	ICD-10-CM
	J45.21: Mild intermittent asthma with (acute) exacerbation
	J45.22: Mild intermittent asthma with status asthmaticus
	J45.30: Mild persistent asthma, uncomplicated
	J45.31: Mild persistent asthma with (acute) exacerbation
	J45.32: Mild persistent asthma with status asthmaticus
	J45.40: Moderate persistent asthma, uncomplicated
	J45.41: Moderate persistent asthma with (acute) exacerbation
	J45.42: Moderate persistent asthma with status asthmaticus
	J45.50: Severe persistent asthma, uncomplicated
	J45.51: Severe persistent asthma with (acute) exacerbation
	J45.52: Severe persistent asthma with status asthmaticus

Description	ICD-10-CM/CPT/HCPCS
Description	J45.901: Unspecified asthma with (acute) exacerbation
	J45.902: Unspecified asthma with status asthmaticus
	J45.909: Unspecified asthma, uncomplicated
	· · · · · · · · · · · · · · · · · · ·
	J45.991: Cough variant asthma
	J45.998: Other asthma
Outpatient and	СРТ
Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384,
	99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of remote evaluation of
	recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-face visit, services
	limited to a new beneficiary during the first 12 months of Medicare
	enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient G2010: Remote evaluation of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related e/m service provided within the previous 7 days
	nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next
	24 hours or soonest available appointment; 5-10 minutes of medical
	discussion
	G2250: Remote assessment of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor

Description	ICD-10-CM/CPT/HCPCS
	leading to a service or procedure within the next 24 hours or soonest available appointment G2251: Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion T1015: Clinic visit/encounter, all-inclusive
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native 2028-9: Asian 2054-5: Black or African American 2076-8: Native Hawaiian or Other Pacific Islander 2106-3: White 2135-2: Hispanic or Latino 2186-5: Not Hispanic or Latino

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website
- Providing you with individual reports of your patients overdue for services if needed
- Assisting with patient scheduling if needed
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)

This HEDIS measure looks at the percentage of children and adolescents 1 to 17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment January 1 through December 1 of the measurement year.

Record your efforts:

• Documentation of psychosocial care or residential behavioral health treatment in the 121-day period from 90 days prior to the IPSD through 30 days after the IPSD.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients for whom first-line antipsychotic medications may be clinically appropriate: patients
 with a diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder, other psychotic
 disorders, autism, or other developmental disorder on at least two different dates of service
 during the measurement year Do not include laboratory claims (claims with POS code 81).

Description	CPT/HCPCS/ICD-10-CM
Psychosocial Care	CPT 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90846, 90847, 90849, 90853, 90875, 90876, 90880 HCPCS G0176: Activity therapy, such as music, dance, art or play therapies not for recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more) G0177: Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more) G0409: Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a CORF-qualified social worker or psychologist in a CORF) G0410: Group psychotherapy other than of a multiple-family group, in a partial hospitalization setting, approximately 45 to 50 minutes G0411: Interactive group psychotherapy, in a partial hospitalization setting, approximately 45 to 50 minutes
	H0004: Behavioral health counseling and therapy, per 15 minutes H0035: Mental health partial hospitalization, treatment, less than 24 hours H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes

Description	CPT/HCPCS/ICD-10-CM
Description	
	H0037: Community psychiatric supportive treatment program, per diem
	H0038: Self-help/peer services, per 15 minutes
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2001: Rehabilitation program, per 1/2 day
	H2011: Crisis intervention service, per 15 minutes
	H2012: Behavioral health day treatment, per hour
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	S0201: Partial hospitalization services, less than 24 hours, per diem
	S9480: Intensive outpatient psychiatric services, per diem
	S9484: Crisis intervention mental health services, per hour
	S9485: Crisis intervention mental health services, per diem
Bipolar Disorder	ICD-10-CM
Dipotal Disoraci	F30.10: Manic episode without psychotic symptoms, unspecified
	F30.11: Manic episode without psychotic symptoms, onspecified
	F30.12: Manic episode without psychotic symptoms, mild
	F30.13: Manic episode without psychotic symptoms, moderate
	F30.2: Manic episode, severe with psychotic symptoms
	F30.3: Manic episode in partial remission
	F30.4: Manic episode in full remission
	F30.8: Other manic episodes
	F30.9: Manic episode, unspecified
	F31.0: Bipolar disorder, current episode hypomanic
	F31.10: Bipolar disorder, current episode manic without psychotic features, unspecified
	F31.11: Bipolar disorder, current episode manic without psychotic features,
	mild
	F31.12: Bipolar disorder, current episode manic without psychotic features,
	moderate
	F31.13: Bipolar disorder, current episode manic without psychotic features,
	Severe
	F31.2: Bipolar disorder, current episode manic severe with psychotic features
	F31.30: Bipolar disorder, current episode depressed, mild or moderate
	severity, unspecified
	F31.31: Bipolar disorder, current episode depressed, mild
	F31.32: Bipolar disorder, current episode depressed, moderate
	F31.4: Bipolar disorder, current episode depressed, severe, without psychotic
	features

Description	CPT/HCPCS/ICD-10-CM
	F31.5: Bipolar disorder, current episode depressed, severe, with psychotic
	features
	F31.60: Bipolar disorder, current episode mixed, unspecified
	F31.60: Bipolar disorder, corrent episode mixed, onspecified
	F31.62: Bipolar disorder, current episode mixed, moderate
	F31.63: Bipolar disorder, current episode mixed, severe, without psychotic features
	F31.64: Bipolar disorder, current episode mixed, severe, with psychotic
	features
	F31.70: Bipolar disorder, currently in remission, most recent episode unspecified
	F31.71: Bipolar disorder, in partial remission, most recent episode hypomanic
	F31.72: Bipolar disorder, in full remission, most recent episode hypomanic
	F31.73: Bipolar disorder, in partial remission, most recent episode manic
	F31.74: Bipolar disorder, in full remission, most recent episode manic
	F31.75: Bipolar disorder, in partial remission, most recent episode depressed
	F31.76: Bipolar disorder, in full remission, most recent episode depressed
	F31.77: Bipolar disorder, in partial remission, most recent episode mixed
	F31.78: Bipolar disorder, in full remission, most recent episode mixed
Other Psychotic and	ICD-10-CM
Developmental	F22: Delusional disorders
Disorders	F23: Brief psychotic disorder
Disorders	F24: Shared psychotic disorder
	F28: Other psychotic disorder not due to a substance or known physiological
	condition
	F29: Unspecified psychosis not due to a substance or known physiological
	condition
	F32.3: Major depressive disorder, single episode, severe with psychotic
	features
	F33.3: Major depressive disorder, recurrent, severe with psychotic symptoms
	F84.0: Autistic disorder
	F84.2: Rett's syndrome
	F84.3: Other childhood disintegrative disorder
	F84.5: Asperger's syndrome
	F84.8: Other pervasive developmental disorders
	F84.9: Pervasive developmental disorder, unspecified
	F95.0: Transient tic disorder
	F95.1: Chronic motor or vocal tic disorder
	F95.2: Tourette's disorder
	F95.8: Other tic disorders
	F95.9: Tic disorder, unspecified
Residential	HCPCS
Behavioral Health	H0017: Behavioral health; residential (hospital residential treatment
Treatment	program), without room and board, per diem

Description	CPT/HCPCS/ICD-10-CM
	H0018: Behavioral health; short-term residential (non-hospital residential
	treatment program), without room and board, per diem
	H0019: Behavioral health; long-term residential (non-medical, non-acute
	care in a residential treatment program where the stay is typically longer
	than 30 days), without room and board, per diem
	T2048: Behavioral health; long-term care residential (non-acute care in a
	residential treatment program where the stay is typically longer than 30
	days), with room and board, per diem
Schizophrenia	ICD-10-CM
	F20.0: Paranoid schizophrenia
	F20.1: Disorganized schizophrenia
	F20.2: Catatonic schizophrenia
	F20.3: Undifferentiated schizophrenia
	F20.5: Residual schizophrenia
	F20.81: Schizophreniform disorder
	F20.89: Other schizophrenia
	F20.9: Schizophrenia, unspecified
	F25.0: Schizoaffective disorder, bipolar type
	F25.1: Schizoaffective disorder, depressive type
	F25.8: Other schizoaffective disorders
	F25.9: Schizoaffective disorder, unspecified

Helpful tip:

• If using an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website
- Providing you with individual reports of your patients overdue for services if needed
- Assisting with patient scheduling if needed
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements

Blood Pressure Control for Patients With Diabetes (BPD)

This HEDIS measure looks at the percentage of patients 18 to 75 years of age with diabetes (type 1 and 2) whose blood pressure (BP) was adequately controlled (<140/90 mm Hg) during the measurement year.

Record your efforts:

- Record patients 18 to 75 years of age whose BP is < 140/90 mm Hg.
- If there are multiple BPs on the same date of service, use the lowest systolic and lowest diastolic BP on that date as the representative BP.
- BP readings taken by the patient (digital monitor) and documented in the patient's medical record are eligible for use in reporting (provided the BP does not meet any exclusion criteria).

What does not count?

Do not include BP readings:

- Taken during an acute inpatient stay or an ED visit.
- Taken on the same day as a diagnostic test or diagnostic or therapeutic procedure that requires a change in diet or change in medication on or one day before the day of the test or procedure, with the exception of fasting blood tests.
- Taken by the patient using a non-digital device such as a manual blood pressure cuff and a stethoscope.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness Patients must meet both frailty and advanced illness criteria to be excluded.

Description	CPT-CAT II/LOINC
Diastolic Blood	CPT-CAT II
Pressure	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
	3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM) LOINC
	75995-1: Diastolic blood pressure by Continuous non-invasive monitoring

Description	CPT-CAT II/LOINC
Description	
	8453-3: Diastolic blood pressure standing
	8454-1: Diastolic blood pressurestanding
	8455-8: Diastolic blood pressuresupine
	8462-4: Diastolic blood pressure
	8496-2: Brachial artery Diastolic blood pressure
	8514-2: Brachial artery - left Diastolic blood pressure
	8515-9: Brachial artery - right Diastolic blood pressure
	89267-9: Diastolic blood pressurelying in L-lateral position
Diastolic Less Than	CPT-CAT II
90	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD,
	CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD)
	(DM)
Systolic and	CPT-CAT II
Diastolic Result	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,
	CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,
	CAD)
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm
	Hg (HTN, CKD, CAD) (DM)
	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD,
	CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD)
	(DM)
	3080F: Most recent diastolic blood pressure greater than or equal to 90 mm
	Hg (HTN, CKD, CAD) (DM)
Systolic Blood	CPT-CAT II
Pressure	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,
	CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,
	CAD)
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm
	Hg (HTN, CKD, CAD) (DM)
	LOINC
	75997-7: Systolic blood pressure by Continuous non-invasive monitoring
	8459-0: Systolic blood pressure—sitting
	8460-8: Systolic blood pressure—standing
	8461-6: Systolic blood pressure—supine
	8480-6: Systolic blood pressure
	8508-4: Brachial artery Systolic blood pressure
	8546-4: Brachial artery - left Systolic blood pressure
	8547-2: Brachial artery - right Systolic blood pressure
	89268-7: Systolic blood pressure—lying in L-lateral position
Systolic Less Than	CPT-CAT II
140	
	1

Description	CPT-CAT II/LOINC
	3074F : Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,
	CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,
	CAD)

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips

Improve the accuracy of BP measurements performed by your clinical staff by:

- Providing training materials from the American Heart Association.
- Conducting BP competency tests to validate the education of each clinical staff Patient.
- Making a variety of cuff sizes available.
- Instructing your office staff to recheck BPs for all patients with initially recorded readings greater than systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits; have your staff record the recheck in the patient's medical records.
- Referring high-risk patients to our hypertension programs for additional education and support.
- Educating patients and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
 - Heart-healthy eating and a low-salt diet.
 - Smoking cessation and avoiding secondhand smoke.
 - Adding regular exercise to daily activities.
 - Home BP monitoring.
 - Ideal body mass index (BMI).
 - The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We support you in helping patients control high blood pressure by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Reaching out to our hypertensive patients through our programs.
- Helping identify your hypertensive patients.
- Helping you schedule, plan, implement, and evaluate a health screening clinic day; call your provider relationship management representative to find out more.
- Educating our patients on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

HEDIS Coding Booklet 2025 Page 19 of 98

Other available resources

You can find more information and tools online at:

- https://nhlbi.nih.gov
- https://cdc.gov/high-blood-pressure

Controlling High Blood Pressure (CBP)

This HEDIS measure looks at the percentage of patients ages 18 to 85 years who had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (< 140/90 mm Hg) during the measurement year.

Record your efforts

Document blood pressure and diagnosis of HTN. Patients whose BP is adequately controlled include:

- Patients 18 to 85 years of age who had a diagnosis of HTN and whose BP was adequately controlled (< 140/90 mm Hg) during the measurement year.
- The most recent BP reading during the measurement year on or after the second diagnosis of hypertension:
 - If multiple BP measurements occur on the same date or are noted in the chart on the same date, use the lowest systolic and lowest diastolic BP readings.
 - If no BP is recorded during the measurement year, assume that the patient is not controlled.

What does not count?

- Taken on the same day as a diagnostic test or diagnostic or therapeutic procedure that requires a change in diet or change in medication on or one day before the day of the test or procedure, with the exception of fasting blood tests
- Taken during an acute inpatient stay or an ED visit
- Taken by the patient using a non-digital device such as a manual blood pressure cuff and a stethoscope

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients with a diagnosis that indicates end-stage renal disease (ESRD) at any time during the patient's history on or prior to December 31 of the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients with a procedure that indicates ESRD (dialysis, nephrectomy, or kidney transplant)
 at any time during the patient's history on or prior to December 31 of the measurement year
 should be excluded.
- Patients with a diagnosis of pregnancy at any time during the measurement year should be excluded.
- Patients 66 to 80 years of age as of December 31 of the measurement year (all product lines) with frailty and advanced illness — Patients must meet both frailty and advanced illness criteria to be excluded.

• Patients 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year should be excluded.

Description	CPT/CPT-CAT II/LOINC/HCPCS
Diastolic Blood	CPT-CAT II
Pressure	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD,
	CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD)
	(DM)
	3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM)
	LOINC
	75995-1: Diastolic blood pressure by Continuous non-invasive monitoring
	8453-3: Diastolic blood pressure — sitting
	8454-1: Diastolic blood pressure — standing
	8455-8: Diastolic blood pressure — supine
	8462-4: Diastolic blood pressure
	8496-2: Brachial artery Diastolic blood pressure
	8514-2: Brachial artery — left Diastolic blood pressure
	8515-9: Brachial artery — right Diastolic blood pressure
	89267-9: Diastolic blood pressure — lying in L-lateral position
Diastolic Less Than	CPT-CAT II
90	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD,
	CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD)
	(DM)
Systolic and	CPT-CAT II
Diastolic Result	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN, CKD, CAD) (DM)
	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD,
	CAD) (DM) 70705: Most recent digetalic blood prossure 90.90 mm Hg (HTN, CVD, CAD)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
	3080F: Most recent diastolic blood pressure greater than or equal to 90 mm
	Hg (HTN, CKD, CAD) (DM)
Systolic Blood	CPT-CAT II
Pressure	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,
	CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,
	CAD)

Description	CPT/CPT-CAT II/LOINC/HCPCS
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm
	Hg (HTN, CKD, CAD) (DM)
	LOINC
	75997-7: Systolic blood pressure by Continuous non-invasive monitoring
	8459-0: Systolic blood pressure — sitting
	8460-8: Systolic blood pressure — standing
	8461-6: Systolic blood pressure — supine
	8480-6: Systolic blood pressure
	8508-4: Brachial artery Systolic blood pressure
	8546-4: Brachial artery — left Systolic blood pressure
	8547-2: Brachial artery — right Systolic blood pressure
	89268-7: Systolic blood pressure — lying in L-lateral position
Systolic Less Than	CPT-CAT II
140	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,
	CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,
	CAD)
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips

Improve the accuracy of BP measurements performed by your clinical staff by:

- Providing training materials from the American Heart Association.
- Conducting BP competency tests to validate the education of each clinical staff patient.
- Making a variety of cuff sizes available.
- Instructing your office staff to recheck BPs for all patients with initially recorded readings greater than systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits; have your staff record the recheck in the patient's medical records.
- Referring high-risk patients to our hypertension programs for additional education and support.
- Educating patients and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
 - Heart-healthy eating and a low-salt diet.
 - Smoking cessation and avoiding secondhand smoke.
 - Adding regular exercise to daily activities.
 - Home BP monitoring.

- Ideal body mass index (BMI).
- The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We support you in helping patients control high blood pressure by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Reaching out to our hypertensive patients through our programs.
- Helping identify your hypertensive patients.
- Helping you schedule, plan, implement, and evaluate a health screening clinic day; call your provider relationship management representative to find out more.
- Educating our patients on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Other available resources

You can find more information and tools online at:

- https://nhlbi.nih.gov
- https://cdc.gov/high-blood-pressure

Chlamydia Screening (CHL)

This HEDIS measure looks at the percentage of patients 16 to 24 years of age who were recommended for routine chlamydia screening, identified as sexually active, and who had at least one test for chlamydia during the measurement year.

Record your efforts:

• Indicate the date the test was performed and the results.

- Patients in hospice or elect to use a hospice benefit at any time during the measurement year.
- Patients who died during the measurement year.
- Sex assigned at birth: (LOINC code 76689-9) male (LOINC code LA2-8) at any time in the patient's history.
- Based on a pregnancy test alone and who meets either of the following:
 - A pregnancy test during the measurement year and a prescription for isotretinoin on the date of the pregnancy test or the 6 days after
 - A pregnancy test during the measurement year and an x-ray on the date of the pregnancy test through 6 days after the pregnancy test

Description	CPT/LOINC
Chlamydia Tests	СРТ
	87110, 87270, 87320, 87490, 87492, 87810
	LOINC
	14463-4: Chlamydia trachomatis Presence in Cervix by Organism-specific
	culture
	14464-2: Chlamydia trachomatis Presence in Vaginal fluid by Organism-specific
	culture
	14465-9: Chlamydia trachomatis Presence in Urethra by Organism-specific
	culture
	14467-5: Chlamydia trachomatis Presence in Urine sediment by Organism-
	specific culture
	14474-1: Chlamydia trachomatis Ag Presence in Urine sediment by
	Immunoassay
	14513-6: Chlamydia trachomatis Ag Presence in Urine sediment by
	Immunofluorescence
	16600-9: Chlamydia trachomatis rRNA Presence in Genital specimen by Probe
	21190-4: Chlamydia trachomatis DNA Presence in Cervix by NAA with probe
	detection
	21191-2: Chlamydia trachomatis DNA Presence in Urethra by NAA with probe
	detection
	23838-6: Chlamydia trachomatis rRNA Presence in Genital fluid by Probe
	31775-0: Chlamydia trachomatis Ag Presence in Urine sediment

Description	CPT/LOINC CPT/LOINC
	34710-4: Chlamydia trachomatis Ag Presence in Anal
	42931-6: Chlamydia trachomatis rRNA Presence in Urine by NAA with probe
	detection
	44806-8: Chlamydia trachomatis+Neisseria gonorrhoeae DNA Presence in Urine
	by NAA with probe detection
	44807-6: Chlamydia trachomatis+Neisseria gonorrhoeae DNA Presence in
	Genital specimen by NAA with probe detection
	45068-4: Chlamydia trachomatis+Neisseria gonorrhoeae DNA Presence in
	Cervix by NAA with probe detection
	45069-2: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in
	Genital specimen by Probe
	45072-6: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in Anal
	by Probe
	45073-4: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in
	Tissue by Probe
	45075-9: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in
	Urethra by Probe
	45084-1: Chlamydia trachomatis DNA Presence in Vaginal fluid by NAA with
	probe detection
	45089-0: Chlamydia trachomatis rRNA Presence in Anal by Probe
	45090-8: Chlamydia trachomatis DNA Presence in Anal by NAA with probe
	detection
	45091-6: Chlamydia trachomatis Ag Presence in Genital specimen
	45093-2: Chlamydia trachomatis Presence in Anal by Organism-culture
	45095-7: Chlamydia trachomatis Presence in Genital specimen by Organism-
	specific culture
	50387-0: Chlamydia trachomatis rRNA Presence in Cervix by NAA with probe detection
	53925-4: Chlamydia trachomatis rRNA Presence in Urethra by NAA with probe
	detection
	53926-2: Chlamydia trachomatis rRNA Presence in Vaginal fluid by NAA with
	probe detection
	57287-5: Chlamydia trachomatis rRNA Presence in Anal by NAA with probe
	detection
	6353-7: Chlamydia trachomatis Ag Presence in Tissue by Immunofluorescence
	6356-0: Chlamydia trachomatis DNA Presence in Genital specimen by NAA with
	probe detection
	6357-8: Chlamydia trachomatis DNA Presence in Urine by NAA with probe
	detection
	80360-1: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in
	Urine by NAA with probe detection
	80361-9: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in
	Cervix by NAA with probe detection
	80362-7: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in
	Vaginal fluid by NAA with probe detection

Description	CPT/LOINC
	80363-5: Chlamydia trachomatis DNA Presence in Anorectal by NAA with probe detection
	80364-3: Chlamydia trachomatis rRNA Presence in Anorectal by NAA with probe detection
	80365-0: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA Presence in Anorectal by NAA with probe detection
	80367-6: Chlamydia trachomatis Presence in Anorectal by Organism-specific culture
	82306-2: Chlamydia trachomatis rRNA Presence in Throat by NAA with probe detection
	87949-4: Chlamydia trachomatis DNA Presence in Tissue by NAA with probe detection
	87950-2: Chlamydia trachomatis Presence in Tissue by Organism-specific culture
	88221-7: Chlamydia trachomatis DNA Presence in Throat by NAA with probe detection
	89648-0: Chlamydia trachomatis Presence in Throat by Organism-specific culture
	91860-7: Chlamydia trachomatis Ag Presence in Genital specimen by Immunofluorescence
	91873-0: Chlamydia trachomatis Ag Presence in Throat by Immunofluorescence

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

How can we help?

• Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful resource:

• About Chlamydia | Chlamydia | CDC

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Cardiac Rehabilitation (CRE)

This HEDIS measure evaluates the percentage of patients 18 years and older who attended cardiac rehabilitation following a qualifying cardiac event, including myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, heart and heart/lung transplantation or heart valve repair/replacement on or between July 1 of the year prior to the measurement year to June 30 of the measurement year. Four rates are reported:

- Initiation: The percentage of patients who attended 2 or more sessions of cardiac rehabilitation within 30 days after a qualifying event.
- **Engagement 1:** The percentage of patients who attended 12 or more sessions of cardiac rehabilitation within 90 days after a qualifying event.
- **Engagement 2:** The percentage of patients who attended 24 or more sessions of cardiac rehabilitation within 180 days after a qualifying event.
- Achievement: The percentage of patients who attended 36 or more sessions of cardiac rehabilitation within 180 days after a qualifying event.

Record your efforts:

• Count multiple cardiac rehabilitation sessions on the same date of service as multiple sessions. For example, if a patient has two different codes for cardiac rehabilitation on the same date of service (or one code billed as two units), count this as two sessions of cardiac rehabilitation.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients 66 to 80 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness Patients must meet both frailty and advanced illness criteria to be excluded. Do not include laboratory claims (claims with POS code 81).
- Patients 81 years of age and older as of December 31 of the measurement year (all product lines)
 with at least two indications of frailty with different dates of service during the measurement
 year Do not include laboratory claims (claims with POS code 81).
- Discharged from an inpatient setting with any of the following on the discharge claim during the 180 days after the episode date:
 - Myocardial Infarction (MI)
 - Coronary artery bypass graft (CABG)
 - Heart or heart/lung transplant
 - Heart valve repair or replacement
 - Percutaneous Coronary Intervention (PCI)

Description	CPT/HCPCS
Cardiac	CPT
Rehabilitation	93797, 93798
	HCPCS
	G0422: Intensive cardiac rehabilitation; with or without continuous ECG
	monitoring with exercise, per session
	G0423: Intensive cardiac rehabilitation; with or without continuous ECG
	monitoring; without exercise, per session
	S9472: Cardiac rehabilitation program, non-physician provider, per diem

How can we help?

• Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Appropriate Testing for Pharyngitis (CWP)

This HEDIS measure evaluates the percentage of episodes for patients 3 years of age and older where the patient was diagnosed with pharyngitis, dispensed an antibiotic, and received a group A streptococcus (strep) test for the episode on or between July 1 of the year prior to the measurement year to June 30 of the measurement year.

Record your efforts:

- Document results of all strep tests or refusal for testing in the medical records.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who die at any time during the measurement year.

Description	CPT/HCPCS/ICD-10-CM/LOINC
Pharyngitis	ICD-10-CM
	J02.0: Streptococcal pharyngitis
	J02.8: Acute pharyngitis due to other specified organisms
	J02.9: Acute pharyngitis, unspecified
	J03.00: Acute streptococcal tonsillitis, unspecified
	J03.01: Acute recurrent streptococcal tonsillitis
	J03.80: Acute tonsillitis due to other specified organisms
	J03.81: Acute recurrent tonsillitis due to other specified organisms
	J03.90: Acute tonsillitis, unspecified
	J03.91: Acute recurrent tonsillitis, unspecified
Group A Strep	CPT
Tests	87070, 87071, 87081, 87430, 87650, 87651, 87652, 87880
	LOINC
	101300-2: Streptococcus pyogenes DNA Presence in Throat by NAA with non-probe detection
	103627-6: Streptococcus pyogenes DNA Presence in Specimen by NAA with probe detection
	11268-0: Streptococcus pyogenes Presence in Throat by Organism-specific culture
	17656-0: Streptococcus pyogenes Presence in Specimen by Organism-specific culture
	17898-8: Bacteria identified in Throat by Aerobe culture
	18481-2: Streptococcus pyogenes Ag Presence in Throat
	31971-5: Streptococcus pyogenes Ag Presence in Specimen

Description	CPT/HCPCS/ICD-10-CM/LOINC
	49610-9: Streptococcus pyogenes DNA Identifier in Specimen by NAA with probe detection 5036-9: Streptococcus pyogenes rRNA Presence in Specimen by Probe 60489-2: Streptococcus pyogenes DNA Presence in Throat by NAA with probe detection 626-2: Bacteria identified in Throat by Culture 6557-3: Streptococcus pyogenes Ag Presence in Throat by Immunofluorescence 6558-1: Streptococcus pyogenes Ag Presence in Specimen by Immunoassay 6559-9: Streptococcus pyogenes Ag Presence in Specimen by Immunofluorescence 68954-7: Streptococcus pyogenes rRNA Presence in Throat by Probe 78012-2: Streptococcus pyogenes Ag Presence in Throat by Rapid immunoassay
Outpatient, ED, and Telehealth	CPT 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281, 99282, 99283, 99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483 HCPCS G0071: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only G0402: Initial preventive physical examination; face-to-face visit, services limited to a new beneficiary during the first 12 months of Medicare enrollment G0438: Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit G0439: Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit G0463: Hospital outpatient clinic visit for assessment and management of a patient G2010: Remote evaluation of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment G2012: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established

Description	CPT/HCPCS/ICD-10-CM/LOINC
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from a
	related service provided within the previous 7 days nor leading to a service or
	procedure within the next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report evaluation
	and management services, provided to an established patient, not originating
	from a related service provided within the previous 7 days nor leading to a
	service or procedure within the next 24 hours or soonest available
	appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Refer to the illness as a sore throat due to a cold virus; patients tend to associate the label with a less frequent need for antibiotics.
- Antibiotics do not work on viruses.
- Educate patients on the difference between bacterial and viral infections. This is the key point in the success of this measure. Use CDC handouts or education tools as needed.
- Discuss with patients ways to treat symptoms:
 - Get extra rest.
 - Drink plenty of fluids.
 - Use over-the-counter medications.
 - Use the cool-mist vaporizer and nasal spray for congestion.
 - Eat ice chips or use throat spray/lozenges for sore throats.
- Educate patients and their parents or caregivers that they can prevent infection by:
 - Washing hands frequently.
 - Disinfecting toys.
 - Keeping the child out of school or daycare for at least 24 hours until antibiotics have been taken and symptoms have improved.

HEDIS Coding Booklet 2025 Page 32 of 98

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

• Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful resources:

• https://cdc.gov/antibiotic-use

Eye Exam for Patients With Diabetes (EED)

This HEDIS measure looks at the percentage of patients 18 to 75 years of age with diabetes (types 1 and 2) who had a retinal eye exam.

Record your efforts:

- A retinal or dilated eye exam by an eye care professional (optometrist or ophthalmologist) in the measurement year.
- A negative retinal or dilated eye exam (negative for retinopathy) by an eye care professional in the year prior to the measurement year.

Note: Blindness is not an exclusion for a diabetic eye exam because it is difficult to distinguish between individuals who are legally blind but require a retinal exam and those who are completely blind and therefore do not require an exam.

- Bilateral eye enucleation at any time during the patient's history through December 31 of the measurement year should be excluded:
 - Unilateral eye enucleation with a bilateral modifier (CPT Modifier code 50).
 - Two unilateral eye enucleations with service dates 14 days or more apart.
 - Left unilateral eye enucleation (ICD-10-PCS code 08T1XZZ) and right unilateral eye enucleation (ICD-10-PCS code 08T0XZZ) on the same or different dates of service.
 - A unilateral eye enucleation and a left unilateral eye enucleation (ICD-10-PCS code 08T1XZZ)
 with service dates 14 days or more apart.
 - A unilateral eye enucleation (Unilateral Eye Enucleation Value Set) and a right unilateral eye enucleation (ICD-10-PCS code 08T0XZZ) with service dates 14 days or more apart.
- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness Patients must meet both frailty and advanced illness criteria to be excluded. Do not include laboratory claims (claims with POS code 81).

Services	CPT/HCPCS/CPT-CAT II
Unilateral Eye	СРТ
Enucleation	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
Retinal Eye Exams	СРТ
	92235, 92230, 92250, 99245, 99243, 99244, 99242, 99205, 99203, 99204, 99215,
	99213, 99214, 92018, 92019, 92004, 92002, 92014, 92012, 92202, 92201, 92134,
	S3000, S0621, S0620

Services	CPT/HCPCS/CPT-CAT II
Eye Exam with	CPT-CAT II
Evidence of	2022F: Dilated retinal eye exam with interpretation by an ophthalmologist or
Retinopathy	optometrist documented and reviewed; with evidence of retinopathy (DM)
	2024F: 7 standard field stereoscopic retinal photos with interpretation by an
	ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM)
	2026F: Eye imaging validated to match diagnosis from 7 standard field
	stereoscopic retinal photos results documented and reviewed; with evidence
	of retinopathy (DM)
Eye Exam Without	CPT-CAT II
Evidence of	2023F: Dilated retinal eye exam with interpretation by an ophthalmologist or
Retinopathy	optometrist documented and reviewed; without evidence of retinopathy
	(DM)
	2025F: 7 standard field stereoscopic retinal photos with interpretation by an
	ophthalmologist or optometrist documented and reviewed; without evidence
	of retinopathy (DM)
	2033F: Eye imaging validated to match diagnosis from 7 standard field
	stereoscopic retinal photos results documented and reviewed; without
	evidence of retinopathy (DM)
Unilateral Eye	СРТ
Enucleation	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
Retinal Imaging	СРТ
	92227, 92228
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
Nista. The seeded listed	2186-5: Not Hispanic or Latino

Helpful tips:

- For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.
- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a patient's screenings are due.
- Send appointment reminders and call patients to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results, eye exam results, or any specialist referral and document on your chart.
- Refer patients to the network of eye providers for their annual diabetic eye exam.
- Educate your patients and their families, caregivers, and guardians on diabetes care, including:

HEDIS Coding Booklet 2025 Page 35 of 98

- Taking all prescribed medications as directed.
- Adding regular exercise to daily activities.
- Having a diabetic eye exam each year with an eye care provider.
- Regularly monitoring blood sugar and blood pressure at home.
- Maintaining a healthy weight and ideal body mass index.
- Eating heart-healthy, low-calorie, and low-fat foods.
- Stopping smoking and avoiding second-hand smoke.
- Keeping all medical appointments; getting help with scheduling necessary appointments, screenings, and tests to improve compliance.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We can help you with comprehensive diabetes care by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Providing programs that may be available to our diabetic patients.
- Supplying copies of educational resources on diabetes that may be available for your office.
- Providing education at your office if available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Follow-up After Emergency Department Visit for Substance Use (FUA)

This HEDIS measure evaluates the percentage of emergency department (ED) visits for patients 13 years of age and older with a principal diagnosis of substance use disorder (SUD), or any diagnosis of drug overdose, for which there was a follow-up. Two rates are reported:

- The percentage of ED visits for which the patient received follow-up within 30 days of the ED visit (31 total days)
- The percentage of ED visits for which the patient received follow-up within seven days of the ED visit (8 total days)

Record your efforts:

- 30-Day Follow-Up: A patient has a follow-up visit or a pharmacotherapy dispensing event 30 days after the ED visit (31 total days). Include visits and pharmacotherapy events that occur on the date of the ED visit.
- 7-Day Follow-Up: A patient has a follow-up visit or a pharmacotherapy dispensing event 7 days after the ED visit (8 total days). Include visits and pharmacotherapy events that occur on the date of the ED visit.

- ED visits that result in an inpatient stay
- ED visits followed by residential treatment on the date of the ED visit or within 30 days after the ED visit
- Patients who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Patients who died during the measurement year

Services	CPT/HCPCS/ICD-10-CM/POS
BH Outpatient	СРТ
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213,
	99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347,
	99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391,
	99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411,
	99412, 99483, 99492, 99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings,
	each 15 minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for
	recreation, related to the care and treatment of a patient's disabling mental
	health problems, per session (45 minutes or more)

Services	CPT/HCPCS/ICD-10-CM/POS
	G0177: Training and educational services related to the care and treatment
	of patient's disabling mental health problems per session (45 minutes or
	more)
	G0409: Social work and psychological services, directly relating to and/or
	furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or
	psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)
	only, psychiatric collaborative care model (psychiatric CoCM), 60 minutes or
	more of clinical staff time for psychiatric CoCM services directed by an RHC
	or FQHC practitioner (physician, NP, PA, or CNM) and including services
	furnished by a behavioral healthcare manager and consultation with a
	psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to
	a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Substance Abuse	ICD-10-CM
Counseling and	Z71.41: Alcohol abuse counseling and surveillance of alcoholic
Surveillance	Z71.51: Drug abuse counseling and surveillance of drug abuser
Substance Use	СРТ
Disorder Services	99408, 99409
	HCPCS
	G0396: Alcohol and/or substance (other than tobacco) misuse structured
	assessment (for example, audit, dast), and brief intervention 15 to 30 minutes
L	

Services	CPT/HCPCS/ICD-10-CM/POS
Services	G0397: Alcohol and/or substance (other than tobacco) misuse structured
	assessment (for example, audit, dast), and intervention, greater than 30
	minutes
	G0443: Brief face-to-face behavioral counseling for alcohol misuse, 15
	minutes
	H0001: Alcohol and/or drug assessment
	H0005: Alcohol and/or drug services; group counseling by a clinician
	H0007: Alcohol and/or drug services; crisis intervention (outpatient)
	H0015: Alcohol and/or drug services; intensive outpatient (treatment
	program that operates at least 3 hours/day and at least 3 days/week and is
	based on an individualized treatment plan), including assessment,
	counseling; crisis intervention, and activity therapies or education
	H0016: Alcohol and/or drug services; medical/somatic (medical intervention
	in ambulatory setting)
	H0022: Alcohol and/or drug intervention service (planned facilitation)
	H0047: Alcohol and/or other drug abuse services, not otherwise specified
	H0050: Alcohol and/or drug services, brief intervention, per 15 minutes
	H2035: Alcohol and/or other drug treatment program, per hour
	H2036: Alcohol and/or other drug treatment program, per floor
	T1006: Alcohol and/or substance abuse services, family/couple counseling
	T1012: Alcohol and/or substance abuse services, skills development
Substance Use	HCPCS
Services	H0006: Alcohol and/or drug services; case management
	H0028: Alcohol and/or drug prevention problem identification and referral
	service (for example, student assistance and employee assistance
	programs), does not include assessment
OUD Monthly	HCPCS
Office-based	G2086: Office-based treatment for opioid use disorder, including
Treatment	development of the treatment plan, care coordination, individual therapy,
	and group therapy and counseling; at least 70 minutes in the first calendar
	month
	G2087: Office-based treatment for opioid use disorder, including care
	coordination, individual therapy, and group therapy and counseling; at least
	60 minutes in a subsequent calendar month
OUD Weekly Drug	HCPCS
Treatment Service	G2067: Medication-assisted treatment, methadone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
	G2068: Medication-assisted treatment, buprenorphine (oral); weekly bundle
	including dispensing and/or administration, substance use counseling,
	individual and group therapy, and toxicology testing if performed (provision
	of the services by a Medicare-enrolled opioid treatment program)
	G2069: Medication-assisted treatment, buprenorphine (injectable); weekly
	bundle including dispensing and/or administration, substance use

Services	CPT/HCPCS/ICD-10-CM/POS
Sel vices	
	counseling, individual and group therapy, and toxicology testing if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2070: Medication-assisted treatment, buprenorphine (implant insertion);
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2072: Medication-assisted treatment, buprenorphine (implant insertion and
	removal); weekly bundle including dispensing and/or administration,
	substance use counseling, individual and group therapy, and toxicology
	testing if performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2073: Medication-assisted treatment, naltrexone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
OUD Weekly	HCPCS
Nondrug Service	G2071: Medication-assisted treatment, buprenorphine (implant removal);
_	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2074: Medication-assisted treatment, weekly bundle not including the drug,
	including substance use counseling, individual and group therapy, and
	toxicology testing if performed (provision of the services by a Medicare-
	enrolled opioid treatment program)
	G2075: Medication-assisted treatment, medication not otherwise specified;
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing, if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2076: Intake activities, including initial medical examination that is a
	complete, fully documented physical evaluation and initial assessment by a
	program physician or a primary care physician, or an authorized healthcare
	professional under the supervision of a program physician qualified
	personnel that includes preparation of a treatment plan that includes the
	patient's short-term goals and the tasks the patient must perform to
	complete the short-term goals; the patient's requirements for education,
	vocational rehabilitation, and employment; and the medical, psycho-social,
	economic, legal, or other supportive services that a patient needs, conducted
	by qualified personnel (provision of the services by a Medicare-enrolled
	opioid)
	G2077: Periodic assessment; assessing periodically by qualified personnel to
	determine the most appropriate combination of services and treatment

Services	CPT/HCPCS/ICD-10-CM/POS
	(provision of the services by a Medicare-enrolled opioid treatment program);
	list separately in addition to code for primary procedure
	G2080: Each additional 30 minutes of counseling in a week of medication-
	assisted treatment, (provision of the services by a Medicare-enrolled opioid
	treatment program); list separately in addition to code for primary
	procedure
Residential	HCPCS
Program	H0010: Alcohol and/or drug services; sub-acute detoxification (residential
Detoxification	addiction program inpatient)
	H0011: Alcohol and/or drug services; acute detoxification (residential
	addiction program inpatient)
Telehealth POS	POS
	02: Telehealth Provided Other than in Patient's Home
	10: Telehealth Provided in Patient's Home
Telephone visits	СРТ
	98966, 98967, 98968, 99441, 99442, 99443
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

How can we help?

- Offer current *Clinical Practice Guidelines* on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Other available resources

You can find more information and tools online at:

https://qualityforum.org

Helpful tip:

Follow-Up After Hospitalization for Mental Illness (FUH)

This HEDIS measure evaluates the percentage of discharges for patients ages 6 years and older who were hospitalized for a principal diagnosis of mental illness, or any diagnosis of intentional self-harm, and had a mental health follow-up service. Two rates are reported:

- The percentage of discharges for which the patient received follow-up within 30 days after discharge
- The percentage of discharges for which the patient received follow-up within 7 days after discharge

С

- Exclude discharges followed by readmission or direct transfer to a nonacute inpatient care setting (except for psychiatric residential treatment) within the 30-day follow-up period, regardless of the principal diagnosis for the readmission.
- Patients who use hospice or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who died during the measurement year should be excluded.

Caminas	CDT // ICDCS /DOS
Services	CPT/HCPCS/POS
BH Outpatient	CPT
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213,
	99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347,
	99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391,
	99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411,
	99412, 99483, 99492, 99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings,
	each 15 minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for
	recreation, related to the care and treatment of a patient's disabling mental
	health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment
	of patient's disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or
	furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or
	psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)
	only, psychiatric collaborative care model (psychiatric CoCM), 60 minutes or
	more of clinical staff time for psychiatric CoCM services directed by an RHC
	or FQHC practitioner (physician, NP, PA, or CNM) and including services
	or rand practitioner (physician, NP, PA, or CNM) and including services

Services	CPT/HCPCS/POS
	furnished by a behavioral healthcare manager and consultation with a
	psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to
	a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per 13 minutes
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Psychiatric	CPT
Collaborative Care	99492, 99493, 99494
Management	HCPCS
Tranagement	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)
	only, psychiatric collaborative care model (psychiatric CoCM), 60 minutes or
	more of clinical staff time for psychiatric CoCM services directed by an RHC
	or FQHC practitioner (physician, NP, PA, or CNM) and including services
	furnished by a behavioral healthcare manager and consultation with a
	psychiatric consultant, per calendar month
Residential	HCPCS
Behavioral Health	T2048: Behavioral health; long-term care residential (non-acute care in a
Treatment	residential treatment program where the stay is typically longer than 30
	days), with room and board, per diem
	H0019: Behavioral health; long-term residential (non-medical, non-acute
	care in a residential treatment program where the stay is typically longer
	than 30 days), without room and board, per diem
	H0017: Behavioral health; residential (hospital residential treatment
	program), without room and board, per diem
	H0018: Behavioral health; short-term residential (non-hospital residential
	treatment program), without room and board, per diem
	a comment program,, manager com and bodia, per diem

Services	CPT/HCPCS/POS
Transitional Care	СРТ
Management	99495, 99496
Services	
Telephone Visits	CPT
	98966, 98967, 98968, 99441, 99442, 99443
Telehealth POS	POS
	02
	10
Visit Setting	CPT
Unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255
Outpatient POS	POS
	03: School
	05: Indian Health Service Free-standing Facility
	07: Tribal 638 Free-standing Facility
	09: Prison/Correctional Facility
	11: Office
	12: Home
	13: Assisted Living Facility
	14: Group Home
	15: Mobile Unit
	16: Temporary Lodging
	17: Walk-in Retail Clinic
	18: Place of Employment-Worksite
	19: Off Campus-Outpatient Hospital
	20: Urgent Care Facility
	22: On-Campus Outpatient Hospital
	33: Custodial Care Facility
	49: Independent Clinic
	50: Federally Qualified Health Center
	71: Public Health Clinic
	72: Rural Health Clinic
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Helpful tips:

HEDIS Coding Booklet 2025 Page 44 of 98

- Educate your patients and their spouses, caregivers, or guardians about the importance of compliance with long-term medications, if prescribed.
- Encourage patients to participate in our behavioral health case management program for help getting a follow-up discharge appointment within seven days and other support.
- Teach patient's families to review all discharge instructions for patients and ask for details of all follow-up discharge instructions, such as the dates and times of appointments. The post-discharge follow-up should optimally be within seven days of discharge.
- Ask patients with a mental health diagnosis to allow you access to their mental health records if you are their primary care provider.
- Telehealth services that are completed by a qualified mental health provider can be used for this measure.
- If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

This HEDIS measure evaluates the percentage of acute inpatient hospitalizations, residential treatment, or withdrawal management visits for a diagnosis of substance use disorder among patients 13 years of age and older that result in a follow-up visit or service for substance use disorder during the measurement year. Two rates are reported:

- The percentage of visits or discharges for which the patient received follow-up for substance use disorder within the 30 days after the visit or discharge
- The percentage of visits or discharges for which the patient received follow-up for substance use disorder within the 7 days after the visit or discharge

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who die at any time during the measurement year.

Services	CPT/HCPCS/ICD-10-CM/POS
BH Outpatient	CPT 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213,
	99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347,
	99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391,
	99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411,
	99412, 99483, 99492, 99493, 99494, 99510 HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15 minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a CORF-qualified social worker or psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC) only, psychiatric collaborative care model (psychiatric CoCM), 60 minutes or
	more of clinical staff time for psychiatric CoCM services directed by an RHC or FQHC practitioner (physician, np, pa, or cnm) and including services

Services	CPT/HCPCS/ICD-10-CM/POS
	furnished by a behavioral healthcare manager and consultation with a
	psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to
	a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per 13 minutes
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Substance Abuse	ICD-10-CM
Counseling and	Z71.41: Alcohol abuse counseling and surveillance of alcoholic
Surveillance	Z71.51: Drug abuse counseling and surveillance of drug abuser
Substance Use	CPT
Disorder Services	99408, 99409
	HCPCS
	G0396: Alcohol and/or substance (other than tobacco) misuse structured
	assessment (for example, audit, dast), and brief intervention 15 to 30 minutes
	G0397: Alcohol and/or substance (other than tobacco) misuse structured
	assessment (for example, audit, dast), and intervention, greater than 30
	minutes
	G0443: Brief face-to-face behavioral counseling for alcohol misuse, 15
	minutes
	H0001: Alcohol and/or drug assessment
	H0005: Alcohol and/or drug services; group counseling by a clinician
	H0007: Alcohol and/or drug services; crisis intervention (outpatient)
	H0015: Alcohol and/or drug services; intensive outpatient (treatment
	program that operates at least 3 hours/day and at least 3 days/week and is
	based on an individualized treatment plan), including assessment,
	counseling; crisis intervention, and activity therapies or education

Services	CPT/HCPCS/ICD-10-CM/POS
	H0016: Alcohol and/or drug services; medical/somatic (medical intervention
	in ambulatory setting)
	H0022: Alcohol and/or drug intervention service (planned facilitation)
	H0047: Alcohol and/or other drug abuse services, not otherwise specified
	H0050: Alcohol and/or drug services, brief intervention, per 15 minutes
	H2035: Alcohol and/or other drug treatment program, per hour
	H2036: Alcohol and/or other drug treatment program, per diem
	T1006: Alcohol and/or substance abuse services, family/couple counseling
	T1012: Alcohol and/or substance abuse services, skills development
Substance Use	HCPCS
Services	H0006: Alcohol and/or drug services; case management
Services	H0028: Alcohol and/or drug prevention problem identification and referral
	service (for example, student assistance and employee assistance
	programs), does not include assessment
OUD Monthly	HCPCS
OUD Monthly Office-based	G2086: Office-based treatment for opioid use disorder, including
Treatment	·
rreatment	development of the treatment plan, care coordination, individual therapy,
	and group therapy and counseling; at least 70 minutes in the first calendar
	month
	G2087: Office-based treatment for opioid use disorder, including care
	coordination, individual therapy, and group therapy and counseling; at least
	60 minutes in a subsequent calendar month
OUD Weekly Drug	HCPCS
Treatment Service	G2067: Medication-assisted treatment, methadone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
	G2068: Medication-assisted treatment, buprenorphine (oral); weekly bundle
	including dispensing and/or administration, substance use counseling,
	individual and group therapy, and toxicology testing if performed (provision
	of the services by a Medicare-enrolled opioid treatment program)
	G2069: Medication-assisted treatment, buprenorphine (injectable); weekly
	bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2070: Medication-assisted treatment, buprenorphine (implant insertion);
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2072: Medication-assisted treatment, buprenorphine (implant insertion and
	removal); weekly bundle including dispensing and/or administration,
	substance use counseling, individual and group therapy, and toxicology

Services	CPT/HCPCS/ICD-10-CM/POS
	testing if performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2073: Medication-assisted treatment, naltrexone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
OUD Weekly	HCPCS
Nondrug Service	G2071: Medication-assisted treatment, buprenorphine (implant removal);
Nonarug Service	
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2074: Medication-assisted treatment, weekly bundle not including the drug,
	including substance use counseling, individual and group therapy, and
	toxicology testing if performed (provision of the services by a Medicare-
	enrolled opioid treatment program)
	G2075: Medication-assisted treatment, medication not otherwise specified;
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing, if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2076: Intake activities, including initial medical examination that is a
	complete, fully documented physical evaluation and initial assessment by a
	program physician or a primary care physician, or an authorized healthcare
	professional under the supervision of a program physician qualified
	personnel that includes preparation of a treatment plan that includes the
	patient's short-term goals and the tasks the patient must perform to
	complete the short-term goals; the patient's requirements for education,
	vocational rehabilitation, and employment; and the medical, psycho-social,
	economic, legal, or other supportive services that a patient needs, conducted
	· · · · · · · · · · · · · · · · · · ·
	by qualified personnel (provision of the services by a Medicare-enrolled
	opioid treatment program); list separately in addition to code for primary
	procedure.
	G2077: Periodic assessment; assessing periodically by qualified personnel to
	determine the most appropriate combination of services and treatment
	(provision of the services by a Medicare-enrolled opioid treatment program);
	list separately in addition to code for primary procedure
	G2080: Each additional 30 minutes of counseling in a week of medication-
	assisted treatment, (provision of the services by a Medicare-enrolled opioid
	treatment program); list separately in addition to code for primary
	procedure
Online Assessments	CPT
	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
	HCPCS

Services	CPT/HCPCS/ICD-10-CM/POS
	G0071: Payment for communication technology-based services for 5 minutes
	or more of a virtual (non-face-to-face) communication between a rural
	health clinic (RHC) or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of remote evaluation of
	recorded video and/or images by an RHC or FQHC practitioner, occurring in
	lieu of an office visit; RHC or FQHC only
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related e/m service provided within the previous 7 days
	nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	,
	hours or soonest available appointment; 5-10 minutes of medical discussion G2250: Remote assessment of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report
	evaluation and management services, provided to an established patient,
	not originating from a related service provided within the previous 7 days
	nor leading to a service or procedure within the next 24 hours or soonest
	available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 11-20 minutes of medical discussion
Outpatient POS	POS
	03: School
	05: Indian Health Service Free-standing Facility
	11: Office
	12: Home
	13: Assisted Living Facility
	14: Group Home
	15: Mobile Unit
	16: Temporary Lodging
	1

Services	CPT/HCPCS/ICD-10-CM/POS
	17: Walk-in Retail Clinic
	18: Place of Employment-Worksite
	19: Off Campus-Outpatient Hospital
	20: Urgent Care Facility
	22: On-Campus Outpatient Hospital
	33: Custodial Care Facility
	49: Independent Clinic
	50: Federally Qualified Health Center
	71: Public Health Clinic
	72: Rural Health Clinic
Telephone Visits	CPT
	98966, 98967, 98968, 99441, 99442, 99443
Telehealth POS	POS
	02
	10
Visit Setting	CPT
Unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845,
	90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233,
	99238, 99239, 99252, 99253, 99254, 99255

How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Other available resources

You can find more information and tools online at:

• https://qualityforum.org

Helpful tip:

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

This HEDIS measure evaluates the percentage of emergency department (ED) visits for patients ages 6 years and older with a principal diagnosis of mental illness or any diagnosis of intentional self-harm, and who had a mental health follow-up service during the measurement year. Two rates are reported:

- The percentage of ED visits for which the patient received follow-up within 30 days of the ED visit (31 total days)
- The percentage of ED visits for which the patient received follow-up within 7 days of the ED visit (8 total days)

- ED visits that result in an inpatient stay.
- ED visits followed by admission to an acute or nonacute inpatient care setting on the date of the ED visit or within 30 days after the ED visit (31 total days).
- Patients in hospice or using hospice services anytime during the measurement year.
- Patients who died during the measurement year.

Services	CPT/HCPCS/POS
BH Outpatient	СРТ
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213,
	99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347,
	99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391,
	99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411,
	99412, 99483, 99492, 99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings,
	each 15 minutes
	G0176: Activity therapy, such as music, dance, art, or play therapies not for
	recreation, related to the care and treatment of a patient's disabling mental
	health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment
	of a patient's disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or
	furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or
	psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)
	only, psychiatric collaborative care model (psychiatric CoCM), 60 minutes or

Comicos	CDT/ILICDCC/DOC
Services	CPT/HCPCS/POS
	more of clinical staff time for psychiatric CoCM services directed by an RHC
	or FQHC practitioner (physician, NP, PA, or CNM) and including services
	furnished by a behavioral healthcare manager and consultation with a
	psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to
	a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Residential	HCPCS
Behavioral Health	T2048: Behavioral health; long-term care residential (non-acute care in a
Treatment	residential treatment program where the stay is typically longer than 30
redunent	days), with room and board, per diem
	H0019: Behavioral health; long-term residential (non-medical, non-acute care
	in a residential treatment program where the stay is typically longer than 30
	days), without room and board, per diem
	H0017: Behavioral health; residential (hospital residential treatment
	program), without room and board, per diem
	H0018: Behavioral health; short-term residential (non-hospital residential
	treatment program), without room and board, per diem
Telehealth POS	POS
	02
	10
Outpatient POS	POS
	03: School
	05: Indian Health Service Free-standing Facility
	11: Office
	12: Home
	1 :=

Services	CPT/HCPCS/POS
	13: Assisted Living Facility
	14: Group Home
	15: Mobile Unit
	16: Temporary Lodging
	17: Walk-in Retail Clinic
	18: Place of Employment-Worksite
	19: Off Campus-Outpatient Hospital
	20: Urgent Care Facility
	22: On-Campus Outpatient Hospital
	33: Custodial Care Facility
	49: Independent Clinic
	50: Federally Qualified Health Center
	71: Public Health Clinic
	72: Rural Health Clinic
Visit Setting	CPT
Unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845,
	90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233,
	99238, 99239, 99252, 99253, 99254, 99255
Online	CPT
Assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
7.0303311101103	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes
	or more of a virtual (non-face-to-face) communication between a rural
	health clinic (RHC) or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of remote evaluation of
	recorded video and/or images by an RHC or FQHC practitioner, occurring in
	lieu of an office visit; RHC or FQHC only
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related e/m service provided within the previous 7 days
	nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment
	Tavaliable appointment

Services	CPT/HCPCS/POS
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report
	evaluation and management services, provided to an established patient,
	not originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 11-20 minutes of medical discussion
Telephone Visits	СРТ
	98966, 98967, 98968, 99441, 99442, 99443
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Other available resources

You can find more information and tools online at:

• https://qualityforum.org

Helpful tip:

Glycemic Status Assessment for Patients With Diabetes (GSD)

This measure looks at the percentage of patients 18 to 75 years of age with diabetes (types 1 and 2) whose most recent glycemic status (hemoglobin A1c HbA1c or glucose management indicator GMI) was at the following levels during the measurement year:

- Glycemic Status <8.0%
- Glycemic Status >9.0%

Note: A lower rate indicates better performance for this indicator (for example, low rates of Glycemic Status >9% indicate better care).

Record your efforts:

- Document the result of the most recent glycemic status assessment (HbA1c or GMI) performed during the measurement year.
- When identifying the most recent glycemic status assessment (HbA1c or GMI), GMI values must include documentation of the continuous glucose monitoring data date range used to derive the value. The terminal date in the range should be used to assign the assessment date.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Patients must meet both frailty and advanced illness criteria to be excluded. Do not include laboratory claims (claims with POS code 81).

Description	CPT/CPT-CAT II/LOINC
HbA1c Level Greater	CPT-CAT II
Than or Equal to 8.0	3046F: Most recent hemoglobin A1c level greater than 9.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	8.0% and less than or equal to 9.0% (DM)
HbA1c Level Less	CPT-CAT II
Than 8.0	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	7.0% and less than 8.0% (DM)
Hb1c Level Less	CPT-CAT II
Than or Equal to 9.0	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	7.0% and less than 8.0% (DM)

Description	CPT/CPT-CAT II/LOINC
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	8.0% and less than or equal to 9.0% (DM)
HbA1c Tests Results	CPT-CAT II
or Findings	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
	3046F: Most recent hemoglobin A1c level greater than 9.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	7.0% and less than 8.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	8.0% and less than or equal to 9.0% (DM)
HbA1c Lab Test	СРТ
	83036, 83037
	LOINC
	17855-8: Hemoglobin A1c/Hemoglobin.total in Blood by calculation
	17856-6: Hemoglobin A1c/Hemoglobin.total in Blood by HPLC
	4548-4: Hemoglobin A1c/Hemoglobin.total in Blood
	4549-2: Hemoglobin A1c/Hemoglobin.total in Blood by Electrophoresis
	96595-4: Hemoglobin A1c/Hemoglobin.total in DBS
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips:

- For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.
- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a patient's screenings are due.
- Send appointment reminders and call patients to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results and document on your chart.
- Draw labs in your office if accessible or refer patients to a local lab for screenings.
- Educate your patients and their families, caregivers, and guardians on diabetes care, including:
 - Taking all prescribed medications as directed
 - Adding regular exercise to daily activities
 - Regularly monitoring blood sugar and blood pressure at home
 - Maintaining a healthy weight and ideal body mass index
 - Eating heart-healthy, low-calorie, and low-fat foods
 - Stopping smoking and avoiding second-hand smoke

HEDIS Coding Booklet 2025 Page 57 of 98

- Fasting prior to having blood sugar and lipid panels drawn to ensure accurate results
- Keeping all medical appointments; getting help with scheduling necessary appointments, screenings, and tests to improve compliance
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We can help you with comprehensive diabetes care by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Providing programs that may be available to our diabetic patients.
- Supplying copies of educational resources on diabetes that may be available for your office.
- Scheduling Clinic Days or providing education at your office if available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Initiation and Engagement of Substance Use Disorder Treatment (IET)

This measure looks at the percentage of new substance use disorder (SUD) episodes that result in treatment initiation and engagement. Two rates are reported:

- Initiation of SUD Treatment: The percentage of new SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter, partial hospitalization, telehealth visits, or medication treatment within 14 days
- **Engagement of SUD Treatment:** The percentage of new SUD episodes that have evidence of treatment engagement within 34 days of initiation

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who died during the measurement year.

Description	CDT // LCDCC //CD 40 CM //CD 40 DCC /DOC
Description	CPT/HCPCS/ICD-10-CM/ICD-10-PCS/POS
BH Outpatient	CPT 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15 minutes
	G0176: Activity therapy, such as music, dance, art, or play therapies not for recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of a patient's disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a CORF-qualified social worker or psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC) only, psychiatric collaborative care model (psychiatric CoCM), 60 minutes or more of clinical staff time for psychiatric CoCM services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM) and including services furnished by a behavioral healthcare manager and consultation with a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes

.	
Description	CPT/HCPCS/ICD-10-CM/ICD-10-PCS/POS
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive motioalsciplinary evaluation H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Buprenorphine	HCPCS
Implant	G2070: Medication-assisted treatment, buprenorphine (implant insertion);
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if performed
	(provision of the services by a Medicare-enrolled opioid treatment program)
	G2072: Medication-assisted treatment, buprenorphine (implant insertion and
	removal); weekly bundle including dispensing and/or administration,
	substance use counseling, individual and group therapy, and toxicology
	testing if performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	J0570: Buprenorphine implant, 74.2 mg
Buprenorphine	HCPCS
Injection	G2069: Medication-assisted treatment, buprenorphine (injectable); weekly
	bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if performed
	(provision of the services by a Medicare-enrolled opioid treatment program)
	Q9991: Injection, buprenorphine extended-release (sublocade), less than or
	equal to 100 mg Q9992: Injection, buprenorphine extended-release (sublocade), greater than
	100 mg
Buprenorphine	HCPCS
Naloxone	J0572: Buprenorphine/naloxone, oral, less than or equal to 3 mg
rvatoxoric	buprenorphine
	J0573: Buprenorphine/naloxone, oral, greater than 3 mg, but less than or
	equal to 6 mg buprenorphine
	J0574: Buprenorphine/naloxone, oral, greater than 6 mg, but less than or
	equal to 10 mg buprenorphine
	J0575: Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine
Buprenorphine	HCPCS
Oral	H0033: Oral medication administration, direct observation
	J0571: Buprenorphine, oral, 1 mg
Buprenorphine	HCPCS
Oral Weekly	G2068: Medication-assisted treatment, buprenorphine (oral); weekly bundle
	including dispensing and/or administration, substance use counseling,
	individual and group therapy, and toxicology testing if performed (provision
	of the services by a Medicare-enrolled opioid treatment program)

Description	CPT/HCPCS/ICD-10-CM/ICD-10-PCS/POS
Description	G2079: Take-home supply of buprenorphine (oral); up to 7 additional day
	supply (provision of the services by a Medicare-enrolled opioid treatment
Detayification	program); list separately in addition to code for primary procedure
Detoxification	HCPCS
	H0008: Alcohol and/or drug services; sub-acute detoxification (hospital
	inpatient)
	H0009: Alcohol and/or drug services; acute detoxification (hospital inpatient)
	H0010: Alcohol and/or drug services; sub-acute detoxification (residential
	addiction program inpatient)
	H0011: Alcohol and/or drug services; acute detoxification (residential
	addiction program inpatient)
	H0012: Alcohol and/or drug services; sub-acute detoxification (residential
	addiction program outpatient)
	H0013: Alcohol and/or drug services; acute detoxification (residential
	addiction program outpatient)
	H0014: Alcohol and/or drug services; ambulatory detoxification
	ICD-10-PCS
Mathaniana	HZ2ZZZZ: Detoxification Services for Substance Abuse Treatment
Methadone Oral	HCPCS
	H0020: Alcohol and/or drug services; methadone administration and/or
	service (provision of the drug by a licensed program)
Mathaniana	S0109: Methadone, oral, 5 mg
Methadone Oral	HCPCS
Weekly	G2067: Medication-assisted treatment, methadone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
	G2078: Take-home supply of methadone; up to 7 additional day supply
	(provision of the services by a Medicare-enrolled opioid treatment program);
N. I.	list separately in addition to code for primary procedure
Naltrexone	HCPCS
Injection	G2073: Medication-assisted treatment, naltrexone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
0.11.	J2315: Injection, naltrexone, depot form, 1 mg
Online	CPT 00070 00071 00072 00000 00001 00421 00422 00427 00457 00457
Assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
	HCPCS C0071. Dayment for communication technology based conjugat for E-minutes
	G0071: Payment for communication technology-based services for 5 minutes
	or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC
	or FQHC patient, or 5 minutes or more of remote evaluation of recorded
	video and/or images by an RHC or FQHC practitioner, occurring in lieu of an
	office visit; RHC or FQHC only G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from
	a related e/m service provided within the previous 7 days nor leading to an
	e/m service or procedure within the next 24 hours or soonest available
	appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established

Description	CPT/HCPCS/ICD-10-CM/ICD-10-PCS/POS
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report
	evaluation and management services, provided to an established patient,
	not originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 11-20 minutes of medical discussion
OUD Monthly	HCPCS
Office-based	G2086: Office-based treatment for opioid use disorder, including
Treatment	development of the treatment plan, care coordination, individual therapy,
	and group therapy and counseling; at least 70 minutes in the first calendar
	month
	G2087: Office-based treatment for opioid use disorder, including care
	coordination, individual therapy, and group therapy and counseling; at least
	60 minutes in a subsequent calendar month
OUD Weekly Drug	HCPCS
Treatment Service	G2067: Medication-assisted treatment, methadone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
	G2068: Medication-assisted treatment, buprenorphine (oral); weekly bundle
	including dispensing and/or administration, substance use counseling,
	individual and group therapy, and toxicology testing if performed (provision
	of the services by a Medicare-enrolled opioid treatment program)
	G2069: Medication-assisted treatment, buprenorphine (injectable); weekly
	bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if performed
	(provision of the services by a Medicare-enrolled opioid treatment program)
	G2070: Medication-assisted treatment, buprenorphine (implant insertion);
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing if performed
	(provision of the services by a Medicare-enrolled opioid treatment program)
	G2072: Medication-assisted treatment, buprenorphine (implant insertion and
	removal); weekly bundle including dispensing and/or administration,
	substance use counseling, individual and group therapy, and toxicology
	testing if performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2073: Medication-assisted treatment, naltrexone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and

Description	CPT/HCPCS/ICD-10-CM/ICD-10-PCS/POS
	group therapy, and toxicology testing if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
OUD Weekly	HCPCS
Nondrug Service	G2071: Medication-assisted treatment, buprenorphine (implant removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2074: Medication-assisted treatment, weekly bundle not including the drug, including substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2075: Medication-assisted treatment, medication not otherwise specified; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2076: Intake activities, including initial medical examination that is a complete, fully documented physical evaluation and initial assessment by a program physician or a primary care physician, or an authorized healthcare professional under the supervision of a program physician qualified personnel that includes preparation of a treatment plan that includes the patient's short-term goals and the tasks the patient must perform to complete the short-term goals; the patient's requirements for education, vocational rehabilitation, and employment; and the medical, psycho-social, economic, legal, or other supportive services that a patient needs, conducted by qualified personnel (provision of the services by a Medicare-enrolled opioid G2077: Periodic assessment; assessing periodically by qualified personnel to determine the most appropriate combination of services and treatment (provision of the services by a Medicare-enrolled opioid treatment program); list separately in addition to code for primary procedure G2080: Each additional 30 minutes of counseling in a week of medication-assisted treatment, (provision of the services by a Medicare-enrolled opioid treatment program); lis
Substance Abuse	procedure ICD-10-CM
Counseling and Surveillance	Z71.41: Alcohol abuse counseling and surveillance of alcoholic Z71.51: Drug abuse counseling and surveillance of drug abuser
Substance Use Disorder Services	CPT 99408, 99409 HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (for example, audit, dast), and brief intervention 15 to 30 minutes G0397: Alcohol and/or substance (other than tobacco) misuse structured assessment (for example, audit, dast), and intervention, greater than 30 minutes G0443: Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes H0001: Alcohol and/or drug assessment H0005: Alcohol and/or drug services; group counseling by a clinician H0007: Alcohol and/or drug services; crisis intervention (outpatient) H0015: Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis intervention, and activity therapies or education

Description	CPT/HCPCS/ICD-10-CM/ICD-10-PCS/POS
•	H0016: Alcohol and/or drug services; medical/somatic (medical intervention in ambulatory setting) H0022: Alcohol and/or drug intervention service (planned facilitation) H0047: Alcohol and/or other drug abuse services, not otherwise specified H0050: Alcohol and/or drug services, brief intervention, per 15 minutes H2035: Alcohol and/or other drug treatment program, per hour H2036: Alcohol and/or other drug treatment program, per diem T1006: Alcohol and/or substance abuse services, family/couple counseling T1012: Alcohol and/or substance abuse services, skills development
Telehealth POS	POS 02: Telehealth Provided Other than in Patient's Home 10: Telehealth Provided in Patient's Home
Telephone Visits	CPT 98966, 98967, 98968, 99441, 99442, 99443
Visit Setting Unspecified	CPT 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native 2028-9: Asian 2054-5: Black or African American 2076-8: Native Hawaiian or Other Pacific Islander 2106-3: White 2135-2: Hispanic or Latino 2186-5: Not Hispanic or Latino

How can we help?

We can help you with monitoring the initiation and engagement of alcohol and other drug dependence treatment by:

- Reaching out to providers to be advocates and providing the resources to educate our patients.
- Calling our behavioral health Provider Service for additional information.
- Guiding with the above-noted services to drive patient success in completing alcohol and other drug dependence treatment.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful tip:

Kidney Health Evaluation for Patients with Diabetes (KED)

This measure evaluates the percentage of patients 18 to 85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) and a urine albumin-creatinine ratio (uACR), during the measurement year.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients with a diagnosis of end-stage renal disease (ESRD) at any time during the patient's history on or prior to December 31 of the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients who had dialysis at any time during the patient's history on or prior to December 31 of the measurement year should be excluded.
- Patients 66 to 80 years of age as of December 31 of the measurement year (all product lines) with frailty and advanced illness Patients must meet BOTH frailty and advanced illness criteria to be excluded. Do not include laboratory claims (claims with POS code 81).
- Patients 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year Do not include laboratory claims (claims with POS code 81).

Description	CPT/LOINC
Estimated	СРТ
Glomerular Filtration	80047, 80048, 80050, 80053, 80069, 82565
Rate Lab Test	LOINC
	50044-7: Glomerular filtration rate/1.73 sq M.predicted among females
	Volume Rate/Area in Serum, Plasma, or Blood by Creatinine-based formula (MDRD)
	50210-4: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
	Serum, Plasma, or Blood by Cystatin C-based formula
	50384-7: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
	Serum, Plasma, or Blood by Creatinine-based formula (Schwartz)
	62238-1: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
	Serum, Plasma, or Blood by Creatinine-based formula (CKD-EPI)
	69405-9: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
	Serum, Plasma, or Blood
	70969-1: Glomerular filtration rate/1.73 sq M.predicted among males
	Volume Rate/Area in Serum, Plasma, or Blood by Creatinine-based formula
	(MDRD)

D : 11	
	CPT/LOINC
	77147-7: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
	Serum, Plasma, or Blood by Creatinine-based formula (MDRD)
9	P4677-2: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
S	Serum, Plasma, or Blood by Creatinine and Cystatin C-based formula (CKD-
E	EPI)
9	P8979-8: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
S	Serum, Plasma, or Blood by Creatinine-based formula (CKD-EPI 2021)
9	P8980-6: Glomerular filtration rate/1.73 sq M.predicted Volume Rate/Area in
S	Serum, Plasma, or Blood by Creatinine and Cystatin C-based formula (CKD-
E	EPI 2021)
Quantitative Urine C	CPT
Albumin Lab Test 8	32043
L	LOINC
	00158-5: Microalbumin Mass/volume in Urine collected for an unspecified
	duration
	4957-5: Microalbumin Mass/volume in Urine
	754-1: Albumin Mass/volume in Urine
	21059-1: Albumin Mass/volume in 24-hour Urine
	30003-8: Microalbumin Mass/volume in 24-hour Urine
	43605-5: Microalbumin Mass/volume in 4-hour Urine
	53530-2: Microalbumin Mass/volume in 24-hour Urine by Detection limit <=
	.0 mg/L
	53531-0: Microalbumin Mass/volume in Urine by Detection limit <= 1.0 mg/L
	57369-1: Microalbumin Mass/volume in 12-hour Urine
	39999-7: Microalbumin Mass/volume in Urine by Detection limit <= 3.0 mg/L
	_OINC
	3705-9: Albumin/Creatinine Mass Ratio in 24-hour Urine
	4958-3: Microalbumin/Creatinine Mass Ratio in 24-hour Urine
	4959-1: Microalbumin/Creatinine Mass Ratio in Urine
	30000-4: Microalbumin/Creatinine Ratio in Urine
	14292-1: Microalbumin/Creatinine Mass Ratio in 12-hour Urine
	59159-4: Microalbumin/Creatinine Ratio in 24-hour Urine
	76401-9: Albumin/Creatinine Ratio in 24-hour Urine
	77253-3: Microalbumin/Creatinine Ratio in Urine by Detection limit <= 1.0
	mg/L
	77254-1: Microalbumin/Creatinine Ratio in 24-hour Urine by Detection limit
	<= 1.0 mg/L
	39998-9: Microalbumin/Creatinine Ratio in Urine by Detection limit <= 3.0
	mg/L
	P318-7: Albumin/Creatinine Mass Ratio in Urine
	CPT
Test 8	32570
L	LOINC
2	20624-3: Creatinine Mass/volume in 24-hour Urine

Description	CPT/LOINC
	35674-1: Creatinine Mass/volume in Urine collected for unspecified duration
	39982-4: Creatinine Mass/volume in Urine – baseline
	57344-4: Creatinine Mass/volume in 2-hour Urine
	57346-9: Creatinine Mass/volume in 12-hour Urine
	58951-5: Creatinine Mass/volume in Urine – 2nd specimen
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Use of Imaging Studies for Low Back Pain (LBP)

This HEDIS measure looks at the percentage of patients 18 to 75 years of age with a principal diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis January 1 to December 3 of the measurement year.

The measure is reported as an inverted rate 1–(numerator/eligible population). A higher score indicates appropriate treatment of low back pain (for example, the proportion for whom imaging studies did not occur).

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients 66 years of age or older as of December 31 of the measurement year (all product lines) with frailty and advanced illness Patients must meet **both** frailty and advanced illness criteria to be excluded. Do not include laboratory claims (claims with POS code 81).
- Cancer, HIV, history of organ transplant, osteoporosis, or spondylopathy at any time during the member's history through 28 days after the IESD Do not include laboratory claims (claims with POS code 81).
- Organ transplant, lumbar surgery, or medication treatment for osteoporosis at any time during the member's history through 28 days after the IESD should be excluded.
- IV drug abuse, neurologic impairment, or spinal infection at any time during the 365 days prior to the IESD through 28 days after the IESD Do not include laboratory claims (claims with POS code 81).
- Trauma or a fragility fracture at any time during the 90 days prior to the IESD through 28 days after the IESD Do not include laboratory claims (claims with POS code 81).
- Exclude prolonged use of corticosteroids: 90 consecutive days of corticosteroid treatment at any time during the 366-day period that begins 365 days prior to the IESD and ends on the IESD.

Services	CPT/ICD-10-CM
Uncomplicated	ICD-10-CM
Low Back Pain	M47.26: Other spondylosis with radiculopathy, lumbar region
	M47.27: Other spondylosis with radiculopathy, lumbosacral region
	M47.28: Other spondylosis with radiculopathy, sacral and sacrococcygeal region
	M47.816: Spondylosis without myelopathy or radiculopathy, lumbar region M47.817: Spondylosis without myelopathy or radiculopathy, lumbosacral region
	M47.818: Spondylosis without myelopathy or radiculopathy, sacral and
	sacrococcygeal region

Services	CPT/ICD-10-CM
	M47.896: Other spondylosis, lumbar region
	M47.897: Other spondylosis, lumbosacral region
	M47.898: Other spondylosis, sacral and sacrococcygeal region
	M48.061: Spinal stenosis, lumbar region without neurogenic claudication
	M48.07: Spinal stenosis, lumbosacral region
	M48.08: Spinal stenosis, sacral and sacrococcygeal region
	M51.16: Intervertebral disc disorders with radiculopathy, lumbar region
	M51.17: Intervertebral disc disorders with radiculopathy, lumbosacral region
	M51.26: Other intervertebral disc displacement, lumbar region
	M51.27: Other intervertebral disc displacement, lumbosacral region
	M51.37: Other intervertebral disc degeneration, lumbosacral region
	M51.86: Other intervertebral disc disorders, lumbar region
	M51.87: Other intervertebral disc disorders, lumbosacral region
	M53.2X6: Spinal instabilities, lumbar region
	M53.2X7: Spinal instabilities, lumbosacral region
	M53.2X8: Spinal instabilities, sacral and sacrococcygeal region
	M53.3: Sacrococcygeal disorders, not elsewhere classified
	M53.86: Other specified dorsopathies, lumbar region
	M53.87: Other specified dorsopathies, lumbosacral region
	M53.88: Other specified dorsopathies, sacral and sacrococcygeal region
	M54.16: Radiculopathy, lumbar region
	M54.17: Radiculopathy, lumbosacral region
	M54.18: Radiculopathy, sacral and sacrococcygeal region
	M54.30: Sciatica, unspecified side
	M54.31: Sciatica, right side
	M54.32: Sciatica, left side
	M54.40: Lumbago with sciatica, unspecified side
	M54.41: Lumbago with sciatica, right side
	M54.42: Lumbago with sciatica, left side
	M54.50: Low back pain, unspecified
	M54.51: Vertebrogenic low back pain
	M54.59: Other low back pain
	M54.89: Other dorsalgia
	M54.9: Dorsalgia, unspecified
	M99.03: Segmental and somatic dysfunction of lumbar region
	M99.04: Segmental and somatic dysfunction of sacral region
	M99.23: Subluxation stenosis of neural canal of lumbar region
	M99.33: Osseous stenosis of neural canal of lumbar region
	M99.43: Connective tissue stenosis of neural canal of lumbar region
	M99.53: Intervertebral disc stenosis of neural canal of lumbar region
	M99.63: Osseous and subluxation stenosis of intervertebral foramina of
	lumbar region
	M99.73: Connective tissue and disc stenosis of intervertebral foramina of
	lumbar region
	M99.83: Other biomechanical lesions of lumbar region
	·

Services	CPT/ICD-10-CM
	M99.84: Other biomechanical lesions of sacral region
	S33.100A: Subluxation of unspecified lumbar vertebra, initial encounter
	S33.100D: Subluxation of unspecified lumbar vertebra, subsequent encounter
	S33.100S: Subluxation of unspecified lumbar vertebra, sequela
	S33.110A: Subluxation of L1/L2 lumbar vertebra, initial encounter
	S33.110D: Subluxation of L1/L2 lumbar vertebra, subsequent encounter
	S33.110S: Subluxation of L1/L2 lumbar vertebra, sequela
	S33.120A: Subluxation of L2/L3 lumbar vertebra, initial encounter
	S33.120D: Subluxation of L2/L3 lumbar vertebra, subsequent encounter
	S33.120S: Subluxation of L2/L3 lumbar vertebra, sequela
	S33.130A: Subluxation of L3/L4 lumbar vertebra, initial encounter
	S33.130D: Subluxation of L3/L4 lumbar vertebra, subsequent encounter
	S33.130S: Subluxation of L3/L4 lumbar vertebra, sequela
	S33.140A: Subluxation of L4/L5 lumbar vertebra, initial encounter
	S33.140D: Subluxation of L4/L5 lumbar vertebra, subsequent encounter
	S33.140S: Subluxation of L4/L5 lumbar vertebra, sequela
	S33.5XXA: Sprain of ligaments of lumbar spine, initial encounter
	S33.6XXA: Sprain of sacroiliac joint, initial encounter
	S33.8XXA: Sprain of other parts of lumbar spine and pelvis, initial encounter
	S33.9XXA: Sprain of unspecified parts of lumbar spine and pelvis, initial
	encounter
	S39.002A: Unspecified injury of muscle, fascia, and tendon of lower back,
	initial encounter
	S39.002D: Unspecified injury of muscle, fascia, and tendon of lower back,
	subsequent encounter
	S39.002S: Unspecified injury of muscle, fascia, and tendon of lower back,
	sequela
	S39.012A: Strain of muscle, fascia, and tendon of lower back, initial encounter
	S39.012D: Strain of muscle, fascia, and tendon of lower back, subsequent
	encounter
	S39.012S: Strain of muscle, fascia, and tendon of lower back, sequela
	S39.092A: Other injury of muscle, fascia, and tendon of lower back, initial
	encounter
	S39.092D: Other injury of muscle, fascia, and tendon of lower back,
	subsequent encounter
	S39.092S: Other injury of muscle, fascia, and tendon of lower back, sequela
	S39.82XA: Other specified injuries of lower back, initial encounter
	S39.82XD: Other specified injuries of lower back, subsequent encounter
	S39.82XS: Other specified injuries of lower back, sequela
	S39.92XA: Unspecified injury of lower back, initial encounter
	S39.92XD: Unspecified injury of lower back, subsequent encounter
	S39.92XS: Unspecified injury of lower back, sequela
Imaging Study	СРТ
	72020, 72040, 72050, 72052, 72070, 72072, 72074, 72080, 72081, 72082, 72083,
	72084, 72100, 72110, 72114, 72120, 72125, 72126, 72127, 72128, 72129, 72130, 72131,

Services	CPT/ICD-10-CM
	72132, 72133, 72141, 72142, 72146, 72147, 72148, 72149, 72156, 72157, 72158, 72200,
	72202, 72220

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful tip:

Lead Screening in Children (LSC)

This HEDIS measure looks at the percentage of children 2 years of age who had one or more capillary or venous lead blood tests for lead poisoning by their 2nd birthday.

Record your efforts

When documenting lead screening, include:

- Date the test was reported.
- Results or findings.

Note: "Unknown" is not considered a result/finding for medical record reporting.

Exclusions:

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who die at any time during the measurement year.

Services	CPT/LOINC
Lead Tests	СРТ
	83655
	LOINC
	10368-9: Lead Mass/volume in Capillary blood
	10912-4: Lead Mass/volume in Serum or Plasma
	14807-2: Lead Moles/volume in Blood
	17052-2: Lead Presence in Blood
	25459-9: Lead Moles/volume in Serum or Plasma
	27129-6: Lead Mass/mass in Red Blood Cells
	32325-3: Lead Moles/volume in Red Blood Cells
	5674-7: Lead Mass/volume in Red Blood Cells
	77307-7: Lead Mass/volume in Venous blood

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips:

- Draw patient's blood while they are in your office instead of sending them to the lab.
- Consider performing finger stick screenings in your practice.
- Assign one staff patient to follow up on results when patients are sent to a lab for screening.
- Develop a process to check medical records for lab results to ensure previously ordered lead screenings have been completed and documented.
- Use sick and well-child visits as opportunities to encourage parents to have their child tested.
- Include a lead test reminder with the lab name and address on your appointment confirmation/reminder cards.

HEDIS Coding Booklet 2025 Page 72 of 98

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you with lead screening in children by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Other available resources:

• About Childhood Lead Poisoning Prevention | Childhood Lead Poisoning Prevention | CDC

Oral Evaluation, Dental Services (OED)

This HEDIS measure looks at the percentage of patients under 21 years of age who received a comprehensive or periodic oral evaluation with a dental provider during the measurement year.

Record your efforts:

• Date of evaluation.

Exclusions:

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who die at any time during the measurement year.

Services	CDT
Oral Evaluation	CDT
	D0120: Periodic oral evaluation - established patient
	D0145: Oral evaluation for a patient under three years of age and counseling
	with primary caregiver
	D0150: Comprehensive oral evaluation - new or established patient

Note: The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Prenatal and Postpartum Care (PPC)

This HEDIS measure looks at the percentage of deliveries of live births on or between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these patients, the measure assesses the following facets of prenatal and postpartum care:

- **Timeliness of prenatal care:** The percentage of deliveries that received a prenatal care visit in the first trimester on or before the enrollment start date or within 42 days of enrollment in the organization.
- Postpartum Care: The percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery.

Record your efforts

Prenatal care visit must include one of the following:

- Diagnosis of pregnancy
- A physical examination that includes one of the following:
 - Auscultation for fetal heart tone
 - Pelvic exam with obstetric observations
 - Measurement of fundus height
- Evidence that a prenatal care procedure was performed such as one of the following:
 - Obstetric panel including hematocrit, differential WBC count, platelet count, hepatitis B surface antigen, rubella antibody, syphilis test, RBC antibody screen, Rh and ABO blood typing)
 - TORCH antibody panel alone
 - A rubella antibody test/titer with an Rh incompatibility (ABO/Rh) blood typing
 - Ultrasound of a pregnant uterus
- Documentation of LMP, EDD, or gestational age in conjunction with any of the following:
 - A positive pregnancy test result, or
 - Documentation of gravity and parity, or
 - Prenatal risk assessment and counseling/education, or
 - Complete obstetrical history

Postpartum care visit on or between 7 and 84 days after delivery

Documentation in the medical record must include a note indicating the date when a postpartum visit occurred and any of the following:

- Pelvic exam
- Evaluation of weight, BP, breasts, and abdomen
- Notation of breastfeeding is acceptable for the evaluation of breasts component
- Notation of postpartum care, including, but not limited to:
 - Notation of postpartum care, PP care, PP check, 6-week check
 - A preprinted Postpartum Care form in which information was documented during the visit

- Perineal or cesarean incision/wound check
- Screening for depression, anxiety, tobacco use, substance use disorder or preexisting mental health disorders
- Glucose screening for women with gestational diabetes
- Documentation of any of the following topics:
 - Infant care or breastfeeding
 - Resumption of intercourse, birth spacing, or family planning
 - Sleep/fatigue
 - Resumption of physical activity and attainment of healthy weight

- Non-live births
- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year
- Patients who die at any time during the measurement year

Services	CPT/ CPT-CAT II/HCPCS/ ICD-10-PCS
Deliveries	CPT
	59400, 59409, 59410, 59510, 59514, 59515, 59610, 59612, 59614, 59618, 59620,
	59622
	ICD-10-PCS
	10D00Z0: Extraction of Products of Conception, High, Open Approach
	10D00Z1: Extraction of Products of Conception, Low, Open Approach
	10D00Z2: Extraction of Products of Conception, Extraperitoneal, Open
	Approach
	10D07Z3: Extraction of Products of Conception, Low Forceps, Via Natural or
	Artificial Opening
	10D07Z4: Extraction of Products of Conception, Mid Forceps, Via Natural or
	Artificial Opening
	10D07Z5: Extraction of Products of Conception, High Forceps, Via Natural or
	Artificial Opening
	10D07Z6: Extraction of Products of Conception, Vacuum, Via Natural or
	Artificial Opening
	10D07Z7: Extraction of Products of Conception, Internal Version, Via Natural
	or Artificial Opening
	10D07Z8: Extraction of Products of Conception, Other, Via Natural or Artificial
	Opening
	10E0XZZ: Delivery of Products of Conception, External Approach
Prenatal Bundled	СРТ
Services	59400, 59425, 59426, 59510, 59610, 59618
	HCPCS
	H1005: Prenatal care, at-risk enhanced service package (includes h1001-
	h1004)
Prenatal Visits	СРТ

Services	CPT/ CPT-CAT II/HCPCS/ ICD-10-PCS
	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,
	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99421,
	99422, 99423, 99441, 99442, 99443, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes
	or more of a virtual (non-face-to-face) communication between a rural
	health clinic (RHC) or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of remote evaluation of
	recorded video and/or images by an RHC or FQHC practitioner, occurring in
	lieu of an office visit; RHC or FQHC only
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	<u> </u>
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report
	evaluation and management services, provided to an established patient,
	not originating from a related service provided within the previous 7 days
	nor leading to a service or procedure within the next 24 hours or soonest
	available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24
	hours or soonest available appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive
Stand Alone	CPT
Prenatal Visits	99500
Prenatat visits	77000

Services	CPT/ CPT-CAT II/HCPCS/ ICD-10-PCS
	CPT-CAT II
	0500F: Initial prenatal care visit (report at first prenatal encounter with a healthcare professional providing obstetrical care; report also the date of visit and, in a separate field, the date of the last menstrual period LMP) (Prenatal)
	0501F: Prenatal flow sheet documented in the medical record by first prenatal visit (documentation includes minimum blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery); report also: date of visit and, in a separate field, the date of the last menstrual period LMP (Note: If reporting 0501F Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit) (Prenatal) 0502F: Subsequent prenatal care visit (Prenatal) Excludes: patients who are seen for a condition unrelated to pregnancy or prenatal care (for example, an upper respiratory infection; patients seen for consultation only, not for continuing care)
	HCPCS
	H1000: Prenatal care, at-risk assessment H1001: Prenatal care, at-risk enhanced service; antepartum management
	H1002: Prenatal care, at-risk enhanced service; care coordination H1003: Prenatal care, at-risk enhanced service; education
	H1004: Prenatal care, at-risk enhanced service; follow-up home visit
Postpartum	CPT
Bundles Services	59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622
Postpartum Care	CPT 57170, 58300, 59430, 99501 CPT-CAT II Postpartum care visit (Prenatal)
	HCPCS
	Cervical or vaginal cancer screening; pelvic and clinical breast examination
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: These codes are used to capture encounter data for individual prenatal and postpartum visits. Category II codes do not generate payment but help with more accurate reporting. The designated CPT Category II codes should be used in conjunction with the date of the prenatal or postpartum visit.

How can we help?

We help you meet this benchmark by:

• Offering current Clinical Practice Guidelines on our provider self-service website.

HEDIS Coding Booklet 2025 Page 78 of 98

- Helping identify community resources, such as health education classes that may be available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management provider relationship management representative for additional details and questions.

Statin Therapy for Patients with Cardiovascular Disease (SPC)

This HEDIS measure looks at the percentage of males 21 to 75 years of age and females 40 to 75 years of age during the measurement year, who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria. The following rates are reported:

- Received statin therapy: Patients who were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year.
- Statin adherence 80%: Patients who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period (the treatment period begins with the earliest dispensing event for any high-intensity or moderate-intensity statin medication during the measurement year).

Exclusions:

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.
- Patients who die at any time during the measurement year should be excluded.
- Patients with a diagnosis of pregnancy during the measurement year or the year prior to the measurement year Do not include laboratory claims (claims with POS code 81).
- In vitro fertilization in the measurement year or the year prior to the measurement year should be excluded.
- Dispensed at least one prescription for clomiphene during the measurement year or the year prior to the measurement year should be excluded.
- End-stage renal disease (ESRD) during the measurement year or the year prior to the measurement year —Do not include laboratory claims (claims with POS code 81).
- Dialysis during the measurement year or the year prior to the measurement year should be excluded.
- Cirrhosis during the measurement year or the year prior to the measurement year Do not include laboratory claims (claims with POS code 81).
- Myalgia, myositis, myopathy, or rhabdomyolysis during the measurement year Do not include laboratory claims (claims with POS code 81).
- Myalgia or rhabdomyolysis caused by a statin at any time during the member's history through December 31 of the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness Patients must meet both frailty and advanced illness criteria to be excluded. Do not include laboratory claims (claims with POS code 81).

High- and Moderate-Intensity Statin Medications

Description	Prescription
High-intensity statin therapy	Atorvastatin 40-80 mg

Description	Prescription
High-intensity statin therapy	Amlodipine-atorvastatin 40-80 mg
High-intensity statin therapy	Rosuvastatin 20-40 mg
High-intensity statin therapy	Simvastatin 80 mg
High-intensity statin therapy	Ezetimibe-simvastatin 80 mg
Moderate-intensity statin therapy	Atorvastatin 10-20 mg
Moderate-intensity statin therapy	Amlodipine-atorvastatin 10-20 mg
Moderate-intensity statin therapy	Rosuvastatin 5-10 mg
Moderate-intensity statin therapy	Simvastatin 20-40 mg
Moderate-intensity statin therapy	Ezetimibe-simvastatin 20-40 mg
Moderate-intensity statin therapy	Pravastatin 40-80 mg
Moderate-intensity statin therapy	Lovastatin 40 mg
Moderate-intensity statin therapy	Fluvastatin 40-80 mg
Moderate-intensity statin therapy	Pitavastatin 1-4 mg

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Statin Therapy for Patients With Diabetes (SPD)

This HEDIS measure looks at the percentage of patients 40 to 75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria. Two rates are reported:

- Received statin therapy: patients who were dispensed at least one statin medication of any intensity during the measurement year
- Statin Adherence 80%: patients who remained on a statin medication of any intensity for at least 80% of the treatment period (the treatment period begins with the earliest dispensing event for any statin medication during the measurement year)

Record your efforts:

- Document review of continued use of prescribed medications during patient visits.
- Document evidence of exclusion criteria.

- Patients with at least one of the following during the year prior to the measurement year should be excluded:
 - Myocardial Infarction (MI) discharged from an inpatient setting with an MI.
 - Coronary artery bypass graft (CABG) in any setting.
 - Percutaneous Coronary Intervention (PCI) in any setting.
 - Other revascularization procedures in any setting.
- Patients who had at least one encounter with a diagnosis of IVD during both the measurement year and the year prior to the measurement year should be excluded.
- Patients with a diagnosis of pregnancy during the measurement year or year prior to the measurement year — Do not include laboratory claims (claims with POS code 81).
- In vitro fertilization in the measurement year or year prior to the measurement year should be excluded.
- Dispensed at least one prescription for clomiphene during the measurement year or the year prior to the measurement year should be excluded.
- End-stage renal disease (ESRD) during the measurement year or the year prior to the measurement year Do not include laboratory claims (claims with POS code 81).
- Dialysis during the measurement year or the year prior to the measurement year should be excluded.
- Cirrhosis during the measurement year or the year prior to the measurement year Do not include laboratory claims (claims with POS code 81).
- Myalgia, myositis, myopathy, or rhabdomyolysis during the measurement year Do not include laboratory claims (claims with POS code 81).
- Myalgia or rhabdomyolysis caused by a statin at any time during the member's history through December 31 of the measurement year should be excluded.
- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year should be excluded.

HEDIS Coding Booklet 2025 Page 82 of 98

- Patients who die at any time during the measurement year should be excluded.
- Patients receiving palliative care at any time during the measurement year should be excluded.
- Patients who had an encounter with palliative care at any time during the measurement year Do not include laboratory claims (claims with POS code 81).
- Patients 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness Patients must meet both frailty and advanced illness criteria to be excluded. Do not include laboratory claims (claims with POS code 81).

Diabetes medications

Description	Prescription			
Alpha-glucosidase	Acarbose			
inhibitors	Miglitol			
Amylin analogs	Pramlintide			
Antidiabetic	Alogliptin-metformin Empagliflozin-		Metformin-pioglitazone	
combinations	Alogliptin-pioglitazone	metformin		Metformin-repaglinide
	Canagliflozin-	Ertugliflozir	1-	Metformin-
	metformin	metformin		rosiglitazone
	Dapagliflozin-	Ertugliflozir	n-sitagliptin	Metformin-saxagliptin
	metformin	Glimepiride	-	Metformin-sitagliptin
	Dapagliflozin-	pioglitazon		
	saxagliptin	Glipizide-m		
	Empagliflozin-	Glyburide-n		
	linagliptin	Linagliptin-	metformin	
	Empagliflozin-			
	linagliptin-metformin			
Insulin	Insulin aspart Insulin gluli			
	Insulin aspart-insulin asp	art		hane human
	protamine			hane-insulin regular
	Insulin degludec		Insulin lispr	
	Insulin degludec-liraglut	ide		o-insulin lispro
	Insulin detemir		protamine	
	Insulin glargine		Insulin regu	
	Insulin glargine-lixisenat	ide	Insulin hum	ian inhaled
Meglitinides	Nateglinide			
B:	Repaglinide			
Biguanides	Metformin			
Glucagon-like	Albiglutide		Liraglutide	
peptide-1 (GLP1)	Dulaglutide		Lixisenatid	
agonists	Exenatide		Semaglutio	de
Sodium glucose	Canagliflozin		Empagliflo	zin
cotransporter 2	Dapagliflozin		Ertugliflozii	n
(SGLT2) inhibitor				
Sulfonylureas	Chlorpropamide		Glyburide	
	Glimepiride		Tolazamide	
	Glipizide		Tolbutamic	de

Description	Prescription	
Thiazolidinediones	Pioglitazone	
	Rosiglitazone	
Dipeptidyl peptidase-	Alogliptin	Saxagliptin
4 (DDP-4) inhibitors	Linagliptin	Sitagliptin

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

This HEDIS measure looks at the percentage of patients 18 to 64 with schizophrenia, schizoaffective disorder, or bipolar disorder who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.

An antipsychotic medication dispensed event during the measurement year identified by claim/encounter data or pharmacy data and a glucose test or an HbA1c test performed during the measurement year, as identified by claim/encounter or automated laboratory data.

Record your efforts:

- Document review of continued use of prescribed medications during patient visits.
- Document evidence of exclusion criteria.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who die at any time during the measurement year.
- Patients with diabetes.
- Patients who had no antipsychotic medications dispensed during the measurement year.

Services	CPT/CPT-CATII/HCPCS/LOINC
Glucose Lab Test	CPT
	80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
	LOINC
	10450-5: Glucose Mass/volume in Serum or Plasma – 10 hours fasting
	1492-8: Glucose Mass/volume in Serum or Plasma – 1.5 hours post 0.5 g/kg
	glucose IV
	1494-4: Glucose Mass/volume in Serum or Plasma – 1.5 hours post 100 g glucose PO
	1496-9: Glucose Mass/volume in Serum or Plasma – 1.5 hours post 75 g
	glucose PO
	1499-3: Glucose Mass/volume in Serum or Plasma – 1 hour post 0.5 g/kg glucose IV
	1501-6: Glucose Mass/volume in Serum or Plasma – 1 hour post 100 g glucose PO
	1504-0: Glucose Mass/volume in Serum or Plasma – 1 hour post 50 g glucose
	1507-3: Glucose Mass/volume in Serum or Plasma – 1 hour post 75 g glucose
	PO
	1514-9: Glucose Mass/volume in Serum or Plasma – 2 hours post 100 g
	glucose PO

Services	CPT/CPT-CATII/HCPCS/LOINC
	1518-0: Glucose Mass/volume in Serum or Plasma – 2 hours post 75 g glucose
	PO
	1530-5: Glucose Mass/volume in Serum or Plasma – 3 hours post 100 g
	glucose PO
	1533-9: Glucose Mass/volume in Serum or Plasma3 hours post 75 g
	glucose PO
	1554-5: Glucose Mass/volume in Serum or Plasma – 12 hours fasting
	1557-8: Fasting glucose Mass/volume in Venous blood
	1558-6: Fasting glucose Mass/volume in Serum or Plasma
	17865-7: Glucose Mass/volume in Serum or Plasma – 8 hours fasting
	20436-2: Glucose Mass/volume in Serum or Plasma – 2 hours post-dose
	glucose
	20437-0: Glucose Mass/volume in Serum or Plasma – 3 hours post-dose
	glucose
	20438-8: Glucose Mass/volume in Serum or Plasma – 1 hour post-dose
	glucose
	20440-4: Glucose Mass/volume in Serum or Plasma – 1.5 hours post-dose
	glucose
	2345-7: Glucose Mass/volume in Serum or Plasma
	26554-6: Glucose Mass/volume in Serum or Plasma – 2.5 hours post-dose
	glucose
	41024-1: Glucose Mass/volume in Serum or Plasma – 2 hours post 50 g
	glucose PO
	49134-0: Glucose Mass/volume in Blood2 hours post-dose glucose
	6749-6: Glucose Mass/volume in Serum or Plasma – 2.5 hours post 75 g
	glucose PO
	9375-7: Glucose Mass/volume in Serum or Plasma – 2.5 hours post 100 g
	glucose PO
HbA1c Tests Results	CPT-CAT II
or Findings:	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
	3046F: Most recent hemoglobin A1c level greater than 9.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	7.0% and less than 8.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	8.0% and less than or equal to 9.0% (DM)
HbA1c Lab Test	CPT
	83036, 83037
	LOINC
	17855-8: Hemoglobin A1c/Hemoglobin.total in Blood by calculation
	17856-6: Hemoglobin A1c/Hemoglobin.total in Blood by HPLC
	4548-4: Hemoglobin A1c/Hemoglobin.total in Blood
	4549-2: Hemoglobin A1c/Hemoglobin.total in Blood by Electrophoresis
	96595-4: Hemoglobin A1c/Hemoglobin.total in DBS
Online Assessments	CPT
	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458

Services	CPT/CPT-CATII/HCPCS/LOINC
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in
	lieu of an office visit; RHC or FQHC only G2010: Remote evaluation of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related e/m service provided within the previous 7 days
	nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment G2012: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest
	available appointment G2251: Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days
	nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Telephone Visits	CPT
	98966, 98967, 98968, 99441, 99442, 99443
Visit Setting	СРТ
Unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255

HEDIS Coding Booklet 2025 Page 87 of 98

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Topical Fluoride for Children (TFC)

This HEDIS measure looks at the percentage of patients 1 to 4 years of age who received at least two fluoride varnish applications during the measurement year.

Record your efforts:

• Two or more fluoride varnish applications on different dates of services.

Exclusions:

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who died during the measurement year.

Services	CPT/CDT
Application of	СРТ
Fluoride Varnish	99188
	CDT
	D1206: Topical application of fluoride varnish

Note: The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tip:

• If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Appropriate Treatment for Upper Respiratory Infection (URI)

This HEDIS measure looks at the percentage of episodes for patients 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in a dispensed antibiotic dispensing event.

A higher rate indicates appropriate URI treatment (for example, the proportion of episodes that did not result in an antibiotic dispensing event from July 1 of the year prior to the measurement year to June 30 of the measurement year).

Record your efforts:

- Document results of all strep tests or refusal for testing in medical records.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who die at any time during the measurement year.

Description	CPT/HCPCS/ICD-10-CM
Pharyngitis	ICD-10-CM
	J02.0: Streptococcal pharyngitis
	J02.8: Acute pharyngitis due to other specified organisms
	J02.9: Acute pharyngitis, unspecified
	J03.00: Acute streptococcal tonsillitis, unspecified
	J03.01: Acute recurrent streptococcal tonsillitis
	J03.80: Acute tonsillitis due to other specified organisms
	J03.81: Acute recurrent tonsillitis due to other specified organisms
	J03.90: Acute tonsillitis, unspecified
	J03.91: Acute recurrent tonsillitis, unspecified
URI	ICD-10-CM
	J00: Acute nasopharyngitis common cold
	J06.0: Acute laryngopharyngitis
	J06.9: Acute upper respiratory infection, unspecified
Outpatient, ED, and	CPT
Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,
	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281,
	99282, 99283, 99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421,
	99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483
	HCPCS

Description	CPT/HCPCS/ICD-10-CM
Description	
	G0071: Payment for communication technology-based services for 5 minutes
	or more of a virtual (non-face-to-face) communication between a rural
	health clinic (RHC) or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of remote evaluation of
	recorded video and/or images by an RHC or FQHC practitioner, occurring in
	lieu of an office visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-face visit, services
	limited to a new beneficiary during the first 12 months of Medicare
	enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of
	service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of
	service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G2010: Remote evaluation of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related e/m service provided within the previous 7 days
	nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next
	24 hours or soonest available appointment; 5-10 minutes of medical
	discussion
	G2250: Remote assessment of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report
	evaluation and management services, provided to an established patient,
	not originating from a related service provided within the previous 7 days
	nor leading to a service or procedure within the next 24 hours or soonest
	available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next

Description	CPT/HCPCS/ICD-10-CM
	24 hours or soonest available appointment; 11-20 minutes of medical
	discussion
	T1015: Clinic visit/encounter, all-inclusive

Note: The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips:

- If a patient tests negative for group A strep but insists on an antibiotic:
 - Refer to the illness as a sore throat due to a cold virus. Antibiotics do not work on viruses.
 Patients tend to associate the label with a less frequent need for antibiotics.
 - Write a prescription for symptom relief, like over-the-counter medications.
- Educate patients on the difference between bacterial and viral infections. This is the key point in the success of this measure.
- Discuss with patients ways to treat symptoms:
 - Get extra rest.
 - Drink plenty of fluids.
 - Use over-the-counter medications.
 - Use the cool-mist vaporizer and nasal spray for congestion.
 - Eat ice chips or use throat spray/lozenges for sore throats.
- Educate patients and their parents or caregivers that they can prevent infection by:
 - Washing hands frequently.
 - Disinfecting toys.
 - Keeping the child out of school or daycare for at least 24 hours until antibiotics have been taken and symptoms have improved.
- If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

 Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Helpful resources:

• https://cdc.gov/antibiotic-use

Well-Child Visits in the First 30 Months of Life (W30)

This HEDIS measure looks at the percentage of patients who had the following number of well-child visits with a PCP during the last 15 months. The following rates are reported:

- Well-Child Visits in the First 15 Months: children who turned 15 months old during the measurement year six or more well-child visits
- Well-Child Visits for Age 15 Months to 30 Months: children who turned 30 months old during the measurement year two or more well-child visits

Record your efforts

Documentation from the medical record must include a note indicating a visit with a PCP, the date when the well-child visit occurred, and evidence of *all* of the following:

- A health history: Health history is an assessment of the Patient's history of disease or illness. Health history can include but is not limited to, past illness (or lack of illness), surgery or hospitalization (or lack of surgery or hospitalization), and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific age-appropriate mental developmental milestones, which are behaviors seen in children as they grow and develop.
- A physical exam: For example, height, weight, BMI, heart, lungs, abdomen, or more than one system is assessed.
- **Health education/anticipatory guidance:** Health education/anticipatory guidance is given by the healthcare provider to parents or guardians in anticipation of emerging issues that a child and family may face.

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year.
- Patients who die at any time during the measurement year

Description	CPT/HCPCS
Well Care Visit	CPT 99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99461 HCPCS
	G0438: Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit
	S0302: Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for appropriate evaluation and management service)

HEDIS Coding Booklet 2025 Page 93 of 98

Note: The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips:

- Use your patient roster to contact patients who are due for an exam or are new to your practice.
- Schedule the next visit at the end of the appointment.
- If you use EMRs, consider creating a flag to track patients due or past due for a visit. If you do not use EMRs, consider creating a manual tracking method. Sick visits may be a missed opportunity for your patient to get a wellness exam.
- Consider extending your office hours into the evening, early morning, or weekend to accommodate working parents.
- If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing individualized reports of your patients overdue for services.
- Encouraging patients to get preventive care through our programs. Contact your provider relationship management representative for more information.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)

This HEDIS measure looks at the percentage of patients ages 3 to 17 years who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year:

- *BMI percentile documentation
- Counseling for nutrition
- Counseling for physical activity

Record your efforts

Three separate rates are reported:

- Height, weight, and BMI percentile (not BMI value):
 - May be a BMI growth chart if utilized.
- Counseling for nutrition (diet):
 - Services rendered during a telephone visit, e-visit, or virtual check-in meet criteria.
- Counseling for physical activity (sports participation/exercise):
 - Services rendered for obesity or eating disorders may be used to meet criteria.
 - Services rendered during a telephone visit, e-visit, or virtual check-in meet criteria.

- Patients with a diagnosis of pregnancy
- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year
- Patients who die at any time during the measurement year

Description	CPT/HCPCS/ICD-10-CM/LOINC
BMI Percentile	ICD-10-CM
	Z68.51: Body mass index BMI pediatric, less than 5th percentile for age
	Z68.52: Body mass index BMI pediatric, 5th percentile to less than 85th
	percentile for age
	Z68.53: Body mass index BMI pediatric, 85th percentile to less than 95th
	percentile for age
	Z68.54: Body mass index BMI pediatric, greater than or equal to 95th
	percentile for age
	LOINC
	59574-4: Body mass index (BMI) Percentile
	59575-1: Body mass index (BMI) Percentile Per age

^{*} Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value.

Description	CPT/HCPCS/ICD-10-CM/LOINC
	59576-9: Body mass index (BMI) Percentile Per age and sex
Nutrition Counseling	СРТ
	97802, 97803, 97804
	HCPCS
	G0270: Medical nutrition therapy; reassessment and subsequent
	intervention(s) following second referral in the same year for change in
	diagnosis, medical condition or treatment regimen (including additional
	hours needed for renal disease), individual, face-to-face with the patient, each 15 minutes
	G0271: Medical nutrition therapy, reassessment, and subsequent
	intervention(s) following second referral in the same year for change in
	diagnosis, medical condition, or treatment regimen (including additional
	hours needed for renal disease), group (2 or more individuals), each 30
	minutes
	G0447: Face-to-face behavioral counseling for obesity, 15 minutes
	S9449: Weight management classes, non-physician provider, per session
	S9452: Nutrition classes, non-physician provider, per session
	S9470: Nutritional counseling, dietitian visit
Physical Activity	HCPCS
Counseling	G0447: Face-to-face behavioral counseling for obesity, 15 minutes
	S9451: Exercise classes, non-physician provider, per session
Encounter for	ICD-10-CM
Physical Activity	Z02.5: Encounter for examination for participation in sport
Counseling	Z71.82: Exercise counseling

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips:

- Measure height and weight at least annually and document the BMI percentile for age in the medical record.
- Consider incorporating appropriate nutritional and weight management questioning and counseling into your routine clinical practice.
- Document any advice you give the Patient.
- Document face-to-face discussion of current nutritional behavior, like appetite or meal patterns, eating and dieting habits, any counseling or referral to nutrition education, any nutritional educational materials that were provided during the visit, anticipatory guidance for nutrition, eating disorders, nutritional deficiencies, underweight, and obesity or overweight discussion.
- Document face-to-face discussion of current physical activity behaviors, like exercise routines, participation in sports activities or bike riding, referrals to physical activity, educational material that was provided, anticipatory guidance on physical activity, and obesity or overweight discussion.
- If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Child and Adolescent Well-Care Visits (WCV)

This HEDIS measure looks at the percentage of patients ages 3 to 21 years who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.

Record your efforts

Documentation must include a note indicating a visit to a PCP, the date when the well-child visit occurred, and evidence of *all* of the following:

- A health history: Health history is an assessment of the patient's history of disease or illness. Health history can include but is not limited to, past illness (or lack of illness), surgery or hospitalization (or lack of surgery or hospitalization), and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific age-appropriate mental developmental milestones, which are behaviors seen in children as they grow and develop.
- A physical exam: For example, height, weight, BMI, heart, lungs, abdomen, and more than one system is assessed.
- **Health education/anticipatory guidance:** Health education/anticipatory guidance is given by the healthcare provider to parents or guardians in anticipation of emerging issues that a child and family may face.

Exclusions:

- Patients who use hospice services or elect to use a hospice benefit at any time during the measurement year
- Patients who die at any time during the measurement year

Description	CPT/HCPCS
Well Care Visit	СРТ
	99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99461
	HCPCS
	G0438: Annual wellness visit; includes a personalized prevention plan of service
	(PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service
	(PPS), subsequent visit
	S0302: Completed early periodic screening diagnosis and treatment (EPSDT)
	service (list in addition to code for appropriate evaluation and management
	service)

Note: The codes listed are informational only; this information does not guarantee benefit coverage or reimbursement.

Helpful tips:

• Use your patient roster to contact patients who are due for an annual exam.

HEDIS Coding Booklet 2025 Page 98 of 98

- Schedule the next visit at the end of the appointment.
- If you use EMRs, consider creating a flag to track patients due or past due for preventive services. If you do not use EMRs, consider creating a manual tracking method for well checks. Sick visits may be missed opportunities for your patient to get health checks.
- Consider extending your office hours into the evening, early morning, or weekend to accommodate working parents.
- If utilizing an electronic medical record or EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing individualized reports of your patients overdue for services.
- Encouraging patients to get preventive care through our programs.
- Patients may be eligible for transportation assistance at no cost; contact Patient Services for arrangements.

Please visit My Diverse Patients for additional information about eLearning experiences on provider cultural competency and health equity.

To help make it as easy as possible to keep up with annual changes to HEDIS documentation, we have created a library of HEDIS content for you. You'll find tip sheets with coding information and more for many HEDIS measures and other documentation to help ensure accurate claims coding, which helps ensure accurate reimbursement. Go to *Provider News* to view all communications in the *Optimizing HEDIS & STARS* category.

