

HEDIS Benchmarks and Coding Guidelines

for Quality Care





Anthem Blue Cross and Blue Shield | Serving Hoosier Healthwise, Healthy Indiana Plan, and Hoosier Care Connect

Table of contents

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)	3
Adults' Access to Preventive/Ambulatory Health Services (AAP)	6
Antidepressant Medication Management (AMM)	10
Asthma Medication Ratio (AMR)	14
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	18
Blood Pressure Control for Patients With Diabetes (BPD)	22
Controlling High Blood Pressure (CBP)	26
Cervical Cancer Screening (CCS)	31
Childhood Immunization Status (CIS)	36
Chlamydia Screening in Women (CHL)	41
Cardiac Rehabilitation (CRE)	
Appropriate Testing for Pharyngitis (CWP)	46
Eye Exam for Patients With Diabetes (EED)	50
Follow-up After Emergency Department Visit for Substance Use (FUA)	54
Follow-Up After Hospitalization for Mental Illness (FUH)	59
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)	63
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	71
Glycemic Status Assessment for Patients With Diabetes (GSD)	75
Initiation and Engagement of Substance Use Disorder Treatment (IET)	
Immunizations for Adolescents (IMA)	
Kidney Health Evaluation for Patients with Diabetes (KED)	89
Use of Imaging Studies for Low Back Pain (LBP)	
Lead Screening in Children (LSC)	
Oral Evaluation, Dental Services (OED)	
Prenatal and Postpartum Care (PPC)	99
Statin Therapy for Patients with Cardiovascular Disease (SPC)	
Statin Therapy for Patients With Diabetes (SPD)	107
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic	
Medications (SSD)	
Topical Fluoride for Children (TFC)	
Appropriate Treatment for Upper Respiratory Infection (URI)	
Well-Child Visits in the First 30 Months of Life (W30)	
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)	
Child and Adolescent Well-Care Visits (WCV)	123

Providers who are contracted with Anthem Blue Cross and Blue Shield to serve Hoosier Healthwise, Healthy Indiana Plan, and Hoosier Care Connect through an accountable care organization (ACO), participating medical group (PMG) or Independent Physician Association (IPA) are to follow guidelines and practices of the group. This includes but is not limited to authorization, covered benefits and services, and claims submittal. If you have questions, please contact your group administrator or your Anthem network representative.



Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)

This HEDIS® measure looks at the percentage of episodes for members ages 3 months and older with a diagnosis of acute bronchitis/bronchiolitis that did **not** result in an antibiotic dispensing event from July 1 of the year prior to the measurement year to June 30 of the measurement year.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die any time during the measurement year

Description	CPT®/HCPCS
Outpatient, ED, and	СРТ
Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,
	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281,
	99282, 99283, 99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421,
	99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071 : Payment for communication technology-based services for 5
	minutes or more of a virtual (non-face-to-face) communication between a
	rural health clinic (RHC) or federally qualified health center (FQHC)
	practitioner and RHC or FQHC patient, or 5 minutes or more of remote
	evaluation of recorded video and/or images by an RHC or FQHC
	practitioner, occurring in lieu of an office visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-face visit, services
	limited to a new beneficiary during the first 12 months of Medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of
	service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of
	service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of
	a patient
	G2010: Remote evaluation of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related E/M service provided within the previous 7 days

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

Description	CPT®/HCPCS
	nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment G2012: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion G2250: Remote assessment of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment G2251: Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Description	ICD10CM
Pharyngitis	J02.0: Streptococcal pharyngitis J02.8: Acute pharyngitis due to other specified organisms J02.9: Acute pharyngitis, unspecified J03.00: Acute streptococcal tonsillitis, unspecified J03.01: Acute recurrent streptococcal tonsillitis J03.80: Acute tonsillitis due to other specified organisms J03.81: Acute recurrent tonsillitis due to other specified organisms J03.90: Acute tonsillitis, unspecified J03.91: Acute recurrent tonsillitis, unspecified

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- If a member insists on an antibiotic:
 - o Refer to the illness as a chest cold rather than bronchitis; members tend to associate the label with a less frequent need for antibiotics.
 - o Write a prescription for symptom relief, such as an over-the-counter cough medicine.
 - o Treat with antibiotics if associated with comorbid diagnosis.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you with avoidance of antibiotic treatment for members with acute bronchitis/bronchiolitis by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Other available resources

Go to cdc.gov/antibiotic-use/index.html

Notes:			

Adults' Access to Preventive/Ambulatory Health Services (AAP)

This HEDIS measure looks at the percentage of members 20 years of age and older who had an ambulatory or preventive care visit. The organization reports percentages for members who had an ambulatory or preventive care visit during the measurement year.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Description	CPT/HCPCS
Ambulatory Visits	СРТ
·	92002, 92004, 92012, 92014, 98966, 98967, 98968, 98970,
	98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205,
	99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244,
	99245, 99304, 99305, 99306, 99307, 99308, 99309, 99310,
	99315, 99316, 99341, 99342, 99344, 99345, 99347, 99348,
	99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386,
	99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397,
	99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422,
	99423, 99429, 99441, 99442, 99443, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based
	services for 5 minutes or more of a virtual (non-face-to-
	face) communication between a rural health clinic (RHC)
	or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by
	an RHC or FQHC practitioner, occurring in lieu of an
	office visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-
	face visit, services limited to a new beneficiary during the
	first 12 months of Medicare enrollment
	G0438: Annual wellness visit; includes a personalized
	prevention plan of service (PPS), initial visit

Description	CPT/HCPCS
	G0439: Annual wellness visit, includes a personalized
	prevention plan of service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment
	and management of a patient
	G2010: Remote evaluation of recorded video and/or
	images submitted by an established patient (for
	example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours,
	not originating from a related E/M service provided
	within the previous 7 days nor leading to an E/M service
	or procedure within the next 24 hours or soonest
	available appointment
	G2012 : Brief communication technology-based service,
	for example, virtual check-in, by a physician or other
	qualified healthcare professional who can report
	evaluation and management services, provided to an
	established patient, not originating from a related E/M
	service provided within the previous 7 days nor leading
	to an E/M service or procedure within the next 24 hours
	or soonest available appointment; 5-10 minutes of
	medical discussion
	G2250: Remote assessment of recorded video and/or
	images submitted by an established patient (for
	example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours,
	not originating from a related service provided within
	the previous 7 days nor leading to a service or procedure
	within the next 24 hours or soonest available
	appointment
	G2251: Brief communication technology-based service,
	for example, virtual check-in, by a qualified healthcare
	professional who cannot report evaluation and
	management services, provided to an established
	patient, not originating from a related service provided
	within the previous 7 days nor leading to a service or
	procedure within the next 24 hours or soonest available
	appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service,
	for example, virtual check-in, by a physician or other qualified healthcare professional who can report
	ļ ·
	evaluation and management services, provided to an
	established patient, not originating from a related E/M
	service provided within the previous 7 days nor leading

Description	CPT/HCPCS
	to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion S0620: Routine ophthalmological examination including refraction; new patient S0621: Routine ophthalmological examination including refraction; established patient T1015: Clinic visit/encounter, all-inclusive
Description	ICD10CM
Reason for Ambulatory Visit	 Z00.00: Encounter for general adult medical examination without abnormal findings Z00.01: Encounter for general adult medical examination with abnormal findings Z00.121: Encounter for routine child health examination with abnormal findings Z00.129: Encounter for routine child health examination without abnormal findings Z00.3: Encounter for examination for adolescent development state Z00.5: Encounter for examination of potential donor of organ and tissue Z00.8: Encounter for other general examination Z02.0: Encounter for examination for admission to an educational institution Z02.1: Encounter for pre-employment examination Z02.2: Encounter for examination for admission to a residential institution Z02.3: Encounter for examination for recruitment to armed forces Z02.4: Encounter for examination for driving license Z02.5: Encounter for examination for participation in sport Z02.6: Encounter for examination for insurance purposes Z02.71: Encounter for disability determination Z02.79: Encounter for disability determination Z02.79: Encounter for paternity testing Z02.82: Encounter for adoption services Z02.83: Encounter for blood-alcohol and blood-drug test Z02.89: Encounter for other administrative examinations

Description	CPT/HCPCS
	Z02.9: Encounter for administrative examinations,
	unspecified
	Z76.1: Encounter for health supervision and care of
	foundling
	Z76.2: Encounter for health supervision and care of other
	healthy infant and child

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

• Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:			



Antidepressant Medication Management (AMM)

This measure looks at the percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression, and who remained on an antidepressant medication treatment from May 1 of the year prior to the measurement year to April 30 of the measurement year. Two rates are reported:

- **Effective Acute Phase Treatment:** The percentage of members who remained on antidepressant medication for at least 84 days (12 weeks)
- **Effective Continuation Phase Treatment:** The percentage of members who remained on antidepressant medication for at least 180 days (six months)

Record your efforts:

- Identify all acute and nonacute inpatient stays
- Identify the admission and discharge dates for the stay; either an admission or discharge during the required time frame meets the criteria

Exclusions:

- Members who did not have an encounter with a diagnosis of major depression during the 121-day period from 60 days prior to the index prescription start date (IPSD), through the IPSD and the 60 days after the IPSD
- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year

• Members who died during the measurement year

Description	ICD10CM/CPT/ ICD10PCS/HCPCS
Major depression	ICD10CM
	F32.0: Major depressive disorder, single episode, mild
	F32.1: Major depressive disorder, single episode, moderate
	F32.2: Major depressive disorder, single episode, severe without psychotic
	features
	F32.3: Major depressive disorder, single episode, severe with psychotic
	features
	F32.4: Major depressive disorder, single episode, in partial remission
	F32.9: Major depressive disorder, single episode, unspecified
	F33.0: Major depressive disorder, recurrent, mild
	F33.1: Major depressive disorder, recurrent, moderate
	F33.2: Major depressive disorder, recurrent severe without psychotic
	features
	F33.3: Major depressive disorder, recurrent, severe with psychotic symptoms
	F33.41: Major depressive disorder, recurrent, in partial remission
	F33.9: Major depressive disorder, recurrent, unspecified
Behavioral health	СРТ
(BH) outpatient	98960-98962, 99078, 99202-99205, 99211-99215, 99242-99245, 99341-99345,
	99347-99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483,
	99492-99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings,
	each 15 minutes
	G0176: Activity therapy, such as music, dance, art, or play therapies not for
	recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment
	of patient's disabling mental health problems per session (45 minutes or
	more)
	G0409: Social work and psychological services, directly relating to and/or
	furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or
	psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)
	only, psychiatric collaborative care model (psychiatric COCM), 60 minutes or
	more of clinical staff time for psychiatric COCM services directed by an RHC
	or FQHC practitioner (physician, NP, PA, or CNM) and including services
	furnished by a behavioral healthcare manager and consultation with a
	psychiatric consultant, per calendar month
	· · ·

Description	ICD10CM/CPT/ ICD10PCS/HCPCS
Description	H0002: Behavioral health screening to determine eligibility for admission to
	a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0031: Mentat freditir assessment, by non-physician H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Electroconvulsive	CPT
therapy	90870
	ICD10PCS
	GZBOZZZ: Electroconvulsive Therapy, Unilateral-Single Seizure
	GZB1ZZZ: Electroconvulsive Therapy, Unilateral-Multiple Seizure
	GZB2ZZZ: Electroconvulsive Therapy, Bilateral-Single Seizure
	GZB3ZZZ: Electroconvulsive Therapy, Bilateral-Multiple Seizure
	GZB4ZZZ: Other Electroconvulsive Therapy
Transcranial	CPT
Magnetic	90867, 90868, 90869
Stimulation	
Online assessments	СРТ
	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
	HCPCS
	G0071 : Payment for communication technology-based services for 5
	minutes or more of a virtual (non-face-to-face) communication between a
	rural health clinic (RHC) or federally qualified health center (FQHC)
	practitioner and RHC or FQHC patient, or 5 minutes or more of remote
	evaluation of recorded video and/or images by an RHC or FQHC
	practitioner, occurring in lieu of an office visit; RHC or FQHC only
L	i production, decerning in the end of all directions

Description	ICD10CM/CPT/ ICD10PCS/HCPCS
	G2010 : Remote evaluation of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment G2012: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250 : Remote assessment of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment
	G2251 : Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical
Talambanavisita	discussion
Telephone visits	CPT 98966, 98967, 98968, 99441, 99442, 99443
Visit Setting Unspecified	CPT 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255 gree informational only: this information does not guarantee reimbursement.

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips

Educate your members and their spouses, caregivers, and/or guardians about the importance of:

• Complying with long-term medications.

- Not abruptly stopping medications without consulting you.
- Contacting you immediately if they experience any unwanted/adverse reactions so that their treatment can be re-evaluated.
- Scheduling and attending follow-up appointments to review the effectiveness of their medications.
- Calling your office if they cannot get their medications refilled.
- Discussing the benefits of participating in a behavioral health case management program.
- Asking your members who have a behavioral health diagnosis to provide you access to their behavioral health records if you are their primary care provider.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

• Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

We help you with antidepressant medication management by:

• Offering current Clinical Practice Guidelines on our provider self-service website.

Other available resources

You can find more information and tools online at:

- ahrq.gov
- ncbi.nlm.nih.gov

Notes:			

Asthma Medication Ratio (AMR)

This HEDIS measure looks at the percentage of members 5 to 64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.5 or greater during the measurement year.

Record your efforts:

• **Oral medication dispensing event:** Multiple prescriptions for different medications dispensed on the same day are counted as separate dispensing events — if multiple prescriptions for

the same medication are dispensed on the same day, sum up the days' supply and divide by 30. Use the drug ID to determine if the prescriptions are the same or different.

- Inhaler dispensing event: All inhalers (for example, canisters) of the same medication dispensed on the same day count as one dispensing event medications with different drug IDs dispensed on the same day are counted as different dispensing events.
- **Injection dispensing events:** Each injection counts as one dispensing event. Multiple dispensed injections of the same or different medications count as separate dispensing events.
- **Units of medications:** When identifying medication units for the numerator, count each individual medication, defined as an amount lasting 30 days or less, as one medication unit. One medication unit equals one inhaler canister, one injection, or a 30-day or less supply of an oral medication.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members who had no asthma controller or reliever medications dispensed during the measurement year.
- Members who had a diagnosis that requires a different treatment approach than members with asthma anytime during the member's history through December 31 of the measurement year.

Description	ICD10CM/CPT/HCPCS		
Asthma	ICD10CM		
	J45.21: Mild intermittent asthma with (acute) exacerbation		
	J45.22: Mild intermittent asthma with status asthmaticus		
	J45.30: Mild persistent asthma, uncomplicated		
	J45.31: Mild persistent asthma with (acute) exacerbation		
	J45.32: Mild persistent asthma with status asthmaticus		
	J45.40: Moderate persistent asthma, uncomplicated		
	J45.41: Moderate persistent asthma with (acute) exacerbation		
	J45.42: Moderate persistent asthma with status asthmaticus		
	J45.50: Severe persistent asthma, uncomplicated		
	J45.51: Severe persistent asthma with (acute) exacerbation		
	J45.52: Severe persistent asthma with status asthmaticus		
	J45.901: Unspecified asthma with (acute) exacerbation		
	J45.902: Unspecified asthma with status asthmaticus		
	J45.909: Unspecified asthma, uncomplicated		
	J45.991: Cough variant asthma		
	J45.998: Other asthma		
Outpatient and	СРТ		
Telehealth			

Description	ICD10CM/CPT/HCPCS
	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203,
	99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245,
	99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382,
	99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395,
	99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422,
	99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5
	minutes or more of a virtual (non-face-to-face) communication between
	a rural health clinic (RHC) or federally qualified health center (FQHC)
	practitioner and RHC or FQHC patient, or 5 minutes or more of remote
	evaluation of recorded video and/or images by an RHC or FQHC
	practitioner, occurring in lieu of an office visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-face visit, services
	limited to a new beneficiary during the first 12 months of Medicare
	enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of
	service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of
	service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management
	of a patient
	G2010: Remote evaluation of recorded video and/or images submitted
	by an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours,
	not originating from a related E/M service provided within the previous 7
	days nor leading to an E/M service or procedure within the next 24 hours
	or soonest available appointment
	G2012: Brief communication technology-based service, for example,
	virtual check-in, by a physician or other qualified healthcare professional
	who can report evaluation and management services, provided to an
	established patient, not originating from a related E/M service provided
	within the previous 7 days nor leading to an E/M service or procedure
	within the next 24 hours or soonest available appointment; 5-10 minutes
	of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted
	by an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours,
	not originating from a related service provided within the previous 7
	days nor leading to a service or procedure within the next 24 hours or
	soonest available appointment
	G2251: Brief communication technology-based service, for example,
	virtual check-in, by a qualified healthcare professional who cannot
	1 2 2

Description	ICD10CM/CPT/HCPCS
	report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion T1015: Clinic visit/encounter, all-inclusive
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3 : White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with member scheduling if needed.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)

This HEDIS measure looks at the percentage of children and adolescents 1 to 17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment from January 1 through December 1 of the measurement year.

Record your efforts

Documentation of psychosocial care in the 121-day period from 90 days prior to the IPSD through 30 days after the IPSD.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year.
- Members who die anytime during the measurement year.
- Members for whom first-line antipsychotic medications may be clinically appropriate: members with a diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder, other psychotic disorders, autism, or other developmental disorders on at least two different dates of service during the measurement year.

Description	CPT/HCPCS/ICD10CM
Description Psychosocial care	CPT 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90846, 90847, 90849, 90853, 90875, 90876, 90880 HCPCS G0176: Activity therapy, such as music, dance, art, or play therapies not for recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more) G0177: Training and educational services related to the care and treatment of patient's disabling mental health problems per session (45 minutes or more) G0409: Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or psychologist in a CORF) G0410: Group psychotherapy other than of a multiple-family group, in a partial hospitalization setting, approximately 45 to 50 minutes G0411: Interactive group psychotherapy, in a partial hospitalization setting, approximately 45 to 50 minutes H0004: Behavioral health counseling and therapy, per 15 minutes H0035: Mental health partial hospitalization, treatment, less than 24 hours H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes

Description	CPT/HCPCS/ICD10CM
	H0037: Community psychiatric supportive treatment program, per diem
	H0038: Self-help/peer services, per 15 minutes
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2001: Rehabilitation program, per 1/2 day
	H2011: Crisis intervention service, per 15 minutes
	H2012: Behavioral health day treatment, per hour
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	S0201: Partial hospitalization services, less than 24 hours, per diem
	S9480: Intensive outpatient psychiatric services, per diem
	S9484: Crisis intervention mental health services, per hour
	S9485: Crisis intervention mental health services, per diem
Bipolar Disorder	ICD10CM
	F30.10: Manic episode without psychotic symptoms, unspecified
	F30.11: Manic episode without psychotic symptoms, mild
	F30.12: Manic episode without psychotic symptoms, moderate
	F30.13: Manic episode, severe, without psychotic symptoms
	F30.2: Manic episode, severe with psychotic symptoms
	F30.3: Manic episode in partial remission
	F30.4: Manic episode in full remission
	F30.8: Other manic episodes
	F30.9: Manic episode, unspecified
	F31.0: Bipolar disorder, current episode hypomanic
	F31.10: Bipolar disorder, current episode manic without psychotic features, unspecified
	F31.11: Bipolar disorder, current episode manic without psychotic features,
	mild
	F31.12: Bipolar disorder, current episode manic without psychotic features,
	moderate
	F31.13: Bipolar disorder, current episode manic without psychotic features,
	Severe
	F31.2: Bipolar disorder, current episode manic severe with psychotic
	features
	F31.30: Bipolar disorder, current episode depressed, mild or moderate
	severity, unspecified
	F31.31: Bipolar disorder, current episode depressed, mild
	F31.32: Bipolar disorder, current episode depressed, moderate

otic
:
sed
ıl
ms
r

Description	CPT/HCPCS/ICD10CM
	F95.8: Other tic disorders
	F95.9: Tic disorder, unspecified
Residential	HCPCS
Behavioral Health	H0017: Behavioral health; residential (hospital residential treatment
Treatment	program), without room and board, per diem
	H0018: Behavioral health; short-term residential (non-hospital residential
	treatment program), without room and board, per diem
	H0019: Behavioral health; long-term residential (non-medical, non-acute
	care in a residential treatment program where the stay is typically longer
	than 30 days), without room and board, per diem
	T2048 : Behavioral health; long-term care residential (non-acute care in a
	residential treatment program where the stay is typically longer than 30
	days), with room and board, per diem
Schizophrenia	ICD10CM
	F20.0: Paranoid schizophrenia
	F20.1: Disorganized schizophrenia
	F20.2: Catatonic schizophrenia
	F20.3: Undifferentiated schizophrenia
	F20.5: Residual schizophrenia
	F20.81: Schizophreniform disorder
	F20.89: Other schizophrenia
	F20.9: Schizophrenia, unspecified
	F25.0: Schizoaffective disorder, bipolar type
	F25.1: Schizoaffective disorder, depressive type
	F25.8: Other schizoaffective disorders
	F25.9: Schizoaffective disorder, unspecified

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tip:

• If using an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with member scheduling if needed.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:

Blood Pressure Control for Patients With Diabetes (BPD)

This HEDIS measure looks at the percentage of members 18 to 75 years of age with diabetes (type 1 and 2) whose blood pressure (BP) was adequately controlled (< 140/90 mm Hg) during the measurement year.

Record your efforts:

- Members 18 to 75 years of age whose BP is < 140/90 mm Hg
- If there are multiple BPs on the same date of service, use the lowest systolic and lowest diastolic BP on that date as the representative BP
- BP readings taken by the member (digital monitor) using a digital device and documented in the member's medical record are eligible for use in reporting (provided the BP does not meet any exclusion criteria)

What does not count?

Do not include BP readings:

- Taken during an acute inpatient stay or an ED visit.
- Taken on the same day as a diagnostic test or diagnostic or therapeutic procedure that requires a change in diet or change in medication on or one day before the day of the test or procedure, with the exception of fasting blood tests.
- Taken by the member using a non-digital device such as a manual blood pressure cuff and a stethoscope.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members receiving palliative care anytime during the measurement year
- Members who had an encounter with palliative care anytime during the measurement year
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded

Description	CPT-CAT II/LOINC
Diastolic Blood Pressure	CPT-CAT II
	3078F: Most recent diastolic blood pressure less than 80 mm Hg
	(HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN,
	CKD, CAD) (DM)
	3080F: Most recent diastolic blood pressure greater than or
	equal to 90 mm Hg (HTN, CKD, CAD) (DM)
	LOINC
	75995-1: Diastolic blood pressure by Continuous non-invasive
	monitoring
	8453-3: Diastolic blood pressure – sitting
	8454-1: Diastolic blood pressure – standing
	8455-8: Diastolic blood pressure – supine
	8462-4: Diastolic blood pressure 8496-2: Brachial artery Diastolic blood pressure
	8514-2: Brachial artery – left Diastolic blood pressure
	8515-9: Brachial artery – right Diastolic blood pressure
	89267-9: Diastolic blood pressure—lying in L-lateral position
Diastolic Less Than 90	CPT-CAT II
Diastone Less man 70	3078F: Most recent diastolic blood pressure less than 80 mm Hg
	(HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN,
	CKD, CAD) (DM)
Systolic and Diastolic Result	CPT-CAT II
	3074F: Most recent systolic blood pressure less than 130 mm Hg
	(DM) (HTN, CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM)
	(HTN, CKD, CAD)
	3077F: Most recent systolic blood pressure greater than or equal
	to 140 mm Hg (HTN, CKD, CAD) (DM)
	3078F: Most recent diastolic blood pressure less than 80 mm Hg
	(HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
	3080F: Most recent diastolic blood pressure greater than or
	equal to 90 mm Hg (HTN, CKD, CAD) (DM)
Systolic Blood Pressure	CPT-CAT II
	3074F: Most recent systolic blood pressure less than 130 mm Hg
	(DM) (HTN, CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM)
	(HTN, CKD, CAD)

Description	CPT-CAT II/LOINC		
	3077F: Most recent systolic blood pressure greater than or equal		
	to 140 mm Hg (HTN, CKD, CAD) (DM)		
	LOINC		
	75997-7: Systolic blood pressure by Continuous non-invasive		
	monitoring		
	8459-0: Systolic blood pressure – sitting		
	8460-8: Systolic blood pressure – standing		
	8461-6: Systolic blood pressure – supine		
	8480-6: Systolic blood pressure		
	8508-4: Brachial artery Systolic blood pressure		
	8546-4: Brachial artery – left Systolic blood pressure		
	8547-2: Brachial artery – right Systolic blood pressure		
	89268-7: Systolic blood pressure—lying in L-lateral position		
Systolic less than 140	CPT-CAT II		
	3074F: Most recent systolic blood pressure less than 130 mm Hg		
	(DM) (HTN, CKD, CAD)		
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM)		
	(HTN, CKD, CAD)		

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Improve the accuracy of BP measurements performed by your clinical staff by:
 - o Providing training materials from the American Heart Association.
 - o Conducting BP competency tests to validate the education of each clinical staff member.
 - o Making a variety of cuff sizes available.
- Instruct your office staff to recheck BPs for all members with initial recorded readings greater than systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits; have your staff record the recheck in member's medical records.
- Refer high-risk members to our hypertension programs for additional education and support.
- Educate members and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
 - o Heart-healthy eating and a low-salt diet.
 - o Smoking cessation and avoiding secondhand smoke.
 - o Adding regular exercise to daily activities.
 - o Home BP monitoring.
 - o Ideal body mass index (BMI).
 - o The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review!

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship account representative for additional details and questions.

How can we help?

We support you in helping members control high blood pressure by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Reaching out to our hypertensive members through our programs.
- Helping identify your hypertensive members.
- Helping you schedule, plan, implement, and evaluate a health screening Clinic Day; call your provider relationship management representative to find out more.
- Educating our members on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.
- Members may be eligible for transportation assistance at no cost, contact Services for arrangements.

Other available resources

You can find more information and tools online at:

- nhlbi.nih.gov
- cdc.gov/bloodpressure/index.htm

Notes:		



Controlling High Blood Pressure (CBP)

This HEDIS measure looks at the percentage of members ages 18 to 85 years who had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (< 140/90 mm Hg) during the measurement year.

Record your efforts

Document blood pressure and diagnosis of HTN. Members whose BP is adequately controlled include:

- Members 18 to 85 years of age who had a diagnosis of HTN and whose BP was adequately controlled (< 140/90 mm Hg) during the measurement year.
- The most recent BP reading during the measurement year on or after the second diagnosis of hypertension:
 - o If multiple BP measurements occur on the same date or are noted in the chart on the same date, use the lowest systolic and lowest diastolic BP readings.
 - o If no BP is recorded during the measurement year, assume that the member is *not* controlled.

What does not count?

- If taken on the same day as a diagnostic test or procedure that requires a change in diet or medication regimen
- On or one day before the day of the test or procedure with the exception of fasting blood tests
- Taken during an acute inpatient stay or an ED visit
- Taken by the member using a non-digital device such as a manual blood pressure cuff and a stethoscope

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members receiving palliative care anytime during the measurement year
- Members who had an encounter for palliative care anytime during the measurement year
- Members with a diagnosis that indicates end-stage renal disease (ESRD) anytime during the member's history on or prior to December 31 of the measurement year
- Members with a procedure that indicates ESRD: dialysis anytime during the member's history on or prior to December 31 of the measurement year
- Members with a diagnosis of pregnancy anytime during the measurement year
- Members 66 to 80 years of age as of December 31 of the measurement year (all product lines) with frailty and advanced illness; members must meet BOTH frailty and advanced illness criteria to be excluded
- Members 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year

Description	CPT/CPT-CAT II/LOINC/HCPCS
Diastolic Blood	CPT-CAT II
Pressure	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
	3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM)
	LOINC
	75995-1: Diastolic blood pressure by Continuous non-invasive monitoring 8453-3: Diastolic blood pressure – sitting
	8454-1: Diastolic blood pressure – standing
	8455-8: Diastolic blood pressure – supine
	8462-4: Diastolic blood pressure
	8496-2: Brachial artery Diastolic blood pressure
	8514-2: Brachial artery – left Diastolic blood pressure
	8515-9: Brachial artery – right Diastolic blood pressure
	89267-9: Diastolic blood pressure—lying in L-lateral position
Diastolic Less Than	CPT-CAT II
90	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
Systolic and	CPT-CAT II
Diastolic Result	

Description	CPT/CPT-CAT II/LOINC/HCPCS		
	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,		
	CKD, CAD)		
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,		
	CAD)		
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm		
	Hg (HTN, CKD, CAD) (DM)		
	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD,		
	CAD) (DM)		
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD)		
	(DM)		
	3080F: Most recent diastolic blood pressure greater than or equal to 90		
	mm Hg (HTN, CKD, CAD) (DM)		
Systolic Blood	CPT-CAT II		
Pressure	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,		
11033010	CKD, CAD)		
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,		
	CAD)		
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm		
	Hg (HTN, CKD, CAD) (DM)		
	LOINC		
	75997-7: Systolic blood pressure by Continuous non-invasive monitoring		
	8459-0: Systolic blood pressure – sitting		
	8460-8: Systolic blood pressure – standing		
	8461-6: Systolic blood pressure – supine		
	8480-6: Systolic blood pressure		
	8508-4: Brachial artery Systolic blood pressure		
	8546-4: Brachial artery – left Systolic blood pressure		
	8547-2: Brachial artery – right Systolic blood pressure		
Contalia la anthony 140	89268-7: Systolic blood pressure—lying in L-lateral position		
Systolic less than 140	CPT-CAT II		
	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN,		
	CKD, CAD)		
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD,		
<u> </u>	CAD)		
Outpatient and	СРТ		
Telehealth Without	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,		
UBREV	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341,		
	99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384,		
	99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401,		
	99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442,		
	99443, 99455, 99456, 99457, 99458, 99483		
	HCPCS		

CPT/CPT-CAT II/LOINC/HCPCS **Description G0071:** Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only **G0402:** Initial preventive physical examination; face-to-face visit, services limited to a new beneficiary during the first 12 months of Medicare enrollment G0438: Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit **G0439:** Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit **G0463:** Hospital outpatient clinic visit for assessment and management of a patient **G2010:** Remote evaluation of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment **G2012:** Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion **G2250:** Remote assessment of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment **G2251:** Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All enrollee care and related decisions of treatment are the sole responsibility of the provider. This information does not dictate or control your clinical decisions regarding the appropriate care of members. Your state/provider contract(s), Medicaid, enrollee benefits and several other guidelines determine reimbursement for the applicable codes. Proper coding and providing appropriate care decrease the need for high volume of medical record review requests and provider audits. It also helps us review your performance on the quality of care that is provided to our enrollees and meet the HEDIS measure for quality reporting based on the care you provide our members. Please note: The information provided is based on HEDIS MY2024 technical specifications and is subject to change based on guidance given by the National Committee for Quality Assurance (NCQA), the Centers for Medicare & Medicaid Services (CMS) and state recommendations. Please refer to the appropriate agency for additional guidance.

G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established

Description	CPT/CPT-CAT II/LOINC/HCPCS			
	patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion T1015: Clinic visit/encounter, all-inclusive			
CDC Race and	1002-5: American Indian or Alaska Native			
Ethnicity	2028-9: Asian			
	2054-5: Black or African American			
	2076-8: Native Hawaiian or Other Pacific Islander			
	2106-3 : White			
	2135-2: Hispanic or Latino			
	2186-5: Not Hispanic or Latino			

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Improve the accuracy of BP measurements performed by your clinical staff by:
 - o Providing training materials from the American Heart Association.
 - Conducting BP competency tests to validate the education of each clinical staff member.
 - o Making a variety of cuff sizes available.
- Instruct your office staff to recheck BPs for all members with initial recorded readings
 greater than systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits;
 have your staff record the recheck in member's medical records.
- Refer high-risk members to our hypertension programs for additional education and support.
- Educate members and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
 - o Heart-healthy eating and a low-salt diet.
 - o Smoking cessation and avoiding secondhand smoke.
 - o Adding regular exercise to daily activities.
 - o Home BP monitoring.
 - o Ideal body mass index (BMI).
 - o The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We support you in helping members control high blood pressure by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Reaching out to our hypertensive members through our programs.
- Helping identify your hypertensive members.
- Helping you schedule, plan, implement, and evaluate a health screening Clinic Day; call your provider relationship management representative to find out more.
- Educating our members on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Other available resources

You can find more information and tools online at:

- www.nhlbi.nih.gov
- https://www.cdc.gov/bloodpressure/index.htm

Notes:		

Cervical Cancer Screening (CCS)

This HEDIS measure looks at the percentage of members 21 to 64 years of age who were recommended for routine cervical cancer screening and were screened for cervical cancer using any of the following criteria:

- Members 21 to 64 years of age who were recommended for routine cervical cancer screening and had cervical cytology performed within the last three years.
- Members 30 to 64 years of age who were recommended for routine cervical cancer screening and had cervical high-risk human papillomavirus (hrHPV) testing performed within the last five years.

 Members 30 to 64 years of age who were recommended for routine cervical cancer screening and had cervical cytology/high-risk human papillomavirus (hrHPV) testing within the last five years.

Record your efforts

Make sure your medical records reflect:

- The date when the cervical cytology was performed.
- The results or findings,
 - o "Unknown" is not considered a result/finding
- Notes in the member's chart if the member has a history of hysterectomy.
 - o Complete details if it was a complete, total, or radical abdominal, vaginal, or unspecified hysterectomy with no residual cervix; also, document history of cervical agenesis or acquired absence of cervix. (Include, at a minimum, the year the surgical procedure was performed.)

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Hysterectomy with no residual cervix
- Cervical agenesis or acquired absence of cervix
- Members receiving palliative care
- Member who had an encounter for palliative care
- Members with sex assigned at the birth of male at any time in the patient's history

Description	CPT/HCPCS/LOINC
Cervical Cytology	СРТ
Lab Test	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175 HCPCS
	G0123: Screening cytopathology, cervical or vaginal (any reporting system),
	collected in preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
	G0124: Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, requiring interpretation by physician
	G0141: Screening cytopathology smears, cervical or vaginal, performed by an automated system, with manual rescreening, requiring interpretation by a physician
	G0143: Screening cytopathology, cervical or vaginal (any reporting system),
	collected in preservative fluid, automated thin layer preparation, with manual screening and rescreening by cytotechnologist under physician supervision

Description	CPT/HCPCS/LOINC
Description	G0144: Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by an automated system, under physician supervision G0145: Screening cytopathology, cervical or vaginal (any reporting system), collected in preservative fluid, automated thin layer preparation, with screening by an automated system and manual rescreening under physician supervision G0147: Screening cytopathology smears, cervical or vaginal, performed by automated system under physician supervision
	G0148: Screening cytopathology smears, cervical or vaginal, performed by automated system with manual rescreening P3000: Screening papanicolaou smear, cervical or vaginal, up to three smears,
	by technician under physician supervision P3001: Screening papanicolaou smear, cervical or vaginal, up to three smears, requiring interpretation by physician
	Q0091: Screening papanicolaou smear; obtaining, preparing, and conveyance of cervical or vaginal smear to laboratory LOINC
	10524-7: Microscopic observation [Identifier] in Cervix by Cyto stain 18500-9: Microscopic observation [Identifier] in Cervix by Cyto stain; thin prep 19762-4: General categories [Interpretation] of Cervical or vaginal smear or scraping by Cyto stain
	19764-0: Statement of adequacy [Interpretation] of Cervical or vaginal smear or scraping by Cyto stain
	19765-7: Microscopic observation [Identifier] in Cervical or vaginal smear or scraping by Cyto stain 19766-5: Microscopic observation [Identifier] in Cervical or vaginal smear or
	scraping by Cyto stain Narrative 19774-9: Cytology study comment Cervical or vaginal smear or scraping Cyto stain
	33717-0: Cervical AndOr vaginal cytology study 47527-7: Cytology report of Cervical or vaginal smear or scraping Cyto stain Thin prep 47528-5: Cytology report of Cervical or vaginal smear or scraping Cyto stain
High-Risk HPV Lab Test	CPT 87624, 87625 HCPCS
	G0476: Infectious agent detection by nucleic acid (DNA or RNA); human papillomavirus (HPV), high-risk types (for example, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) for cervical cancer screening, must be performed in addition to PAP test LOINC

Description	CPT/HCPCS/LOINC	
	21440-3: Human papillomavirus 16+18+31+33+35+45+51+52+56 DNA [Presence]	
	in Cervix by Probe	
	30167-1: Human papillomavirus 16+18+31+33+35+39+45+51+52+56+58+59+68	
	DNA [Presence] in Cervix by Probe with signal amplification	
	38372-9: Human papillomavirus	
	6+11+16+18+31+33+35+39+42+43+44+45+51+52+56+58+59+68 DNA [Presence] in	
	Cervix by Probe with signal amplification	
	59263-4: Human papillomavirus 16 DNA [Presence] in Cervix by Probe with	
	signal amplification	
	59264-2: Human papillomavirus 18 DNA [Presence] in Cervix by Probe with	
	signal amplification	
	59420-0: Human papillomavirus	
	16+18+31+33+35+39+45+51+52+56+58+59+66+68 DNA [Presence] in Cervix by	
	Probe with signal amplification	
	69002-4: Human papillomavirus E6+E7 mRNA [Presence] in Cervix by NAA with	
	probe detection	
	71431-1: Human papillomavirus 31+33+35+39+45+51+52+56+58+59+66+68 DNA	
	[Presence] in Cervix by NAA with probe detection	
75694-0: Human papillomavirus 18+45 E6+E7 mRNA [Presence] in Cervix		
	NAA with probe detection	
	77379-6: Human papillomavirus 16 and 18 and	
	31+33+35+39+45+51+52+56+58+59+66+68 DNA [Interpretation] in Cervix	
	77399-4: Human papillomavirus 16 DNA [Presence] in Cervix by NAA with probe	
	detection	
	77400-0: Human papillomavirus 18 DNA [Presence] in Cervix by NAA with	
	probe detection	
	82354-2: Human papillomavirus 16 and 18+45 E6+E7 mRNA [Identifier] in Cervix	
	by NAA with probe detection	
	82456-5: Human papillomavirus 16 E6+E7 mRNA [Presence] in Cervix by NAA	
	with probe detection	
	82675-0: Human papillomavirus 16+18+31+33+35+39+45+51+52+56+58+59+66+68 DNA [Presence] in Cervix by NAA with probe detection	
	95539-3: Human papillomavirus 31 DNA [Presence] in Cervix by NAA with	
	probe detection	
Note: The Logical O	bservation Identifiers Names and Codes (LOINC) are for reporting clinical	

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Discuss the importance of well-woman exams, mammograms, Pap tests, and HPV testing with all female members between ages 21 to 64 years.
- Be a champion in promoting women's health by reminding them of the importance of annual wellness visits.
- Refer members to another appropriate provider if your office does not perform Pap tests and request copies of Pap test/HPV co-testing results be sent to your office.
- Talk to your provider relationship management representative to determine if a health screening Clinic Day has been scheduled in your community. Our staff may be able to help plan, implement, and evaluate events for a particular preventive screening, like a cervical cancer screening or a complete comprehensive women's health screening event (only if this is offered in your practice area).
- Train your staff on the use of educational materials to promote cervical cancer screening.
- Use a tracking mechanism, (for example, EMR flags and/or manual tracking tool) to identify members due for cervical cancer screening.
- Display posters and educational messages in treatment rooms and waiting areas to help motivate members to initiate discussions with you about screening.
- Train your staff on preventive screenings or find out if we provide training.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you get our members this critical service by:

- Offering you access to our *Clinical Practice Guidelines* on our provider self-service website.
- Coordinating with you to plan and focus on improving health awareness for our members by providing health screenings, activities, materials, and resources if available or as needed.
- Educating members on the importance of cervical cancer screening through various sources, such as phone calls, postcards, newsletters, and health education fliers if available.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Other available resources

You can find more information and tools online at uspreventiveservicestaskforce.org.

Notes:		

Childhood Immunization Status (CIS)

This measure looks at the percentage of children turning two years of age who had four diphtheria, tetanus, and acellular pertussis (DTaP); three polio (IPV); one measles, mumps, and rubella (MMR); three Haemophilus influenza type B (HiB); three hepatitis B (Hep B), one chickenpox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and three combination rates:

- **DTap (Diphtheria, Tetanus, Pertussis)**: At least four vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- **IPV** (**Inactivated Polio Vaccine**): At least three vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- MMR (Measles, Mumps, and Rubella): Can only be given on or between the child's first and second birthdays.
- **HiB (Haemophilus influenza type b):** At least three vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- **Hep B (Hepatitis B):** At least three vaccinations with different dates of service. One of the three vaccinations can be a newborn hepatitis B vaccination during the 8-day period that begins on the date of birth and ends 7 days after the date of birth.
- **VZV (Herpes Zoster Zostavax):** At least one vaccination with a date of service on or between the child's first and second birthdays.
- **PCV (Pneumococcal conjugate vaccine):** At least four vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- **Hep A (Hepatitis A):** At least one vaccination with a date of service on or between the child's first and second birthdays.
- **RV (Rotavirus):** At least two doses of the two-dose rotavirus vaccine on different dates of service:
 - o **Or** at least three doses of the three-dose rotavirus vaccine on different dates of service.
 - Or at least one dose of the two-dose rotavirus vaccine and at least two doses of the three-dose rotavirus vaccine all on different dates of service.
 Do not count a vaccination administered prior to 42 days after birth.
- **Flu (Influenza):** At least two influenza vaccinations with different dates of service on or before the child's second birthday. Do not count a vaccination administered prior to 180 days after birth:
 - o An influenza vaccination recommended for children 2 years and older administered on the child's second birthday meets the criteria for one of the two required vaccinations.

Immunization	Dose(s)
DTaP	4
IPV	3
MMR	1
Hib	3
Нер В	3
VZV	1
PCV	4
Нер А	1
Rotavirus	Two-dose (Rotarix)
	Three-dose (Rotateq) vaccine
Influenza	2 – Second dose may be LAIV given on the 2nd birthday

Record your efforts

Once you give our members their needed immunizations, let us and the state know by:

- Recording the immunizations in your state registry.
- Documenting the immunizations (historic and current) within medical records to include:
 - o A note indicating the name of the specific antigen and the date of the immunization.
 - o The certificate of immunization prepared by an authorized healthcare provider or agency.
 - o For a documented history of illness or anaphylaxis, there must be a note indicating the date of the event, which must have occurred by the member's second birthday.
 - o The date of the first hepatitis B vaccine given at the hospital and the name of the hospital if available.
 - o A note that the *Member is up to date* with all immunizations, but which does not list the dates of all immunizations and the names of the immunization agents does not constitute sufficient evidence of immunization for HEDIS reporting.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members who had a contraindication to a childhood vaccine on or before their second birthday

Codes to identify immunizations:

Immunization	CPT	CVX/HCPCS/ICD10PCS
DTaP	CPT	20: Diphtheria, tetanus toxoids and acellular pertussis
	90697, 90698, 90700,	vaccine
	90723	50: DTaP-Haemophilus influenzae type b conjugate
		vaccine

Immunization	СРТ	CVX/HCPCS/ICD10PCS
		106: Diphtheria, tetanus toxoids and acellular pertussis
		vaccine, 5 pertussis antigens
		107: Diphtheria, tetanus toxoids and acellular pertussis
		vaccine, unspecified formulation
		110: DTaP-hepatitis B and poliovirus vaccine
		120: Diphtheria, tetanus toxoids and acellular pertussis
		vaccine, Haemophilus influenzae type b conjugate, and
		poliovirus vaccine, inactivated (DTaP-Hib-IPV)
		146: Diphtheria and Tetanus Toxoids and Acellular
		Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b
		Conjugate (Meningococcal Protein Conjugate), and
		Hepatitis B (Recombinant) Vaccine
IPV	СРТ	10: Poliovirus vaccine, inactivated
	90697, 90698, 90713,	89: Poliovirus vaccine, unspecified formulation
	90723	110: DTaP-hepatitis B and poliovirus vaccine
		120: Diphtheria, tetanus toxoids and acellular pertussis
		vaccine, Haemophilus influenzae type b conjugate, and
		poliovirus vaccine, inactivated (DTaP-Hib-IPV)
		146 : Diphtheria and Tetanus Toxoids and Acellular
		Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b
		Conjugate (Meningococcal Protein Conjugate), and
		Hepatitis B (Recombinant) Vaccine
MMR	СРТ	03 : Measles, mumps, and rubella virus vaccine
	90707, 90710	94 : Measles, mumps, rubella, and varicella virus vaccine
Hib	CPT	17 : Haemophilus influenzae type b vaccine, conjugate
	90644, 90647, 90648,	unspecified formulation
	90697, 90698, 90748	46 : Haemophilus influenzae type b vaccine, PRP-D
		conjugate
		47 : Haemophilus influenzae type b vaccine, HbOC
		conjugate
		48: Haemophilus influenzae type b vaccine, PRP-T
		conjugate
		49 : Haemophilus influenzae type b vaccine, PRP-OMP
		conjugate
		50: DTaP-Haemophilus influenzae type b conjugate
		vaccine
		51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine
		120: Diphtheria, tetanus toxoids and acellular pertussis
		vaccine, Haemophilus influenzae type b conjugate, and
		poliovirus vaccine, inactivated (DTaP-Hib-IPV)
		146: Diphtheria and Tetanus Toxoids and Acellular
		·
		Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b

Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine O8: Hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: Hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine Newborn Hepatitis B Vaccine 3 E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal conjugate, unspecified formulation 215: Pneumococcal conjugate, adjuvant, preservative-free	Immunization	СРТ	CVX/HCPCS/ICD10PCS
Hep B CPT 90697, 90723, 90740, 90744, 90747, 90748 44: Hepatitis B vaccine, pediatric or pediatric/adolescent dosage 45: Hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine Newborn Hepatitis B Vaccine Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 148: Meningococcal Groups C and Y and Haemophilus b vaccine, pediatric or pediatric/adolescent dosage 44: Hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine ICD10PCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach Muscle, Percutaneous Approach 44: Hepatitis B and poliovirus vaccine MCPCS G0010: Administration of Hepatitis B Vaccine 1CD10PCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach 1CD10PCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach 1CD10PCS 1CD10PCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach 1CD10PCS 1C			
Tetanus Toxoid Conjugate Vaccine O8: Hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: Hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine Newborn Hepatitis B Vaccine Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 Tetanus Toxoid Conjugate Vaccine, pediatric or pediatric/adolescent dosage 44: Hepatitis B vaccine, unspecified formulation 15: Pneumococcal Conjugate, unspecified formulation 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal Conjugate, adjuvant,			· · · · · · · · · · · · · · · · · · ·
Hep B CPT 90697, 90723, 90740, 90744, 90747, 90748 44: Hepatitis B vaccine, dialysis patient dosage 44: Hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine ICD10PCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach VZV CPT 90710, 90716 PCV CPT 90670, 90671 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal Conjugate vaccine, 13 valent 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal Conjugate, adjuvant,			
90697, 90723, 90740, 90744, 90747, 90748 44: Hepatitis B vaccine, dialysis patient dosage 44: Hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine HCPCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach VZV CPT 21: Varicella virus vaccine 94: Measles, mumps, rubella, and varicella virus vaccine 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal Conjugate, unspecified formulation 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate, adjuvant, PCV15), polysaccharide CRM197 conjugate, adjuvant,			
Port	Нер В		· · · · · · · · · · · · · · · · · · ·
A5: Hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine			
S1: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine ICD10PCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach VZV CPT 21: Varicella virus vaccine 90710, 90716 94: Measles, mumps, rubella, and varicella virus vaccine 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal conjugate, unspecified formulation 215: Pneumococcal conjugate, adjuvant,		90/44, 90/4/, 90/48	
Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine ICD10PCS			·
110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine SE0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach VZV CPT 21: Varicella virus vaccine 90710, 90716 94: Measles, mumps, rubella, and varicella virus vaccine PCV CPT 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal conjugate, unspecified formulation 215: Pneumococcal conjugate, adjuvant,			
Newborn Hepatitis B Vaccine AdministeredICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous ApproachVZVCPT 90710, 9071621: Varicella virus vaccine 94: Measles, mumps, rubella, and varicella virus vaccine 19: Pneumococcal conjugate, unspecified formulation 215: Pneumococcal conjugate, unspecified formulation 215: Pneumococcal conjugate, adjuvant,			·
Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine Newborn Hepatitis B Vaccine Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 PCV CPT 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,			·
b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of Hepatitis B Vaccine ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach VZV CPT 90710, 90716 PCV CPT 90670, 90671 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,			·
HCPCS G0010: Administration of Hepatitis B Vaccine Newborn			•
Newborn Hepatitis B Vaccine Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 CPT 90670, 90671 CONT POWNOR CONT POW			Hepatitis B (Recombinant) Vaccine
Newborn Hepatitis B Vaccine Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 PCV CPT 90670, 90671 PCV CPT PO670, 90671 PCV CPT PO670, 90671 PCV CPT PO670, 90671 CPT PO670, 90671 PCV CPT PO670, 90671 CPT PO670, 90671 CPT PO670, 90671 PCV CPT PO670, 90671 CPT PO670, 90671 PO670, 90671 PO670, 90671 CPT PO670, 90671 PO670, 9			
Hepatitis B Vaccine Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 CPT 90670, 90671 PCV CPT 90670, 90671 CPT 90670, 90671 CPT 109: Pneumococcal vaccine, unspecified formulation 152: Pneumococcal Conjugate vaccine, 13 valent 152: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,			G0010: Administration of Hepatitis B Vaccine
Hepatitis B Vaccine Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 CPT 90670, 90671 PCV PCV CPT 90670, 90671 Top: Pneumococcal vaccine, unspecified formulation 152: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,	Newborn		ICD10PCS
Administered VZV CPT 90710, 90716 PCV CPT 90670, 90671 PCV CPT 90670, 90671 PCV CPT 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,	Hepatitis B		3E0234Z: Introduction of Serum, Toxoid and Vaccine into
VZV CPT 90710, 90716 PCV CPT 109: Pneumococcal vaccine, unspecified formulation 90670, 90671 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,	Vaccine		Muscle, Percutaneous Approach
PCV CPT 90670, 90671 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,	Administered		
PCV 90670, 90671 109: Pneumococcal vaccine, unspecified formulation 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,	VZV		
90670, 90671 133: Pneumococcal conjugate vaccine, 13 valent 152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,			
152: Pneumococcal Conjugate, unspecified formulation 215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,	PCV		· · · · · · · · · · · · · · · · · · ·
215: Pneumococcal conjugate vaccine 15-valent (PCV15), polysaccharide CRM197 conjugate, adjuvant,		90670, 90671	, ,
polysaccharide CRM197 conjugate, adjuvant,			
			• •
			, ,
preservative nee			preservative free
Hep A CPT 31: Hepatitis A vaccine, pediatric dosage, unspecified	Нер А	СРТ	
90633 formulation		90633	
83: Hepatitis A vaccine, pediatric/adolescent dosage, 2			
dose schedule			
85: Hepatitis A vaccine, unspecified formulation	Dotovina (tora	T de 00 / 04	·
Rotavirus (two- or Two-dose: 90681 Two-dose: 119 Three-dose: 90680 Three-dose	· ·		
116: Rotavirus, live, pentavalent vaccine	unee-aose)	1111 66-0026: 40000	
122: Rotavirus vaccine, unspecified formulation			• • • •
Influenza CPT 88: Influenza virus vaccine, unspecified formulation	Influenza	СРТ	
90655, 90657, 90661, 140: Influenza, seasonal, injectable, preservative-free			,
		90673, 90674, 90685,	141: Influenza, seasonal, injectable

Immunization	СРТ	CVX/HCPCS/ICD10PCS
	90686, 90687, 90688, 90689	150: Influenza, injectable, quadrivalent, preservative-free 153: Influenza, injectable, Madin Darby Canine Kidney, preservative-free
		155: Seasonal, trivalent, recombinant, injectable influenza vaccine, preservative-free
		158: Influenza, injectable, quadrivalent, contains preservative
		161: Influenza, injectable, quadrivalent, preservative-free, pediatric
		171: Influenza, injectable, Madin Darby Canine Kidney, preservative-free, quadrivalent
		186: Influenza, injectable, Madin Darby Canine Kidney, quadrivalent with preservative HCPCS
		G0008 : Administration of influenza virus vaccine
Influenza: live attenuated for intranasal use	CPT 90660, 90672	111: Influenza virus vaccine, live attenuated, for intranasal 149: Influenza, live, intranasal, quadrivalent

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:


- If you use an EMR, create a flag to track members due for immunizations.
- Extend your office hours into the evening, early morning, or weekends to accommodate working parents.
- Develop or implement standing orders for nurses and physician assistants in your practice to allow staff to identify opportunities to immunize.
- Enroll in the Vaccines for Children (VFC) program to receive vaccines. If you have questions about enrollment and vaccine orders, contact your state VFC coordinator. Find your coordinator when you visit cdc.gov/vaccines/programs/vfc/contacts-state.html or call 800-CDC-INFO (800-232-4636).
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We can help you get children in for their immunizations by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with member scheduling if needed.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:



Chlamydia Screening in Women (CHL)

This HEDIS measure looks at the percentage of women 16 to 24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.

Record your efforts

Indicate the date the test was performed and the results.

Exclusions:

- Members in hospice or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Based on a pregnancy test alone and who meets either of the following:

- A pregnancy test and a prescription for isotretinoin on the date of the pregnancy test or the six days after
- A pregnancy test and an x-ray on the date of the pregnancy test or the six days after

Description	CPT/LOINC CPT/LOINC
Chlamydia testing	CPT 87110, 87270, 87320, 87490, 87491, 87492, 87492, 87810, 0353U LOINC 14463-4: Chlamydia trachomatis [Presence] in Cervix by Organism specific culture 14464-2: Chlamydia trachomatis [Presence] in Vaginal fluid by Organism specific culture 14465-9: Chlamydia trachomatis [Presence] in Urethra by Organism specific culture 14467-5: Chlamydia trachomatis [Presence] in Urine sediment by Organism specific culture 14474-1: Chlamydia trachomatis Ag [Presence] in Urine sediment by Immunoassay 14513-6: Chlamydia trachomatis Ag [Presence] in Urine sediment by Immunofluorescence 16600-9: Chlamydia trachomatis rRNA [Presence] in Genital specimen by Probe

Description	CPT/LOINC CPT/LOINC
	21190-4: Chlamydia trachomatis DNA [Presence] in Cervix by NAA with probe
	detection
	21191-2: Chlamydia trachomatis DNA [Presence] in Urethra by NAA with probe
	detection
	23838-6: Chlamydia trachomatis rRNA [Presence] in Genital fluid by Probe 31775-0: Chlamydia trachomatis Ag [Presence] in Urine sediment
	34710-4: Chlamydia trachomatis Ag [Presence] in Anal
	42931-6: Chlamydia trachomatis Ag [Fresence] in Urine by NAA with probe
	detection
	44806-8: Chlamydia trachomatis+Neisseria gonorrhoeae DNA [Presence] in Urine
	by NAA with probe detection
	44807-6: Chlamydia trachomatis+Neisseria gonorrhoeae DNA [Presence] in
	Genital specimen by NAA with probe detection
	45068-4: Chlamydia trachomatis+Neisseria gonorrhoeae DNA [Presence] in Cervix
	by NAA with probe detection
	45069-2: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Genital specimen by Probe
	45072-6: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Anal
	by Probe
	45073-4: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Tissue
	by Probe
	45075-9: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in
	Urethra by Probe
	45084-1: Chlamydia trachomatis DNA [Presence] in Vaginal fluid by NAA with
	probe detection 45089-0: Chlamydia trachomatis rRNA [Presence] in Anal by Probe
	45090-8: Chlamydia trachomatis DNA [Presence] in Anal by NAA with probe
	detection
	45091-6: Chlamydia trachomatis Ag [Presence] in Genital specimen
	45093-2: Chlamydia trachomatis [Presence] in Anal by Organism specific culture
	45095-7: Chlamydia trachomatis [Presence] in Genital specimen by Organism
	specific culture
	50387-0: Chlamydia trachomatis rRNA [Presence] in Cervix by NAA with probe
	detection 53925-4: Chlamydia trachomatis rRNA [Presence] in Urethra by NAA with probe
	detection
	53926-2: Chlamydia trachomatis rRNA [Presence] in Vaginal fluid by NAA with
	probe detection
	57287-5: Chlamydia trachomatis rRNA [Presence] in Anal by NAA with probe
	detection
	6353-7: Chlamydia trachomatis Ag [Presence] in Tissue by Immunofluorescence
	6356-0: Chlamydia trachomatis DNA [Presence] in Genital specimen by NAA with
	probe detection

Description	CPT/LOINC CPT/LOINC
	6357-8: Chlamydia trachomatis DNA [Presence] in Urine by NAA with probe detection
	80360-1: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Urine by NAA with probe detection
	80361-9: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Cervix by NAA with probe detection
	80362-7: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Vaginal fluid by NAA with probe detection
	80363-5: Chlamydia trachomatis DNA [Presence] in Anorectal by NAA with probe detection
	80364-3: Chlamydia trachomatis rRNA [Presence] in Anorectal by NAA with probe detection
	80365-0: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Anorectal by NAA with probe detection
	80367-6: Chlamydia trachomatis [Presence] in Anorectal by Organism specific culture
	82306-2: Chlamydia trachomatis rRNA [Presence] in Throat by NAA with probe detection
	87949-4: Chlamydia trachomatis DNA [Presence] in Tissue by NAA with probe detection
	87950-2: Chlamydia trachomatis [Presence] in Tissue by Organism specific culture 88221-7: Chlamydia trachomatis DNA [Presence] in Throat by NAA with probe detection
	89648-0: Chlamydia trachomatis [Presence] in Throat by Organism-specific culture 91860-7: Chlamydia trachomatis Ag [Presence] in Genital specimen by Immunofluorescence
	91873-0: Chlamydia trachomatis Ag [Presence] in Throat by Immunofluorescence

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

How can we help?

• Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful resource:

cdc.gov/std/chlamydia/efault.htm

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:		

Cardiac Rehabilitation (CRE)

This HEDIS measure evaluates the percentage of members 18 years and older who attended cardiac rehabilitation following a qualifying cardiac event, including myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, heart and heart/lung transplantation, or heart valve repair/replacement on or between July 1 of the year prior to the measurement year to June 30 of the measurement year. Four rates are reported:

- **Initiation:** The percentage of members who attended 2 or more sessions of cardiac rehabilitation within 30 days after a qualifying event.
- **Engagement 1:** The percentage of members who attended 12 or more sessions of cardiac rehabilitation within 90 days after a qualifying event.
- **Engagement 2:** The percentage of members who attended 24 or more sessions of cardiac rehabilitation within 180 days after a qualifying event.
- **Achievement:** The percentage of members who attended 36 or more sessions of cardiac rehabilitation within 180 days after a qualifying event.

Record your efforts

Count multiple cardiac rehabilitation sessions on the same date of service as multiple sessions. For example, if a member has two different codes for cardiac rehabilitation on the same date of service (or one code billed as two units), count this as two sessions of cardiac rehabilitation.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members receiving palliative care anytime during the measurement year
- Members who had an encounter for palliative care anytime during the measurement year
- Members 66 to 80 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded
- Members 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year
- Discharged from an inpatient setting with any of the following on the discharge claim during the 180 days after the episode date:
 - o Myocardial Infarction (MI)
 - o Coronary artery bypass graft (CABG)
 - o Heart or heart/lung transplant
 - o Heart valve repair or replacement
 - o Percutaneous Coronary Intervention (PCI)

Description	CPT/HCPCS
Cardiac Rehabilitation	CPT 93797, 93798
	HCPCS
	G0422: Intensive cardiac rehabilitation; with or without
	continuous ECG monitoring with exercise, per session
	G0423: Intensive cardiac rehabilitation; with or without
	continuous ECG monitoring; without exercise, per
	session
	S9472: Cardiac rehabilitation program, non-physician
	provider, per diem


How can we help?

• Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful tips:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:



Appropriate Testing for Pharyngitis (CWP)

This HEDIS measure evaluates the percentage of episodes for members 3 years of age and older where the member was diagnosed with pharyngitis, dispensed an antibiotic, and received a group A streptococcus (strep) test for the episode on or between July 1 of the year prior to the measurement year to June 30 of the measurement year.

Record your efforts:

- Document results of all strep tests or refusal for testing in medical records.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Description	CPT/HCPCS/ICD10CM/LOINC
Pharyngitis	ICD10CM J02.0: Streptococcal pharyngitis

Description	CPT/HCPCS/ICD10CM/LOINC
	J02.8: Acute pharyngitis due to other specified organisms J02.9: Acute pharyngitis, unspecified J03.00: Acute streptococcal tonsillitis, unspecified J03.01: Acute recurrent streptococcal tonsillitis J03.80: Acute tonsillitis due to other specified organisms J03.81: Acute recurrent tonsillitis due to other specified organisms J03.90: Acute tonsillitis, unspecified
Croup A Ctrop	J03.91: Acute recurrent tonsillitis, unspecified
Group A Strep Tests	CPT 87070, 87071, 87081, 87430, 87650, 87651, 87652, 87880 LOINC 101300-2: Streptococcus pyogenes DNA [Presence] in Throat by NAA with non-probe detection 11268-0: Streptococcus pyogenes [Presence] in Throat by Organism-specific culture 17656-0: Streptococcus pyogenes [Presence] in Specimen by Organism-specific culture 17898-8: Bacteria identified in Throat by Aerobe culture 18481-2: Streptococcus pyogenes Ag [Presence] in Throat 31971-5: Streptococcus pyogenes Ag [Presence] in Specimen 49610-9: Streptococcus pyogenes DNA [Identifier] in Specimen by NAA with probe detection 5036-9: Streptococcus pyogenes DNA [Presence] in Throat by NAA with probe detection 60489-2: Streptococcus pyogenes DNA [Presence] in Throat by NAA with probe detection 626-2: Bacteria identified in Throat by Culture 6557-3: Streptococcus pyogenes Ag [Presence] in Throat by
	Immunofluorescence 6558-1: Streptococcus pyogenes Ag [Presence] in Specimen by Immunoassay 6559-9: Streptococcus pyogenes Ag [Presence] in Specimen by Immunofluorescence 68954-7: Streptococcus pyogenes rRNA [Presence] in Throat by Probe 78012-2: Streptococcus pyogenes Ag [Presence] in Throat by Rapid immunoassay
Outpatient, ED, and Telehealth	CPT 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281, 99282, 99283, 99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483 HCPCS

Description CPT/HCPCS/ICD10CM/LOINC **G0071**: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only **G0402:** Initial preventive physical examination; face-to-face visit, services limited to a new beneficiary during the first 12 months of Medicare enrollment **G0438:** Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit **G0439:** Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit **G0463:** Hospital outpatient clinic visit for assessment and management of a patient **G2010:** Remote evaluation of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment **G2012:** Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion **G2250:** Remote assessment of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment **G2251:** Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion **G2252:** Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the

Description	CPT/HCPCS/ICD10CM/LOINC
	previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion T1015: Clinic visit/encounter, all-inclusive

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- If a member tests negative for group A strep but insists on an antibiotic:
 - o Refer to the illness as a sore throat due to a cold; members tend to associate the label with a less frequent need for antibiotics.
 - o Write a prescription for symptom relief, like over-the-counter medications.
- Educate members on the difference between bacterial and viral infections. This is the key point in the success of this measure. Use CDC handouts or education tools as needed.
- Discuss with members ways to treat symptoms:
 - o Get extra rest.
 - o Drink plenty of fluids.
 - o Use over-the-counter medications.
 - o Use the cool-mist vaporizer and nasal spray for congestion.
 - o Eat ice chips or use throat spray/lozenges for sore throats.
- Educate members and their parents or caregivers that they can prevent infection by:
 - o Washing hands frequently.
 - o Disinfecting toys.
 - o Keeping the child out of school or day care for at least 24 hours until antibiotics have been taken and symptoms have improved.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

• Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful resources

cdc.gov/antibiotic-use/index.html

Ν	lo	t	0		•
	•	•	•	3	

Eye Exam for Patients With Diabetes (EED)

This HEDIS measure looks at the percentage of members 18 to 75 years of age with diabetes (types 1 and 2) who had a retinal eye exam.

Record your efforts:

- A retinal or dilated eye exam by an eye care professional (optometrist or ophthalmologist) in the measurement year.
- A negative retinal or dilated eye exam (negative for retinopathy) by an eye care professional in the year prior to the measurement year.

 Bilateral eye enucleation anytime during the member's history through December 31 of the measurement year.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members receiving palliative care anytime during the measurement year.
- Members who had an encounter for palliative care anytime during the measurement year
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness; members must meet both frailty and advanced illness criteria to be excluded

Services	CPT/HCPCS/CPT-CAT II
Unilateral eye	СРТ
enucleation	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
Diabetic retinal screening	CPT 67028, 67030, 67031, 67036, 67039, 67041, 67042, 67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92227, 92228, 92230, 92235, 92240, 92250, 92260, 99203, 99204, 99205, 99213, 99214, 99215, 99242, 99243, 99244, 99245 HCPCS S0620: Routine ophthalmological examination including refraction; new patient S0621: Routine ophthalmological examination including refraction; established patient S3000: Diabetic indicator; retinal eye exam, dilated, bilateral
Eye exam with evidence of retinopathy	CPT-CAT II 2022F: Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM) 2024F: Seven standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed; with evidence of retinopathy (DM) 2026F: Eye imaging validated to match diagnosis from seven standard field stereoscopic retinal photos results documented and reviewed; with evidence of retinopathy (DM)
Eye exam without evidence of retinopathy	CPT-CAT II 2023F: Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy (DM)

Services	CPT/HCPCS/CPT-CAT II	
	2025F: Seven standard field stereoscopic retinal photos with	
	interpretation by an ophthalmologist or optometrist documented	
	and reviewed; without evidence of retinopathy (DM)	
	2033F: Eye imaging validated to match diagnosis from seven	
	standard field stereoscopic retinal photos results documented and	
	reviewed; without evidence of retinopathy (DM)	
Unilateral eye	СРТ	
enucleation	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114	
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native	
	2028-9: Asian	
	2054-5: Black or African American	
	2076-8: Native Hawaiian or Other Pacific Islander	
	2106-3 : White	
	2135-2: Hispanic or Latino	
	2186-5: Not Hispanic or Latino	

Note: The codes listed are informational only; this information does not quarantee reimbursement.

Helpful tips:

- For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.
- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a member's screenings are due.
- Send appointment reminders and call members to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results, eye exam results, or any specialist referral and document on your chart.
- Refer members to the network of eye providers for their annual diabetic eye exam.
- Educate your members and their families, caregivers, and guardians on diabetes care, including:
 - o Taking all prescribed medications as directed.
 - o Adding regular exercise to daily activities.
 - o Having a diabetic eye exam each year with an eye care provider.
 - o Regularly monitoring blood sugar and blood pressure at home.
 - o Maintaining a healthy weight and ideal body mass index.
 - o Eating heart-healthy, low-calorie, and low-fat foods.
 - o Stopping smoking and avoiding second-hand smoke.
 - o Keeping all medical appointments; getting help with scheduling necessary appointments, screenings, and tests to improve compliance.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We can help you with comprehensive diabetes care by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Providing programs that may be available to our diabetic members.
- Supplying copies of educational resources on diabetes that may be available for your office.
- Providing education at your office if available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:		

Follow-up After Emergency Department Visit for Substance Use (FUA)

This HEDIS measure evaluates the percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of substance use disorder (SUD), or any diagnosis of a drug overdose, who had a follow-up visit for SUD during the measurement year. Two rates are reported:

- The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days)
- The percentage of ED visits for which the member received follow-up within seven days of the ED visit (eight total days)

Record your efforts:

- 30-Day Follow-Up: A member has a follow-up visit or a pharmacotherapy dispensing event 30 days after the ED visit (31 total days). Include events and visits that occur on the date of the ED visit.
- 7-Day Follow-Up: A member has a follow-up visit or a pharmacotherapy dispensing event 7 days after the ED visit (8 total days). Include events and visits that occur on the date of the ED visit.

Exclusions:

- ED visits that result in an inpatient stay
- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Services	CPT/HCPCS/ICD10CM/POS
BH outpatient	CPT 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS G0155: Services of clinical social worker in home health or hospice settings, each 15 minutes G0176: Activity therapy, such as music, dance, art, or play therapies not for recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more) G0177: Training and educational services related to the care and treatment of a patient's disabling mental health problems per session (45 minutes or more)

Services	CPT/HCPCS/ICD10CM/POS
	G0409: Social work and psychological services, directly relating to and/or
	furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or
	psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)
	only, psychiatric collaborative care model (psychiatric COCM), 60 minutes or
	more of clinical staff time for psychiatric COCM services directed by an RHC
	or FQHC practitioner (physician, NP, PA, or CNM) and including services
	furnished by a behavioral healthcare manager and consultation with a
	psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to
	a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Substance Abuse	ICD10CM
Counseling and	Z71.41: Alcohol abuse counseling and surveillance of alcoholic
Surveillance	Z71.51: Drug abuse counseling and surveillance of drug abuser
Substance Use	CPT
Disorder Services	99408, 99409
	HCPCS
	G0396 : Alcohol and/or substance (other than tobacco) misuse structured
	assessment (for example, audit, DAST), and brief intervention 15 to 30
	minutes

Services	CPT/HCPCS/ICD10CM/POS
	G0397: Alcohol and/or substance (other than tobacco) misuse structured assessment (for example, audit, DAST), and intervention, greater than 30 minutes
	G0443 : Brief face-to-face behavioral counseling for alcohol misuse, 15
	minutes H0001: Alcohol and/or drug assessment
	H0005: Alcohol and/or drug services; group counseling by a clinician H0007: Alcohol and/or drug services; crisis intervention (outpatient) H0015: Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis intervention, and activity therapies or education H0016: Alcohol and/or drug services; medical/somatic (medical intervention in ambulatory setting) H0022: Alcohol and/or drug intervention service (planned facilitation) H0047: Alcohol and/or other drug abuse services, not otherwise specified H0050: Alcohol and/or drug services, brief intervention, per 15 minutes H2035: Alcohol and/or other drug treatment program, per hour H2036 Alcohol and/or other drug treatment program, per diem T1006: Alcohol and/or substance abuse services, family/couple counseling
Substance Use	T1012: Alcohol and/or substance abuse services, skills development HCPCS
Services	H0006: Alcohol and/or drug services; case management H0028: Alcohol and/or drug prevention problem identification and referral service (for example, student assistance and employee assistance programs), does not include assessment
OUD monthly	HCPCS:
office-based treatment	G2086: Office-based treatment for opioid use disorder, including development of the treatment plan, care coordination, individual therapy and group therapy, and counseling; at least 70 minutes in the first calendar month
	G2087: Office-based treatment for opioid use disorder, including care coordination, individual therapy, group therapy, and counseling; at least 60 minutes in a subsequent calendar month
OUD weekly drug	HCPCS:
treatment service	G2067: Medication-assisted treatment, methadone; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2068: Medication-assisted treatment, buprenorphine (oral); weekly bundle
	including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed

Services	CPT/HCPCS/ICD10CM/POS
	(provision of the services by a Medicare-enrolled opioid treatment
	program) G2069 : Medication-assisted treatment, buprenorphine (injectable); weekly
	bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing, if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program) G2070 : Medication-assisted treatment, buprenorphine (implant insertion);
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing, if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2072: Medication-assisted treatment, buprenorphine (implant insertion and removal); weekly bundle including dispensing and/or administration,
	substance use counseling, individual and group therapy, and toxicology
	testing, if performed (provision of the services by a Medicare-enrolled
	opioid treatment program)
	G2073: Medication-assisted treatment, naltrexone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program)
OUD weekly	HCPCS
Nondrug service	G2071: Medication-assisted treatment, buprenorphine (implant removal);
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing, if
	performed (provision of the services by a Medicare-enrolled opioid treatment program)
	G2074: Medication-assisted treatment, weekly bundle not including the
	drug, including substance use counseling, individual and group therapy,
	and toxicology testing, if performed (provision of the services by a
	Medicare-enrolled opioid treatment program)
	G2075: Medication-assisted treatment, medication not otherwise specified;
	weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if
	performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	G2076: Intake activities, including initial medical examination that is a
	complete, fully documented physical evaluation and initial assessment by a
	program physician or a primary care physician, or an authorized healthcare professional under the supervision of a program physician qualified
	personnel that includes preparation of a treatment plan that includes the
	patient's short-term goals and the tasks the patient must perform to
	complete the short-term goals; the patient's requirements for education,

Services	CPT/HCPCS/ICD10CM/POS
	vocational rehabilitation, and employment; and the medical, psycho-social, economic, legal, or other supportive services that a patient needs, conducted by qualified personnel (provision of the services by a Medicare-enrolled opioid) G2077: Periodic assessment; assessing periodically by qualified personnel to determine the most appropriate combination of services and treatment (provision of the services by a Medicare-enrolled opioid treatment program); list separately in addition to code for primary procedure G2080: Each additional 30 minutes of counseling in a week of medication-assisted treatment, (provision of the services by a Medicare-enrolled opioid treatment program); list separately in addition to code for primary procedure
Residential Program Detoxification	HCPCS H0010: Alcohol and/or drug services; sub-acute detoxification (residential addiction program inpatient) H0011: Alcohol and/or drug services; acute detoxification (residential addiction program inpatient)
Telehealth POS	POS 02: Telehealth Provided Other than in Patient's Home 10: Telehealth Provided in Patient's Home
Telephone visits	CPT 98966, 98967, 98968, 99441, 99442, 99443
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native 2028-9: Asian 2054-5: Black or African American 2076-8: Native Hawaiian or Other Pacific Islander 2106-3: White 2135-2: Hispanic or Latino 2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

How can we help?

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Other available resources

You can find more information and tools online at:

• qualityforum.org

Helpful tip

Notes:

If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional

Follow-Up After Hospitalization for Mental Illness (FUH)

This HEDIS measure evaluates the percentage of discharges for members ages 6 years and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health provider during the measurement year. Two rates are reported:

- The percentage of discharges for which the member received follow-up within 30 days after discharge
- The percentage of discharges for which the member received follow-up within 7 days after discharge

Exclusions:

details and questions.

- Exclude discharges followed by readmission or direct transfer to a nonacute inpatient care setting within the 30-day follow-up period, regardless of the principal diagnosis for the readmission
- Members who use hospice or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Services	CPT/HCPCS/POS
BH outpatient	CPT 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510
	HCPCS

Services	CPT/HCPCS/POS
	G0155: Services of clinical social worker in home health or hospice settings,
	each 15 minutes
	G0176: Activity therapy, such as music, dance, art, or play therapies not for
	recreation, related to the care and treatment of a patient's disabling
	mental health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment
	of a patient's disabling mental health problems per session (45 minutes or
	more)
	G0409: Social work and psychological services, directly relating to and/or
	furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or
	psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of
	a patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)
	only, psychiatric collaborative care model (psychiatric COCM), 60 minutes
	or more of clinical staff time for psychiatric COCM services directed by an
	RHC or FQHC practitioner (physician, NP, PA, or CNM) and including
	services furnished by a behavioral healthcare manager and consultation
	with a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission
	to a treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive

Services	CPT/HCPCS/POS	
Psychiatric	СРТ	
Collaborative Care	99492, 99493, 99494	
Management	HCPCS	
1 10111019 01110110	G0512: Rural health clinic or federally qualified health center (RHC/FQHC)	
	only, psychiatric collaborative care model (psychiatric COCM), 60 minutes	
	or more of clinical staff time for psychiatric COCM services directed by an	
	RHC or FQHC practitioner (physician, NP, PA, or CNM) and including	
	services furnished by a behavioral healthcare manager and consultation	
	with a psychiatric consultant, per calendar month	
Transitional care	CPT	
management	99495, 99496	
services	, and the second	
Telephone visits	СРТ	
, i	98966, 98967, 98968, 99441, 99442, 99443	
Telehealth POS	POS	
	02	
	10	
Visit setting	CPT	
unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845,	
	90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233,	
	99238, 99239, 99252, 99253, 99254, 99255	
Outpatient POS	POS	
	03: School	
	05: Indian Health Service Free-standing Facility	
	07: Facility	
	09: Tribal 638 Free-standing Facility	
	11: Office	
	12: Home	
	13: Assisted Living Facility	
	14: Group Home 15: Mobile Unit	
	16: Temporary Lodging 17: Walk-in Retail Clinic	
	17: Walk-III Retail Cliffic 18: Place of Employment-Worksite	
	19: Off Campus-Outpatient Hospital	
	20: Urgent Care Facility	
	22: On-Campus Outpatient Hospital	
	33: Custodial Care Facility	
	49: Independent Clinic	
	50: Federally Qualified Health Center	
	71: Public Health Clinic	
	72: Rural Health Clinic	
	12: Rural Health Clinic	

Services	CPT/HCPCS/POS
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3 : White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Educate your members and their spouses, caregivers, or guardians about the importance of compliance with long-term medications, if prescribed.
- Encourage members to participate in our behavioral health case management program for help getting a follow-up discharge appointment within seven days and other support.
- Teach member's families to review all discharge instructions for members and ask for details of all follow-up discharge instructions, such as the dates and times of appointments. The post-discharge follow-up should optimally be within seven days of discharge.
- Ask members with a mental health diagnosis to allow you access to their mental health records if you are their primary care provider.
- Telehealth services that are completed by a qualified mental health provider can be used for this measure.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:		

Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

This HEDIS measure evaluates the percentage of acute inpatient hospitalizations, residential treatment, or withdrawal management visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder during the measurement year. Two rates are reported:

- The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 30 days after the visit or discharge.
- The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 7 days after the visit or discharge.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Services	CPT/HCPCS/ICD10CM/POS
BH outpatient	СРТ
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510
	G0155: Services of clinical social worker in home health or
	hospice settings, each 15 minutes
	G0176: Activity therapy, such as music, dance, art, or play therapies not for recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of a patient's disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation
	goals, each 15 minutes, face-to-face; individual (services
	provided by a CORF-qualified social worker or psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC) only, psychiatric collaborative care model (psychiatric COCM), 60 minutes or more of clinical staff time for psychiatric COCM services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM) and including services furnished by a behavioral healthcare manager and consultation with a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to a treatment program
	H0004: Behavioral health counseling and therapy, per 15
	minutes H0031: Mental health assessment, by non-physician H0034: Medication training and support, per 15 minutes H0036: Community psychiatric supportive treatment, face-to- face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem

Services	CPT/HCPCS/ICD10CM/POS
	H0039: Assertive community treatment, face-to-face, per 15 minutes H0040: Assertive community treatment program, per diem H2000: Comprehensive multidisciplinary evaluation H2010: Comprehensive medication services, per 15 minutes H2011: Crisis intervention service, per 15 minutes H2013: Psychiatric health facility service, per diem H2014: Skills training and development, per 15 minutes H2015: Comprehensive community support services, per 15 minutes H2016: Comprehensive community support services, per diem H2017: Psychosocial rehabilitation services, per 15 minutes H2018: Psychosocial rehabilitation services, per diem H2019: Therapeutic behavioral services, per 15 minutes
Substance Abuse Counseling and Surveillance	T1015: Clinic visit/encounter, all-inclusive ICD10CM Z71.41: Alcohol abuse counseling and surveillance of alcoholic Z71.51: Drug abuse counseling and surveillance of drug abuser
Substance Use Disorder Services	CPT 99408, 99409 HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (for example, audit, DAST), and brief intervention 15 to 30 minutes G0397: Alcohol and/or substance (other than tobacco) misuse structured assessment (for example, audit, DAST), and intervention, greater than 30 minutes G0443: Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes H0001: Alcohol and/or drug assessment H0005: Alcohol and/or drug services; group counseling by a clinician H0007: Alcohol and/or drug services; crisis intervention (outpatient) H0015: Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis intervention, and activity therapies or education

Services	CPT/HCPCS/ICD10CM/POS
	H0016: Alcohol and/or drug services; medical/somatic (medical intervention in ambulatory setting) H0022: Alcohol and/or drug intervention service (planned facilitation)
	H0047: Alcohol and/or other drug abuse services, not otherwise specified H0050: Alcohol and/or drug services, brief intervention, per
	15 minutes
	H2035: Alcohol and/or other drug treatment program, per hour
	H2036 Alcohol and/or other drug treatment program, per diem
	T1006 : Alcohol and/or substance abuse services, family/couple counseling
	T1012 : Alcohol and/or substance abuse services, skills development
Substance Use Services	HCPCS H0006: Alcohol and/or drug services; case management H0028: Alcohol and/or drug prevention problem identification and referral service (for example, student assistance and employee assistance programs), does not include assessment
OUD monthly office-based treatment	HCPCS: G2086: Office-based treatment for opioid use disorder, including development of the treatment plan, care coordination, individual therapy, group therapy and counseling; at least 70 minutes in the first calendar month G2087: Office-based treatment for opioid use disorder, including care coordination, individual therapy, group therapy, and counseling; at least 60 minutes in a subsequent calendar month
OUD weekly drug treatment service	HCPCS: G2067: Medication-assisted treatment, methadone; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2068: Medication-assisted treatment, buprenorphine (oral); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program)

Services	CPT/HCPCS/ICD10CM/POS
Services	G2069: Medication-assisted treatment, buprenorphine (injectable); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2070: Medication-assisted treatment, buprenorphine (implant insertion); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2072: Medication-assisted treatment, buprenorphine (implant insertion and removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program)
	G2073: Medication-assisted treatment, naltrexone; weekly bundle including dispensing and/or administration,
	substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program)
OUD weekly Nondrug service	G2071: Medication-assisted treatment, buprenorphine (implant removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2074: Medication-assisted treatment, weekly bundle not including the drug, including substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2075: Medication-assisted treatment, medication not otherwise specified; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) G2076: Intake activities, including initial medical examination that is a complete, fully documented physical evaluation

Services	CPT/HCPCS/ICD10CM/POS
	and initial assessment by a program physician or a primary care physician, or an authorized healthcare professional under the supervision of a program physician qualified personnel that includes preparation of a treatment plan that includes the patient's short-term goals and the tasks the patient must perform to complete the short-term goals; the patient's requirements for education, vocational rehabilitation, and employment; and the medical, psychosocial, economic, legal, or other supportive services that a patient needs, conducted by qualified personnel (provision of the services by a Medicare-enrolled opioid) G2077: Periodic assessment; assessing periodically by qualified personnel to determine the most appropriate combination of services and treatment (provision of the services by a Medicare-enrolled opioid treatment program); list separately in addition to code for primary procedure G2080: Each additional 30 minutes of counseling in a week of medication-assisted treatment (provision of the services by a Medicare-enrolled opioid treatment program); list separately in addition to code for primary procedure
Online Assessments	CPT 98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458 HCPCS G0071: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an RHC or FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only G2010: Remote evaluation of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment G2012: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient,

Services	CPT/HCPCS/ICD10CM/POS
	not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion G2250: Remote assessment of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment G2251: Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available
Outpationt DOS	appointment; 11-20 minutes of medical discussion POS
Outpatient POS	 03: School 05: Indian Health Service Free-standing Facility 07: Facility 09: Tribal 638 Free-standing Facility 11: Office 12: Home 13: Assisted Living Facility 14: Group Home 15: Mobile Unit 16: Temporary Lodging 17: Walk-in Retail Clinic 18: Place of Employment-Worksite 19: Off-Campus Outpatient Hospital 20: Urgent Care Facility 22: On-Campus Outpatient Hospital

Services	CPT/HCPCS/ICD10CM/POS
	33: Custodial Care Facility
	49: Independent Clinic
	50: Federally Qualified Health Center
	71: Public Health Clinic
	72: Rural Health Clinic
Telephone visits	СРТ
	98966, 98967, 98968, 99441, 99442, 99443
Telehealth POS	POS
	02
	10
Visit setting unspecified	СРТ
	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839,
	90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222,
	99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254,
	99255

How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Other available resources

You can find more information and tools online at:

• qualityforum.org

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:		
		_

Follow-Up After Emergency Department Visit for Mental Illness (FUM)

This HEDIS measure evaluates the percentage of emergency department (ED) visits for members ages 6 years and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness during the measurement year. Two rates are reported:

- 1. The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days)
- 2. The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days)

Exclusions:

- ED visits that result in an inpatient stay
- ED visits followed by admission to an acute or nonacute inpatient care setting on the date of the ED visit or within the 30 days after the ED visit (31 total days)
- Members in hospice or using hospice services anytime during the measurement year
- Members who died during the measurement year

Services	CPT/HCPCS
BH outpatient	CPT 98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492, 99493, 99494, 99510 HCPCS G0155: Services of clinical social worker in home health or hospice settings, each 15 minutes G0176: Activity therapy, such as music, dance, art, or play therapies not for recreation, related to the care and treatment of a patient's disabling mental health problems, per session (45 minutes or more) G0177: Training and educational services related to the care and treatment of a patient's disabling mental health problems per session (45 minutes or more) G0409: Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a CORF-qualified social worker or psychologist in a CORF) G0463: Hospital outpatient clinic visit for assessment and management of a patient

Services	CPT/HCPCS
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC) only, psychiatric collaborative care model (psychiatric COCM), 60 minutes or more of clinical staff time for psychiatric COCM services directed by an RHC or FQHC practitioner (physician, NP, PA, or CNM) and including services furnished by a behavioral healthcare manager and consultation with a psychiatric consultant, per calendar month H0002: Behavioral health screening to determine eligibility for admission to a treatment program H0004: Behavioral health counseling and therapy, per 15 minutes H0031: Mental health assessment, by non-physician H0034: Medication training and support, per 15 minutes H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes H0037: Community psychiatric supportive treatment program, per diem H0039: Assertive community treatment, face-to-face, per 15 minutes H0040: Assertive community treatment program, per diem H2000: Comprehensive multidisciplinary evaluation H2010: Comprehensive medication services, per 15 minutes H2011: Crisis intervention service, per 15 minutes H2014: Skills training and development, per 15 minutes H2015: Comprehensive community support services, per 15 minutes H2016: Comprehensive community support services, per 15 minutes H2017: Psychosocial rehabilitation services, per 16 minutes H2018: Psychosocial rehabilitation services, per diem H2019: Therapeutic behavioral services, per diem
Telehealth POS	T1015: Clinic visit/encounter, all-inclusive POS 02 10
Outpatient POS	POS 03: School 05: Indian Health Service Free-standing Facility 07: Facility 09: Tribal 638 Free-standing Facility 11: Office 12: Home 13: Assisted Living Facility 14: Group Home 15: Mobile Unit 16: Temporary Lodging 17: Walk-in Retail Clinic

Services	CPT/HCPCS
	18: Place of Employment – Worksite
	19: Off-Campus Outpatient Hospital
	20: Urgent Care Facility
	22: On-Campus Outpatient Hospital
	33: Custodial Care Facility
	49: Independent Clinic
	50: Federally Qualified Health Center
	71: Public Health Clinic
	72: Rural Health Clinic
Visit setting	CPT
unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845,
	90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233,
	99238, 99239, 99252, 99253, 99254, 99255
Online	CPT
Assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
, 10000011101110	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes
	or more of a virtual (non-face-to-face) communication between a rural
	health clinic (RHC) or federally qualified health center (FQHC) practitioner
	and RHC or FQHC patient, or 5 minutes or more of remote evaluation of
	recorded video and/or images by an RHC or FQHC practitioner, occurring in
	lieu of an office visit; RHC or FQHC only
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related E/M service provided within the previous 7 days
	nor leading to an E/M service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related E/M service provided within the
	previous 7 days nor leading to an E/M service or procedure within the next 24
	hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report
	evaluation and management services, provided to an established patient,
	evaluation and management services, provided to an established patient,

Services	CPT/HCPCS
	not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252 : Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Telephone visits	СРТ
·	98966, 98967, 98968, 99441, 99442, 99443
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3 : White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Other available resources


You can find more information and tools online at:

www.qualityforum.org

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:			



Glycemic Status Assessment for Patients With Diabetes (GSD)

This measure looks at the percentage of members 18 **to** 75 years of age with diabetes (types 1 and 2) whose most recent glycemic status (hemoglobin A1c [HbA1c] or glucose management indicator [GMI]) was at the following levels during the measurement year:

- Glycemic Status < 8.0%.
- Glycemic Status > 9.0%.

Note: A lower rate indicates better performance for this indicator (**such as** low rates of Glycemic Status > 9% indicate better care).

Record your efforts:

- Document the result of the most recent glycemic status assessment (HbA1c or GMI) performed during the measurement year
- When identifying the most recent glycemic status assessment (HbA1c or GMI), GMI values must include documentation of the continuous glucose monitoring data date range used to derive the value. The terminal date in the range should be used to assign an assessment date.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members receiving palliative care anytime during the measurement year
- Members who had an encounter for palliative care anytime during the measurement year

• Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded

Description	CPT/CPT-CAT II/LOINC/HCPCS
HbA1c Level Greater Than or Equal	CPT-CAT II
to 8.0	3046F: Most recent hemoglobin A1c level greater than
	9.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater
	than or equal to 8.0% and less than or equal to 9.0% (DM)
HbA1c Level Less Than 8.0	CPT-CAT II
TIDATE LEVEL LESS THAT 6.6	3044F: Most recent hemoglobin A1c (HbA1c) level less
	than 7.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater
	than or equal to 7.0% and less than 8.0% (DM)
Hb1c Level Less Than or Equal to 9.0	CPT-CAT II
The release that or Equation 7.6	3044F: Most recent hemoglobin A1c (HbA1c) level less
	than 7.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater
	than or equal to 7.0% and less than 8.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater
	than or equal to 8.0% and less than or equal to 9.0% (DM)
HbA1c Tests Results or Findings	CPT-CAT II
	3044F: Most recent hemoglobin A1c (HbA1c) level less
	than 7.0% (DM)
	3046F: Most recent hemoglobin A1c level greater than
	9.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater
	than or equal to 7.0% and less than 8.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater
	than or equal to 8.0% and less than or equal to 9.0% (DM)
HbA1c Lab Test	СРТ
	83036, 83037
	LOINC
	17855-8: Hemoglobin A1c/Hemoglobin; total in Blood by
	calculation
	17856-6: Hemoglobin A1c/Hemoglobin; total in Blood by
	HPLC
	4548-4: Hemoglobin A1c/Hemoglobin; total in Blood
	4549-2: Hemoglobin A1c/Hemoglobin; total in Blood by
	Electrophoresis
CDC Daco and Ethnicity	96595-4: Hemoglobin A1c/Hemoglobin; total in DBS
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native 2028-9: Asian
	2020-7: ASIGIT

Description	CPT/CPT-CAT II/LOINC/HCPCS
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3 : White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.
- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a member's screenings are due.
- Send appointment reminders and call members to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results and document on your chart.
- Draw labs in your office if accessible or refer members to a local lab for screenings.
- Educate your members and their families, caregivers, and guardians on diabetes care, including:
 - o Taking all prescribed medications as directed.
 - o Adding regular exercise to daily activities.
 - o Regularly monitoring blood sugar and blood pressure at home.
 - o Maintaining a healthy weight and ideal body mass index.
 - o Eating heart-healthy, low-calorie, and low-fat foods.
 - o Stopping smoking and avoiding second-hand smoke.
 - o Fasting prior to having blood sugar and lipid panels drawn to ensure accurate results.
 - Keeping all medical appointments; getting help with scheduling necessary appointments, screenings, and tests to improve compliance.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We can help you with comprehensive diabetes care by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Providing programs that may be available to our diabetic members.
- Supplying copies of educational resources on diabetes that may be available for your office.
- Scheduling Clinic Days or providing education at your office if available in your area.

Notes:		

Members may be eligible for transportation assistance at no cost, contact Member Services

Initiation and Engagement of Substance Use Disorder Treatment (IET)

This measure looks at the percentage of new substance use disorder (SUD) episodes that result in treatment initiation and engagement. Two rates are reported:

- Initiation of SUD treatment: The percentage of new SUD episodes that result in treatment
 initiation through an inpatient SUD admission, outpatient visit, intensive outpatient
 encounter, partial hospitalization, telehealth visit, or medication treatment within 14 days.
 November 15 of the year prior to the measurement year to November 14 of the measurement
 year.
- Engagement of SUD treatment: The percentage of new SUD episodes that have evidence of treatment engagement within 34 days of initiation.

Exclusions:

for arrangements.

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Initiation and engagement of alcohol and other drug dependence treatment (IET) codes:

	gement of alcohol and other drug dependence treatment (IET) codes:
Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
BH outpatient	СРТ
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213,
	99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347,
	99348, 99349, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392,
	99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412,
	99483, 99492, 99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings,
	each 15 minutes
	G0176: Activity therapy, such as music, dance, art, or play therapies not for
	recreation, related to the care and treatment of a patient's disabling mental
	health problems, per session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of
	a patient's disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or
	furthering the patient's rehabilitation goals, each 15 minutes, face-to-face;
	individual (services provided by a CORF-qualified social worker or
	psychologist in a CORF)
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G0512: Rural health clinic or federally qualified health center (RHC/FQHC) only,
	psychiatric collaborative care model (psychiatric COCM), 60 minutes or more
	of clinical staff time for psychiatric COCM services directed by an RHC or FQHC
	practitioner (physician, NP, PA, or CNM) and including services furnished by a
	behavioral healthcare manager and consultation with a psychiatric
	consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to a
	treatment program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15
	minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
·	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Buprenorphine	HCPCS
Implant	G2070: Medication-assisted treatment, buprenorphine (implant insertion);
	weekly bundle including dispensing and/or administration, substance use
	counseling, individual and group therapy, and toxicology testing, if performed
	(provision of the services by a Medicare-enrolled opioid treatment program)
	G2072: Medication-assisted treatment, buprenorphine (implant insertion and
	removal); weekly bundle including dispensing and/or administration,
	substance use counseling, individual and group therapy, and toxicology
	testing, if performed (provision of the services by a Medicare-enrolled opioid
	treatment program)
	J0570: Buprenorphine implant, 74.2 mg
Buprenorphine	HCPCS
Injection	G2069: Medication-assisted treatment, buprenorphine (injectable); weekly
	bundle including dispensing and/or administration, substance use counseling,
	individual and group therapy, and toxicology testing, if performed (provision
	of the services by a Medicare-enrolled opioid treatment program)
	Q9991: Injection, buprenorphine extended-release (Sublocade), less than or
	equal to 100 mg
	Q9992: Injection, buprenorphine extended-release (Sublocade), greater than
	100 mg
Buprenorphine	HCPCS
Naloxone	J0572: Buprenorphine/naloxone, oral, less than or equal to 3 mg
	buprenorphine
	J0573: Buprenorphine/naloxone, oral, greater than 3 mg, but less than or
	equal to 6 mg buprenorphine
	J0574: Buprenorphine/naloxone, oral, greater than 6 mg, but less than or
	equal to 10 mg buprenorphine
D 1:	J0575: Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine
Buprenorphine	HCPCS
Oral	H0033: Oral medication administration, direct observation
D 1.	J0571: Buprenorphine, oral, 1 mg
Buprenorphine	HCPCS
Oral Weekly	G2068: Medication-assisted treatment, buprenorphine (oral); weekly bundle
	including dispensing and/or administration, substance use counseling,
	individual and group therapy, and toxicology testing, if performed (provision
	of the services by a Medicare-enrolled opioid treatment program)

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
	G2079: Take-home supply of buprenorphine (oral); up to 7 additional day
	supply (provision of the services by a Medicare-enrolled opioid treatment
	program); list separately in addition to code for primary procedure
Detoxification	HCPCS
	H0008: Alcohol and/or drug services; sub-acute detoxification (hospital
	inpatient)
	H0009: Alcohol and/or drug services; acute detoxification (hospital inpatient)
	H0010: Alcohol and/or drug services; sub-acute detoxification (residential
	addiction program inpatient)
	H0011: Alcohol and/or drug services; acute detoxification (residential
	addiction program inpatient)
	H0012: Alcohol and/or drug services; sub-acute detoxification (residential
	addiction program outpatient)
	H0013: Alcohol and/or drug services; acute detoxification (residential
	addiction program outpatient)
	H0014: Alcohol and/or drug services; ambulatory detoxification
	ICD10PCS:
	HZ2ZZZZ: Detoxification Services for Substance Abuse Treatment
Methadone Oral	HCPCS
	H0020: Alcohol and/or drug services; methadone administration and/or
	service (provision of the drug by a licensed program)
	S0109: Methadone, oral, 5 mg
Methadone Oral	HCPCS
Weekly	G2067: Medication-assisted treatment, methadone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services
	by a Medicare-enrolled opioid treatment program) G2078: Take-home supply of methadone; up to 7 additional day supply
	(provision of the services by a Medicare-enrolled opioid treatment program);
	list separately in addition to code for primary procedure
Naltrexone	HCPCS
Injection	G2073: Medication-assisted treatment, naltrexone; weekly bundle including
Injection	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)
	J2315: Injection, naltrexone, depot form, 1 mg
Online	CPT
assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
	HCPCS
	· · · · · · · · · · · · · · · · · · ·
	G0071: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between a rural health clinic (RHC) or federally qualified health center (FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of remote evaluation of recorded video

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
	and/or images by an RHC or FQHC practitioner, occurring in lieu of an office
	visit; RHC or FQHC only
	G2010 : Remote evaluation of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from a
	related E/M service provided within the previous 7 days nor leading to an E/M
	service or procedure within the next 24 hours or soonest available
	appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related E/M service provided within the
	previous 7 days nor leading to an E/M service or procedure within the next 24
	hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250 : Remote assessment of recorded video and/or images submitted by an
	established patient (for example, store and forward), including interpretation
	with follow-up with the patient within 24 business hours, not originating from a
	related service provided within the previous 7 days nor leading to a service or
	procedure within the next 24 hours or soonest available appointment
	G2251 : Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report evaluation
	and management services, provided to an established patient, not originating
	from a related service provided within the previous 7 days nor leading to a
	service or procedure within the next 24 hours or soonest available
	appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established
	patient, not originating from a related E/M service provided within the
	previous 7 days nor leading to an E/M service or procedure within the next 24
	hours or soonest available appointment; 11-20 minutes of medical discussion
OUD monthly	HCPCS:
office-based	G2086: Office-based treatment for opioid use disorder, including development
treatment	of the treatment plan, care coordination, individual therapy, group therapy,
	and counseling; at least 70 minutes in the first calendar month
	G2087: Office-based treatment for opioid use disorder, including care
	coordination, individual therapy, group therapy, and counseling; at least 60
OUD was able above	minutes in a subsequent calendar month
OUD weekly drug	HCPCS:
treatment service	G2067: Medication-assisted treatment, methadone; weekly bundle including
	dispensing and/or administration, substance use counseling, individual and
	group therapy, and toxicology testing, if performed (provision of the services
	by a Medicare-enrolled opioid treatment program)

CPT/HCPCS/ICD10CM/ICD10PCS/POS **Description G2068:** Medication-assisted treatment, buprenorphine (oral); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) **G2069**: Medication-assisted treatment, buprenorphine (injectable); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) **G2070**: Medication-assisted treatment, buprenorphine (implant insertion); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) **G2072:** Medication-assisted treatment, buprenorphine (implant insertion and removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) **G2073:** Medication-assisted treatment, naltrexone; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) OUD weekly **HCPCS** Nondrug service **G2071:** Medication-assisted treatment, buprenorphine (implant removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) **G2074:** Medication-assisted treatment, weekly bundle not including the drug, including substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicareenrolled opioid treatment program) **G2075:** Medication-assisted treatment, medication not otherwise specified; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a Medicare-enrolled opioid treatment program) **G2076:** Intake activities, including initial medical examination that is a complete, fully documented physical evaluation and initial assessment by a program physician or a primary care physician, or an authorized healthcare professional under the supervision of a program physician qualified personnel that includes preparation of a treatment plan that includes the patient's short-term goals and the tasks the patient must perform to complete the short-term goals; the patient's requirements for education, vocational rehabilitation, and employment; and the medical, psychosocial, economic,

December 11 and	CDT // ICDCC // CD40CN4 // CD40DCC /DOC
Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
	legal, or other supportive services that a patient needs, conducted by
	qualified personnel (provision of the services by a Medicare-enrolled opioid)
	G2077: Periodic assessment; assessing periodically by qualified personnel to
	determine the most appropriate combination of services and treatment
	(provision of the services by a Medicare-enrolled opioid treatment program);
	list separately in addition to code for primary procedure
	G2080: Each additional 30 minutes of counseling in a week of medication-
	assisted treatment, (provision of the services by a Medicare-enrolled opioid
	treatment program); list separately in addition to code for primary procedure
Substance Abuse	ICD10CM
Counseling and	Z71.41: Alcohol abuse counseling and surveillance of alcoholic
Surveillance	Z71.51: Drug abuse counseling and surveillance of drug abuser
Substance Use	СРТ
Disorder Services	99408, 99409
	HCPCS
	G0396 : Alcohol and/or substance (other than tobacco) misuse structured
	assessment (for example, audit, DAST), and brief intervention 15 to 30 minutes
	G0397: Alcohol and/or substance (other than tobacco) misuse structured
	assessment (for example, audit, DAST), and intervention, greater than 30
	minutes
	G0443 : Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes
	H0001: Alcohol and/or drug assessment
	H0005: Alcohol and/or drug services; group counseling by a clinician
	H0007: Alcohol and/or drug services; crisis intervention (outpatient)
	H0015 : Alcohol and/or drug services; intensive outpatient (treatment program
	that operates at least 3 hours/day and at least 3 days/week and is based on
	an individualized treatment plan), including assessment, counseling; crisis
	intervention, and activity therapies or education
	H0016: Alcohol and/or drug services; medical/somatic (medical intervention in
	ambulatory setting)
	H0022: Alcohol and/or drug intervention service (planned facilitation)
	H0047: Alcohol and/or other drug abuse services, not otherwise specified
	H0050: Alcohol and/or drug services, brief intervention, per 15 minutes
	H2035: Alcohol and/or other drug treatment program, per hour
	H2036 Alcohol and/or other drug treatment program, per diem
	T1006 : Alcohol and/or substance abuse services, family/couple counseling
	T1012 : Alcohol and/or substance abuse services, skills development
Telehealth POS	POS
	02: Telehealth Provided Other than in Patient's Home
	10: Telehealth Provided in Patient's Home
Telephone visits	СРТ
3.2 2	98966, 98967, 98968, 99441, 99442, 99443
L	

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS		
Visit setting	CPT		
unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845,		
	90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233,		
	99238, 99239, 99252, 99253, 99254, 99255		
CDC Race and	1002-5: American Indian or Alaska Native		
Ethnicity	2028-9: Asian		
	2054-5: Black or African American		
	2076-8: Native Hawaiian or Other Pacific Islander		
	2106-3 : White		
	2135-2: Hispanic or Latino		
	2186-5: Not Hispanic or Latino		

Note: The codes listed are informational only; this information does not guarantee reimbursement.

How can we help?

We can help you with monitoring the initiation and engagement of alcohol and other drug dependence treatment by:

- Reaching out to providers to be advocates and providing the resources to educate our members.
- Calling our behavioral health Provider Service for additional information.
- Guiding with the above-noted services to drive member success in completing alcohol and other drug dependence treatment.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful tip:

• If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:		
-		

Immunizations for Adolescents (IMA)

This measure reviews the percentage of adolescents 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.

Vaccines administered on or before their 13th birthday:

- One MCV/meningococcal vaccine on or between their 11th and 13th birthdays, and one Tdap or one Td vaccine on or between their 10th and 13th birthdays
- At least two doses of HPV vaccine with DOS at 146 days apart on or between the 9th and 13th birthdays:
 - o Or at least three HPV vaccines with different dates of service on or between the ninth and 13th birthdays

Record your efforts

Immunization information obtained from the medical record:

- A note indicating the name of the specific antigen and the date of the immunization.
- A certificate of immunization prepared by an authorized healthcare provider or agency, including the specific dates and types of immunizations administered.
- Document in the medical record the parent or guardian's refusal.

Two-dose HPV vaccination series:

• There must be at least 146 days between the first and second doses of the HPV vaccine.

Meningococcal:

• Do not count meningococcal recombinant (serogroup B) (MenB) vaccines.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Description	СРТ	CVX
HPV Vaccine Procedure	90649, 90650, 90651	62: Human papillomavirus vaccine, quadrivalent 118: Human papillomavirus vaccine, bivalent 137: HPV, unspecified formulation 165: Human Papillomavirus 9-valent vaccine
Meningococcal Vaccine Procedure	90619, 90733, 90734	32: Meningococcal polysaccharide vaccine (MPSV4) 108: Meningococcal ACWY vaccine, unspecified formulation 114: Meningococcal polysaccharide (groups A, C, Y, and W-135) diphtheria toxoid conjugate vaccine (MCV4P) 136: Meningococcal oligosaccharide (groups A, C, Y, and W-135) diphtheria toxoid conjugate vaccine (MCV4O) 147: Meningococcal, MCV4, unspecified conjugate formulation (groups A, C, Y, and W-135) 167: Meningococcal vaccine of unknown formulation and unknown serogroups 203: Meningococcal polysaccharide (groups A, C, Y, and W-135) tetanus toxoid conjugate vaccine 0.5mL dose, preservative-free
Tdap Vaccine Procedure	90715	115
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native 2028-9: Asian 2054-5: Black or African American 2076-8: Native Hawaiian or Other Pacific Islander 2106-3: White 2135-2: Hispanic or Latino 2186-5: Not Hispanic or Latino	

Note: The codes listed are informational only; this information does not guarantee reimbursement.

How can we help?

We help you meet this benchmark by:

• Offering current Clinical Practice Guidelines on our provider self-service website.

•	Members may be eligible for transportation assistance at no cost, contact Member Services
	for arrangements.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:	

Kidney Health Evaluation for Patients with Diabetes (KED)

This measure evaluates the percentage of members 18 to 85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) *and* a urine albumin-creatinine ratio (uACR), during the measurement year.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members receiving palliative care anytime during the measurement year
- Members who had an encounter for palliative care anytime during the measurement year
- Members with a diagnosis of end-stage renal disease (ESRD) anytime during the member's history on or prior to December 31 of the measurement year
- Members who had dialysis anytime during the member's history on or prior to December 31 of the measurement year
- Members 66 to 80 years of age as of December 31 of the measurement year (all product lines) with frailty and advanced illness; members must meet BOTH frailty and advanced illness criteria to be excluded
- Members 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year
- Advanced illness on at least two different dates of service
- Dispensed dementia medication

Description	CPT/LOINC CPT/LOINC
Estimated Glomerular	СРТ
Filtration Rate Lab Test	80047, 80048, 80050, 80053, 80069, 82565
	LOINC
	50044-7: Glomerular filtration rate/1.73 sq M. Predicted among females
	[Volume Rate/Area] in Serum, Plasma, or Blood by Creatinine-based
	formula (MDRD)
	50210-4: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood by Cystatin C-based formula
	50384-7: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood by Creatinine-based formula
	(Schwartz)

Description	CPT/LOINC
	62238-1: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood by Creatinine-based formula
	(CKD-EPI)
	69405-9: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood
	70969-1: Glomerular filtration rate/1.73 sq M. Predicted among males
	[Volume Rate/Area] in Serum, Plasma, or Blood by Creatinine-based
	formula (MDRD)
	77147-7: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood by Creatinine-based formula
	(MDRD)
	94677-2: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood by Creatinine and Cystatin C-
	based formula (CKD-EPI)
	98979-8: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood by Creatinine-based formula
	(CKD-EPI 2021)
	98980-6: Glomerular filtration rate/1.73 sq M. Predicted [Volume
	Rate/Area] in Serum, Plasma, or Blood by Creatinine and Cystatin C-
	based formula (CKD-EPI 2021)
Quantitative Urine	СРТ
Albumin Lab Test	82043
	LOINC
	100158-5: Microalbumin [Mass/volume] in Urine collected for an
	unspecified duration
	14957-5: Microalbumin [Mass/volume] in Urine
	1754-1: Albumin [Mass/volume] in Urine
	21059-1: Albumin [Mass/volume] in 24-hour Urine
	30003-8 : Microalbumin [Mass/volume] in 24-hour Urine
	43605-5: Microalbumin [Mass/volume] in 4-hour Urine
	53530-2: Microalbumin [Mass/volume] in 24-hour Urine by Detection
	limit <= 1.0 mg/L
	53531-0: Microalbumin [Mass/volume] in Urine by Detection limit <= 1.0
	mg/L
	57369-1: Microalbumin [Mass/volume] in 12-hour Urine
	89999-7: Microalbumin [Mass/volume] in Urine by Detection limit <= 3.0
	mg/L
Urine Albumin	LOINC
Creatinine Ratio Lab	13705-9 : Albumin/Creatinine [Mass Ratio] in 24-hour Urine
Test	14958-3: Microalbumin/Creatinine [Mass Ratio] in 24-hour Urine
	14959-1: Microalbumin/Creatinine [Mass Ratio] in Urine
	30000-4 : Microalbumin/Creatinine [Ratio] in Urine
	44292-1: Microalbumin/Creatinine [Mass Ratio] in 12-hour Urine

Description	CPT/LOINC		
	59159-4: Microalbumin/Creatinine [Ratio] in 24-hour Urine		
	76401-9: Albumin/Creatinine [Ratio] in 24-hour Urine		
	77253-3: Microalbumin/Creatinine [Ratio] in Urine by Detection limit <=		
	1.0 mg/L		
	77254-1: Microalbumin/Creatinine [Ratio] in 24-hour Urine by Detection		
	limit <= 1.0 mg/L		
	89998-9: Microalbumin/Creatinine [Ratio] in Urine by Detection limit <=		
	3.0 mg/L		
	9318-7: Albumin/Creatinine [Mass Ratio] in Urine		
Urine Creatinine Lab	CPT		
Test	82570		
	LOINC		
	20624-3: Creatinine [Mass/volume] in 24-hour Urine		
	2161-8: Creatinine [Mass/volume] in Urine		
	35674-1: Creatinine [Mass/volume] in Urine collected for an unspecified		
	duration		
	39982-4: Creatinine [Mass/volume] in Urine – baseline		
	57344-4: Creatinine [Mass/volume] in 2-hour Urine		
	57346-9: Creatinine [Mass/volume] in 12-hour Urine		
	58951-5: Creatinine [Mass/volume] in Urine – 2nd specimen		
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native		
	2028-9: Asian		
	2054-5: Black or African American		
	2076-8: Native Hawaiian or Other Pacific Islander		
	2106-3 : White		
	2135-2: Hispanic or Latino		
	2186-5: Not Hispanic or Latino		

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:			
			_

Use of Imaging Studies for Low Back Pain (LBP)

This HEDIS measure looks at the percentage of members 18 to 75 years of age with a principal diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis from January 1 to December 3 of the measurement year.

The measure is reported as an inverted rate. A higher score indicates appropriate treatment of low back pain (for example, the proportion for whom imaging studies did not occur).

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year.
- Members who die anytime during the measurement year.
- Members 66 years of age or older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet BOTH frailty and advanced illness criteria to be excluded.
- Members meet any of the following criteria:
 - o Cancer
 - Recent trauma
 - o Intravenous drug abuse
 - o Neurological impairment
 - o HIV
 - Spinal infection
 - o Major organ transplant
 - o Prolonged use of corticosteroids
 - o Osteoporosis
 - o Lumbar surgery
 - o Spondylopathy
 - o Fragility fracture
 - o Spondylopathy



Anthem Blue Cross and Blue Shield | Serving Hoosier Healthwise, Healthy Indiana Plan, and Hoosier Care Connect

Services	CPT/ICD10CM
Uncomplicated Low	ICD10CM
Back Pain	M47.26: Other spondylosis with radiculopathy, lumbar region
	M47.27: Other spondylosis with radiculopathy, lumbosacral region
	M47.28: Other spondylosis with radiculopathy, sacral and sacrococcygeal
	region
	M47.816: Spondylosis without myelopathy or radiculopathy, lumbar region
	M47.817: Spondylosis without myelopathy or radiculopathy, lumbosacral
	region
	M47.818: Spondylosis without myelopathy or radiculopathy, sacral and
	sacrococcygeal region
	M47.896: Other spondylosis, lumbar region
	M47.897: Other spondylosis, lumbosacral region
	M47.898: Other spondylosis, sacral and sacrococcygeal region
	M48.061: Spinal stenosis, lumbar region without neurogenic claudication
	M48.07: Spinal stenosis, lumbosacral region
	M48.08: Spinal stenosis, sacral and sacrococcygeal region
	M51.16: Intervertebral disc disorders with radiculopathy, lumbar region
	M51.17: Intervertebral disc disorders with radiculopathy, lumbosacral region
	M51.26: Other intervertebral disc displacement, lumbar region
	M51.27: Other intervertebral disc displacement, lumbosacral region
	M51.36: Other intervertebral disc degeneration, lumbar region
	M51.37: Other intervertebral disc degeneration, lumbosacral region
	M51.86: Other intervertebral disc disorders, lumbar region
	M51.87: Other intervertebral disc disorders, lumbosacral region
	M53.2X6: Spinal instabilities, lumbar region
	M53.2X7: Spinal instabilities, lumbosacral region
	M53.2X8: Spinal instabilities, sacral and sacrococcygeal region
	M53.3: Sacrococcygeal disorders, not elsewhere classified
	M53.86: Other specified dorsopathies, lumbar region
	M53.87: Other specified dorsopathies, lumbosacral region
	M53.88: Other specified dorsopathies, sacral and sacrococcygeal region
	M54.16: Radiculopathy, lumbar region
	M54.17: Radiculopathy, lumbosacral region
	M54.18: Radiculopathy, sacral and sacrococcygeal region
	M54.30: Sciatica, unspecified side
	M54.31: Sciatica, right side
	M54.32: Sciatica, left side
	M54.40: Lumbago with sciatica, unspecified side
	M54.41: Lumbago with sciatica, right side

Providers who are contracted with Anthem Blue Cross and Blue Shield to serve Hoosier Healthwise, Healthy Indiana Plan, and Hoosier Care Connect through an accountable care organization (ACO), participating medical group (PMG) or Independent Physician Association (IPA) are to follow guidelines and practices of the group. This includes but is not limited to authorization, covered benefits and services, and claims submittal. If you have questions, please contact your group administrator or your Anthem network representative.

Anthem Blue Cross and Blue Shield is the trade name of Anthem Insurance Companies, Inc. Independent licensee of the Blue Cross Blue Shield Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc. INBCBS-CD-041946-23 January 2024

Services	CPT/ICD10CM
	M54.42: Lumbago with sciatica, left side
	M54.50: Low back pain, unspecified
	M54.51: Vertebrogenic low back pain
	M54.59: Other low back pain
	M54.89: Other dorsalgia
	M54.9: Dorsalgia, unspecified
	M99.03: Segmental and somatic dysfunction of lumbar region
	M99.04: Segmental and somatic dysfunction of sacral region
	M99.23: Subluxation stenosis of neural canal of lumbar region
	M99.33: Osseous stenosis of neural canal of lumbar region
	M99.43: Connective tissue stenosis of neural canal of lumbar region
	M99.53: Intervertebral disc stenosis of neural canal of lumbar region
	M99.63: Osseous and subluxation stenosis of intervertebral foramina of
	lumbar region
	M99.73: Connective tissue and disc stenosis of intervertebral foramina of
	lumbar region
	M99.83: Other biomechanical lesions of lumbar region
	M99.84: Other biomechanical lesions of sacral region
	S33.100A: Subluxation of unspecified lumbar vertebra, initial encounter
	S33.100D: Subluxation of unspecified lumbar vertebra, subsequent
	encounter
	\$33.100S: Subluxation of unspecified lumbar vertebra, sequela
	S33.110A: Subluxation of L1/L2 lumbar vertebra, initial encounter
	\$33.110D: Subluxation of L1/L2 lumbar vertebra, subsequent encounter
	\$33.110S: Subluxation of L1/L2 lumbar vertebra, sequela
	S33.120A: Subluxation of L2/L3 lumbar vertebra, initial encounter
	S33.120D: Subluxation of L2/L3 lumbar vertebra, subsequent encounter
	\$33.120S: Subluxation of L2/L3 lumbar vertebra, sequela
	S33.130A: Subluxation of L3/L4 lumbar vertebra, initial encounter
	S33.130D: Subluxation of L3/L4 lumbar vertebra, subsequent encounter
	S33.130S: Subluxation of L3/L4 lumbar vertebra, sequela
	S33.140A: Subluxation of L4/L5 lumbar vertebra, initial encounter
	\$33.140D: Subluxation of L4/L5 lumbar vertebra, subsequent encounter
	\$33.140S: Subluxation of L4/L5 lumbar vertebra, sequela
	S33.5XXA: Sprain of ligaments of lumbar spine, initial encounter
	S33.6XXA: Sprain of sacroiliac joint, initial encounter
	S33.8XXA: Sprain of other parts of lumbar spine and pelvis, initial encounter
	S33.9XXA: Sprain of unspecified parts of lumbar spine and pelvis, initial
	encounter
	S39.002A: Unspecified injury of muscle, fascia, and tendon of lower back,
	initial encounter
	S39.002D: Unspecified injury of muscle, fascia, and tendon of lower back,
	subsequent encounter

Services	CPT/ICD10CM
	\$39.002S: Unspecified injury of muscle, fascia, and tendon of lower back,
	sequela
	S39.012A: Strain of muscle, fascia, and tendon of lower back, initial
	encounter
	\$39.012D: Strain of muscle, fascia, and tendon of lower back, subsequent encounter
	\$39.0125: Strain of muscle, fascia, and tendon of lower back, sequela
	\$39.092A: Other injuries of muscle, fascia, and tendon of lower back, initial encounter
	\$39.092D: Other injuries of muscle, fascia, and tendon of lower back, subsequent encounter
	\$39.0925: Other injuries of muscle, fascia, and tendon of lower back, sequela
	\$39.82XA: Other specified injuries of lower back, initial encounter
	S39.82XD: Other specified injuries of lower back, subsequent encounter
	\$39.82XS: Other specified injuries of lower back, sequela
	S39.92XA: Unspecified injury of lower back, initial encounter
	S39.92XD: Unspecified injury of lower back, subsequent encounter
	\$39.92XS: Unspecified injury of lower back, sequela
Imaging study	СРТ
	72020, 72040, 72050, 72052, 72070, 72072, 72074, 72080, 72081,
	72082, 72083, 72084, 72100, 72110, 72114, 72120, 72125, 72126, 72127, 72128, 72129,
	72130, 72131, 72132, 72133, 72141, 72142, 72146, 72147, 72148, 72149, 72156, 72157,
	72158, 72200, 72202, 72220

Note: The codes listed are informational only; this information does not guarantee reimbursement.

How can we help?


We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:



Lead Screening in Children (LSC)

This HEDIS measure looks at the percentage of children 2 years of age who had one or more capillary or venous lead blood tests for lead poisoning by their second birthday.

Record your efforts

When documenting lead screening, include:

- Date the test was reported.
- Results or findings.

Note: *Unknown* is not considered a result/finding for medical record reporting.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Codes to identify lead test:

Services	CPT/LOINC CPT/LOINC
Lead tests	CPT
	83655

LOINC
10368-9: Lead [Mass/volume] in Capillary blood
10912-4: Lead [Mass/volume] in Serum or Plasma
14807-2: Lead [Moles/volume] in Blood
17052-2: Lead [Presence] in Blood
25459-9: Lead [Moles/volume] in Serum or Plasma
27129-6: Lead [Mass/mass] in Red Blood Cells
32325-3: Lead [Moles/volume] in Red Blood Cells
5671-3: Lead [Mass/volume] in Blood
5674-7: Lead [Mass/volume] in Red Blood Cells
77307-7: Lead [Mass/volume] in Venous blood

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Draw member's blood while they are in your office instead of sending them to the lab.
- Consider performing finger stick screenings in your practice.
- Assign one staff member to follow up on results when members are sent to a lab for screening.
- Develop a process to check medical records for lab results to ensure previously ordered lead screenings have been completed and documented.
- Use sick and well-child visits as opportunities to encourage parents to have their child tested.
- Include a lead test reminder with the lab name and address on your appointment confirmation/reminder cards.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you with lead screening in children by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Other available resources

cdc.gov/nceh/lead/audience/healthcare-providers.html

-				
	_	_	_	
N	~	т	_	c.

Oral Evaluation, Dental Services (OED)

This HEDIS measure looks at the percentage of members under 21 years of age who received a comprehensive oral evaluation with a dental provider during the measurement year.

Record your efforts:

Date of evaluation

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Codes to identify lead test:

Services	CDT
Oral Evaluation	CDT
	D0120: Periodic oral evaluation – established patient

D0145: Oral evaluation for a patient under three years of age and counseling
with primary caregiver
D0150: Comprehensive oral evaluation – new or established patient

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:		

Prenatal and Postpartum Care (PPC)

This HEDIS measure looks at the percentage of deliveries of live births on or between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these members, the measure assesses the following facets of prenatal and postpartum care:

- **Timeliness of prenatal care:** The percentage of deliveries that received a prenatal care visit in the first trimester on or before the enrollment start date or within 42 days of enrollment in the organization.
- **Postpartum Care:** The percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery.

Record your efforts

Prenatal care visit must include one of the following:

- Diagnosis of pregnancy
- A physical examination that includes one of the following:

- o Auscultation for fetal heart tone
- o Pelvic exam with obstetric observations
- o Measurement of fundus height
- Evidence that a prenatal care procedure was performed such as one of the following:
 - Obstetric panel including hematocrit, differential WBC count, platelet count, hepatitis B surface antigen, rubella antibody, syphilis test, RBC antibody screen, Rh and ABO blood typing
 - o TORCH antibody panel alone
 - o A rubella antibody test/titer with an Rh incompatibility (ABO/Rh) blood typing
 - o Ultrasound of a pregnant uterus
- Documentation of LMP, EDD, or gestational age in conjunction with either of the following.
 - o Prenatal risk assessment and counseling/education
 - o Complete obstetrical history

Postpartum care visit on or between 7 and 84 days after delivery

Documentation in the medical record must include a note indicating the date when a postpartum visit occurred and any of the following:

- Pelvic exam
- Evaluation of weight, BP, breasts, and abdomen
- Notation of breastfeeding is acceptable for the evaluation of breasts component
- Notation of postpartum care, including, but not limited to:
 - o Notation of postpartum care, PP care, PP check, 6-week check
 - A preprinted Postpartum Care form in which information was documented during the visit
- Perineal or cesarean incision/wound check
- Screening for depression, anxiety, tobacco use, substance use disorder, or preexisting mental health disorders
- Glucose screening for women with gestational diabetes
- Documentation of any of the following topics:
 - o Infant care or breastfeeding
 - o Resumption of intercourse, birth spacing, or family planning
 - Sleep/fatique
 - o Resumption of physical activity and attainment of healthy weight

Exclusions:

- Non-live births
- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Services	CPT/ CPT-CAT II/HCPCS/ ICD10PCS
Deliveries	СРТ

Services	CPT/ CPT-CAT II/HCPCS/ ICD10PCS
	59400, 59409, 59410, 59510, 59514, 59515, 59610, 59612, 59614, 59618,
	59620, 59622
	ICD10PCS
	10D00Z0: Extraction of Products of Conception, High, Open Approach
	10D00Z1: Extraction of Products of Conception, Low, Open Approach
	10D00Z2: Extraction of Products of Conception, Extraperitoneal, Open
	Approach
	10D07Z3: Extraction of Products of Conception, Low Forceps, Via
	Natural or Artificial Opening
	10D07Z4: Extraction of Products of Conception, Mid Forceps, Via
	Natural or Artificial Opening
	10D07Z5: Extraction of Products of Conception, High Forceps, Via
	Natural or Artificial Opening
	10D07Z6: Extraction of Products of Conception, Vacuum, Via Natural or
	Artificial Opening
	10D07Z7: Extraction of Products of Conception, Internal Version, Via
	Natural or Artificial Opening
	10D07Z8: Extraction of Products of Conception, Other, Via Natural or
	Artificial Opening
	10E0XZZ: Delivery of Products of Conception, External Approach
Decreated Divisible d	CDT
Prenatal Bundled Services	CPT
Services	59400, 59425, 59426, 59510, 59610, 59618 HCPCS
	H1005: Prenatal care, at-risk enhanced service package (includes
	h1001-h1004)
Prenatal Visits	CPT
Trended visits	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203,
	99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244,
	99245, 99421, 99422, 99423, 99441, 99442, 99443, 99457, 99458, 99483
	HCPCS
	G0071 : Payment for communication technology-based services for 5
	minutes or more of a virtual (non-face-to-face) communication
	between a rural health clinic (RHC) or federally qualified health center
	(FQHC) practitioner and RHC or FQHC patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an RHC or
	FQHC practitioner, occurring in lieu of an office visit; RHC or FQHC only
	G0463: Hospital outpatient clinic visit for assessment and
	management of a patient
	G2010: Remote evaluation of recorded video and/or images submitted
	by an established patient (for example, store and forward), including
	by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours,

Services	CPT/ CPT-CAT II/HCPCS/ ICD10PCS
	7 days nor leading to an E/M service or procedure within the next 24
	hours or soonest available appointment
	G2012: Brief communication technology-based service, for example,
	virtual check-in, by a physician or other qualified healthcare
	professional who can report evaluation and management services,
	provided to an established patient, not originating from a related E/M
	service provided within the previous 7 days nor leading to an E/M
	service or procedure within the next 24 hours or soonest available
	appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images
	submitted by an established patient (for example, store and forward),
	including interpretation with follow-up with the patient within 24
	business hours, not originating from a related service provided within
	the previous 7 days nor leading to a service or procedure within the
	next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, for example,
	virtual check-in, by a qualified healthcare professional who cannot
	report evaluation and management services, provided to an
	established patient, not originating from a related service provided
	within the previous 7 days nor leading to a service or procedure within
	the next 24 hours or soonest available appointment; 5-10 minutes of
	clinical discussion
	G2252: Brief communication technology-based service, for example,
	virtual check-in, by a physician or other qualified healthcare
	professional who can report evaluation and management services,
	provided to an established patient, not originating from a related E/M
	service provided within the previous 7 days nor leading to an E/M
	service or procedure within the next 24 hours or soonest available
	appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive
Stand-Alone Prenatal	CPT
Visits	99500
	CPT-CAT II
	0500F : Initial prenatal care visit (report at first prenatal encounter with
	healthcare professional providing obstetrical care; report also the
	date of visit and, in a separate field, the date of the last menstrual
	period [LMP]) (Prenatal)
	0501F: Prenatal flow sheet documented in the medical record by first
	prenatal visit (documentation includes the minimum blood pressure,
	weight, urine protein, uterine size, fetal heart tones, and estimated
	date of delivery); report also: date of visit and, in a separate field, the
	date of the last menstrual period [LMP] (Note: If reporting 0501F

Services	CPT/ CPT-CAT II/HCPCS/ ICD10PCS
	Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal
	care visit) (Prenatal)
	0502F: Subsequent prenatal care visit (Prenatal) [Excludes: patients
	who are seen for a condition unrelated to pregnancy or prenatal care
	(for example, an upper respiratory infection; patients seen for
	consultation only, not for continuing care)]
	HCPCS
	H1000: Prenatal care, at-risk assessment
	H1001: Prenatal care, at-risk enhanced service; antepartum
	management
	H1002: Prenatal care, at-risk enhanced service; care coordination
	H1003: Prenatal care, at-risk enhanced service; education
Postpartum Bundles	H1004: Prenatal care, at-risk enhanced service; follow-up home visit CPT
Services	59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622
Postpartum Care	СРТ
· ·	57170, 58300, 59430, 99501
	CPT-CAT II
	Postpartum care visit (Prenatal)
	HCPCS
	Cervical or vaginal cancer screening; pelvic and clinical breast
	examination
CDC Race and Ethnicity	1002-5: American Indian or Alaska Native
	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: These codes are used to capture encounter data for individual prenatal and postpartum visits. Category II codes do not generate payment but help with more accurate reporting. The designated CPT Category II codes should be used in conjunction with the date of the prenatal or postpartum visit.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful tip: If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:			

Statin Therapy for Patients with Cardiovascular Disease (SPC)

This HEDIS measure looks at the percentage of males 21 to 75 years of age and females 40 to 75 years of age during the measurement year, who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria. The following rates are reported:

- **Received statin therapy:** Members who were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year.
- **Statin adherence 80%:** Members who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period (treatment period begins with the earliest dispensing event for any high-intensity or moderate-intensity statin medication during the measurement year).

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members with a diagnosis of pregnancy during the measurement year or the year prior to the measurement year.
- In vitro fertilization in the measurement year or the year prior to the measurement year.
- Dispensed at least one prescription for clomiphene during the measurement year or the year prior to the measurement year.
- End-stage renal disease (ESRD) during the measurement year or the year prior to the measurement year.
- Dialysis during the measurement year or the year prior to the measurement year.
- Cirrhosis during the measurement year or the year prior to the measurement year.
- Myalgia, myositis, myopathy, or rhabdomyolysis during the measurement year.
- Members receiving palliative care anytime during the measurement year.
- Members who had an encounter for palliative care anytime during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness; members must meet both frailty and advanced illness criteria to be excluded

High- and Moderate-Intensity Statin Medications

Description	Prescription	
High-intensity statin therapy	Atorvastatin 40-80 mg	
High-intensity statin therapy	Amlodipine-atorvastatin 40-80 mg	
High-intensity statin therapy	Rosuvastatin 20-40 mg	
High-intensity statin therapy	Simvastatin 80 mg	
High-intensity statin therapy	Ezetimibe-simvastatin 80 mg	
Moderate-intensity statin	Atomicstatin 10 20 mg	
therapy	Atorvastatin 10-20 mg	
Moderate-intensity statin therapy	Amlodipine-atorvastatin 10-20 mg	

Description	Prescription
Moderate-intensity statin therapy	Rosuvastatin 5-10 mg
Moderate-intensity statin	Simvastatin 20-40 mg
therapy	
Moderate-intensity statin	Ezetimibe-simvastatin 20-40 mg
therapy	
Moderate-intensity statin	Pravastatin 40-80 mg
therapy	
Moderate-intensity statin	Lovastatin 40 mg
therapy	
Moderate-intensity statin	Fluvastatin 40-80 mg
therapy	
Moderate-intensity statin	Pitavastatin 1-4 mg
therapy	

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:	

Statin Therapy for Patients With Diabetes (SPD)

This HEDIS measure looks at the percentage of members 40 to 75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) and who met the following criteria.

Two rates are reported:

- **Received statin therapy:** members who were dispensed at least one statin medication of any intensity during the measurement year
- **Statin Adherence 80%**: members who remained on a statin medication of any intensity for at least 80% of the treatment period (treatment period begins with the earliest dispensing event for any statin medication during the measurement year)

Record your efforts:

- Document review of continued use of prescribed medications during member visits
- Document evidence of exclusion criteria

Exclusions:

- Members with at least one of the following during the year prior to the measurement year in any setting:
 - o Myocardial Infarction (MI)
 - o Coronary artery bypass graft (CABG)
 - o Percutaneous Coronary Intervention (PCI)
 - o Other revascularization procedures
- Members who had at least one encounter with a diagnosis of IVD during both the measurement year and the year prior to the measurement year
- Members with a diagnosis of pregnancy during the measurement year or year prior to the measurement year
- In vitro fertilization in the measurement year or year prior to the measurement year
- Dispensed at least one prescription for clomiphene during the measurement year or the year prior to the measurement year
- End-stage renal disease (ESRD) during the measurement year or the year prior to the measurement year
- Dialysis during the measurement year or the year prior to the measurement year
- Cirrhosis during the measurement year or the year prior to the measurement year
- Myalgia, myositis, myopathy, or rhabdomyolysis during the measurement year
- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

- Members receiving palliative care anytime during the measurement year
- Members who had an encounter for palliative care anytime during the measurement year
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty **and** advanced illness; members must meet **both** frailty and advanced illness criteria to be excluded

Diabetes Medications

Description	Prescription		
Alpha-glucosidase	Acarbose		
inhibitors	Miglitol		
Amylin analogs	Pramlintide		
Antidiabetic combinations	Alogliptin-metformin Alogliptin-pioglitazone Canagliflozin-metformin Dapagliflozin- metformin Dapagliflozin- saxagliptin Empagliflozin- linagliptin Empagliflozin- linagliptin-metformin	Empagliflozin- metformin Ertugliflozin-metfor Ertugliflozin-sitagl Glimepiride- pioglitazone Glipizide-metform Glyburide-metforn Linagliptin-metfor	iptin Metformin-saxagliptin Metformin-sitagliptin in nin
Insulin	Insulin aspart Insulin aspart-insulin aspart-insulin aspart-insulin aspart-insulin aspart-insulin degludec Insulin degludec-liraglution Insulin detemir Insulin glargine Insulin glargine-lixisenation	art Insul Insul Insul de Insul Insul	in glulisine in isophane human in isophane-insulin regular in lispro in lispro-insulin lispro protamine in regular human in human inhaled
Meglitinides	Nateglinide Repaglinide		
Biguanides	Metformin		
Glucagon-like	Albiglutide	Liraç	glutide
peptide-1 (GLP1)	Dulaglutide	Lixise	enatide
agonists	Exenatide	Sem	aglutide
Sodium-glucose	Canagliflozin	Emp	agliflozin
cotransporter 2 (SGLT2) inhibitor	Dapagliflozin	Ertuç	gliflozin
Sulfonylureas	Chlorpropamide	Glyb	uride

Description	Prescription	
	Glimepiride	Tolazamide
	Glipizide	Tolbutamide
Thiazolidinediones	Pioglitazone Rosiglitazone	
Dipeptidyl peptidase-4 (DDP- 4) inhibitors	Alogliptin Linagliptin	Saxagliptin Sitagliptin

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:			
•			

Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

This HEDIS measure looks at the percentage of members 18 to 64 with schizophrenia, schizoaffective disorder, or bipolar disorder who were dispensed an antipsychotic medication and had a diabetic screening test during the measurement year.

Record your efforts:

- Document review of continued use of prescribed medications during member visits
- Document evidence of exclusion criteria

An antipsychotic medication dispensed event during the measurement year identified by claim/encounter data or pharmacy data **and** a glucose test or an HbA1c test performed during the measurement year, as identified by claim/encounter or automated laboratory data.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year
- Members with diabetes
- Members who had no antipsychotic medications dispensed during the measurement year

Services	CPT/CPT-CATII/HCPCS/LOINC
Glucose Lab Test	CPT
	80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
	LOINC
	10450-5: Glucose [Mass/volume] in Serum or Plasma – 10 hours fasting
	1492-8: Glucose [Mass/volume] in Serum or Plasma – 1.5 hours post 0.5
	g/kg glucose IV
	1494-4: Glucose [Mass/volume] in Serum or Plasma – 1.5 hours post 100 g
	glucose PO
	1496-9: Glucose [Mass/volume] in Serum or Plasma – 1.5 hours post 75 g
	glucose PO
	1499-3: Glucose [Mass/volume] in Serum or Plasma – 1 hour post 0.5 g/kg
	glucose IV

Services	CPT/CPT-CATII/HCPCS/LOINC
	1501-6: Glucose [Mass/volume] in Serum or Plasma – 1 hour post 100 g
	glucose PO
	1504-0: Glucose [Mass/volume] in Serum or Plasma – 1 hour post 50 g
	glucose PO
	1507-3: Glucose [Mass/volume] in Serum or Plasma – 1 hour post 75 g
	glucose PO
	1514-9 Glucose [Mass/volume] in Serum or Plasma – 2 hours post 100 g
	glucose PO
	1518-0: Glucose [Mass/volume] in Serum or Plasma – 2 hours post 75 g
	glucose PO
	1530-5: Glucose [Mass/volume] in Serum or Plasma – 3 hours post 100 g
	glucose PO
	1533-9: Glucose [Mass/volume] in Serum or Plasma – 3 hours post 75 g
	glucose PO
	1554-5: Glucose [Mass/volume] in Serum or Plasma – 12 hours fasting
	1557-8 Fasting glucose [Mass/volume] in Venous blood
	1558-6: Fasting glucose [Mass/volume] in Serum or Plasma
	17865-7: Glucose [Mass/volume] in Serum or Plasma – 8 hours fasting
	20436-2: Glucose [Mass/volume] in Serum or Plasma – 2 hours post-dose
	glucose
	20437-0: Glucose [Mass/volume] in Serum or Plasma – 3 hours post-dose
	glucose
	20438-8: Glucose [Mass/volume] in Serum or Plasma – 1 hour post-dose
	glucose
	20440-4: Glucose [Mass/volume] in Serum or Plasma – 1.5 hours post-dose
	glucose
	2345-7: Glucose [Mass/volume] in Serum or Plasma
	26554-6: Glucose [Mass/volume] in Serum or Plasma – 2.5 hours post-dose
	glucose
	41024-1: Glucose [Mass/volume] in Serum or Plasma – 2 hours post 50 g
	glucose PO
	49134-0: Glucose [Mass/volume] in Blood – 2 hours post-dose glucose
	6749-6: Glucose [Mass/volume] in Serum or Plasma – 2.5 hours post 75 g
	glucose PO
	9375-7: Glucose [Mass/volume] in Serum or Plasma – 2.5 hours post 100 g
LIb A1c Toots Doordto	glucose PO
HbA1c Tests Results	CPT-CAT II
or Findings:	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
	3046F: Most recent hemoglobin A1c level greater than 9.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less than 8.0% (DM)
	· · ·
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to
	8.0% and less than or equal to 9.0% (DM)

Services	CPT/CPT-CATII/HCPCS/LOINC
HbA1c Lab Test	CPT
	83036, 83037
	LOINC
	17855-8: Hemoglobin A1c/Hemoglobin; total in Blood by calculation
	17856-6: Hemoglobin A1c/Hemoglobin; total in Blood by HPLC
	4548-4: Hemoglobin A1c/Hemoglobin; total in Blood
	4549-2: Hemoglobin A1c/Hemoglobin; total in Blood by Electrophoresis
	96595-4: Hemoglobin A1c/Hemoglobin; total in DBS
Online assessments	CPT
Offilite assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
	HCPCS
	G0071 : Payment for communication technology-based services for 5
	minutes or more of a virtual (non-face-to-face) communication between a
	rural health clinic (RHC) or federally qualified health center (FQHC)
	practitioner and RHC or FQHC patient, or 5 minutes or more of remote
	evaluation of recorded video and/or images by an RHC or FQHC
	practitioner, occurring in lieu of an office visit; RHC or FQHC only
	G2010 : Remote evaluation of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related E/M service provided within the previous 7 days
	nor leading to an E/M service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	check-in, by a physician or other qualified healthcare professional who
	can report evaluation and management services, provided to an
	established patient, not originating from a related E/M service provided
	within the previous 7 days nor leading to an E/M service or procedure
	within the next 24 hours or soonest available appointment; 5-10 minutes of
	medical discussion
	G2250 : Remote assessment of recorded video and/or images submitted
	by an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related service provided within the previous 7 days nor
	leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251 : Brief communication technology-based service, for example, virtual
	check-in, by a qualified healthcare professional who cannot report
	evaluation and management services, provided to an established patient,
	not originating from a related service provided within the previous 7 days
	nor leading to a service or procedure within the next 24 hours or soonest
	available appointment; 5-10 minutes of clinical discussion

Services	CPT/CPT-CATII/HCPCS/LOINC
	G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Telephone visits	CPT 98966, 98967, 98968, 99441, 99442, 99443
Visit Setting Unspecified	CPT 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

Notes:		

Topical Fluoride for Children (TFC)

This HEDIS measure looks at the percentage of members 1 to 4 years of age who received at least two fluoride varnish applications during the measurement year.

Record your efforts:

• Two or more fluoride varnish applications on different dates of services

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Codes to identify lead test:

Services	CPT/CDT
Application of	СРТ
Fluoride Varnish	99188
	CDT
	D1206: Topical application of fluoride varnish

^{*} The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tip:

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:		

Appropriate Treatment for Upper Respiratory Infection (URI)

This HEDIS measure looks at the percentage of episodes for members 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in a dispensed antibiotic dispensing event.

A higher rate indicates appropriate URI treatment, such as the proportion of episodes that did not result in an antibiotic dispensing event from July 1 of the year prior to the measurement year to June 30 of the measurement year.

Record your efforts:

- Document results of all strep tests or refusal for testing in medical records.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Description	CPT/HCPCS/ICD10CM
Pharyngitis	ICD10CM
	J02.0: Streptococcal pharyngitis
	J02.8: Acute pharyngitis due to other specified organisms

Description	CPT/HCPCS/ICD10CM
Description	J02.9: Acute pharyngitis, unspecified
	J03.00: Acute streptococcal tonsillitis, unspecified
	J03.01: Acute recurrent streptococcal tonsillitis
	J03.80: Acute tonsillitis due to other specified organisms
	J03.81: Acute recurrent tonsillitis due to other specified organisms
	J03.90: Acute tonsillitis, unspecified
	J03.91: Acute recurrent tonsillitis, unspecified
URI	ICD10CM
	J00: Acute nasopharyngitis [common cold]
	J06.0: Acute laryngopharyngitis
	J06.9: Acute upper respiratory infection, unspecified
Outpatient, ED, and	СРТ
Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,
	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281,
	99282, 99283, 99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421,
	99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071 : Payment for communication technology-based services for 5
	minutes or more of a virtual (non-face-to-face) communication between a
	·
	rural health clinic (RHC) or federally qualified health center (FQHC)
	practitioner and RHC or FQHC patient, or 5 minutes or more of remote
	evaluation of recorded video and/or images by an RHC or FQHC
	practitioner, occurring in lieu of an office visit; RHC or FQHC only
	G0402: Initial preventive physical examination; face-to-face visit, services
	limited to a new beneficiary during the first 12 months of Medicare
	enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of
	service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of
	service (PPS), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a
	patient
	G2010: Remote evaluation of recorded video and/or images submitted by
	an established patient (for example, store and forward), including
	interpretation with follow-up with the patient within 24 business hours, not
	originating from a related E/M service provided within the previous 7 days
	nor leading to an E/M service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, for example, virtual
	· · · · · · · · · · · · · · · · · · ·
	check-in, by a physician or other qualified healthcare professional who can
	report evaluation and management services, provided to an established

Description	CPT/HCPCS/ICD10CM
	patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an established patient (for example, store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, for example, virtual check-in, by a qualified healthcare professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, for example, virtual check-in, by a physician or other qualified healthcare professional who can report evaluation and management services, provided to an established patient, not originating from a related E/M service provided within the previous 7 days nor leading to an E/M service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive
Note: The codes liste	d are informational only: this information does not avarantee reimbursement

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- If a member tests negative for group A strep but insists on an antibiotic:
 - o Refer to the illness as a sore throat due to a cold; members tend to associate the label with a less frequent need for antibiotics.
 - o Write a prescription for symptom relief, like over-the-counter medications.
- Educate members on the difference between bacterial and viral infections. This is the key point in the success of this measure.
- Discuss with members ways to treat symptoms:
 - o Get extra rest.
 - o Drink plenty of fluids.
 - o Use over-the-counter medications.
 - o Use the cool-mist vaporizer and nasal spray for congestion.
 - o Eat ice chips or use throat spray/lozenges for sore throats.
- Educate members and their parents or caregivers that they can prevent infection by:
 - o Washing hands frequently.
 - o Disinfecting toys.

- o Keeping the child out of school or day care for at least 24 hours until antibiotics have been taken and symptoms have improved.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

Helpful resources:

• CDC.gov/antibiotic-use

• Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:			

Well-Child Visits in the First 30 Months of Life (W30)

This HEDIS measure looks at the percentage of members who had the following number of well-child visits with a PCP during the last 15 months. The following rates are reported:

- **Well-Child Visits in the First 15 Months:** children who turned 15 months old during the measurement year: Six or more well-child visits
- Well-Child Visits for Age 15 Months to 30 Months: children who turned 30 months old during the measurement year: Two or more well-child visits

Record your efforts

Documentation from the medical record must include a note indicating a visit with a PCP, the date when the well-child visit occurred, and evidence of *all* of the following:

- **A health history:** Health history is an assessment of the member's history of disease or illness. Health history can include but is not limited to past illness (or lack of illness), surgery or hospitalization (or lack of surgery or hospitalization), and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific age-appropriate mental developmental milestones, which are behaviors seen in children as they grow and develop.
- **A physical exam** (for example, height, weight, BMI, heart, lungs, abdomen, more than one system assessed).
- **Health education/anticipatory guidance:** Health education/anticipatory guidance is given by the healthcare provider to parents or guardians in anticipation of emerging issues that a child and family may face.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year.
- Members who die anytime during the measurement year.

Description	CPT/HCPCS/ICD10CM
Well Care	СРТ
Visit	99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99461 HCPCS
	G0438: Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit
	S0302: Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for appropriate evaluation and management service)
CDC Race	1002-5: American Indian or Alaska Native
and	2028-9: Asian
Ethnicity	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3 : White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Use your member roster to contact members who are due for an exam or are new to your practice.
- Schedule the next visit at the end of the appointment.

- If you use EMRs, consider creating a flag to track members due or past due for a visit. If you do not use EMRs, consider creating a manual tracking method. Sick visits may be a missed opportunity for your member to get a wellness exam.
- Consider extending your office hours into the evening, early morning, or weekend to accommodate working parents.
- Remember to include the applicable ICD-10 code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing individualized reports of your members overdue for services.
- Encouraging members to get preventive care through our programs. Contact your provider relationship management representative for more information.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:			

Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC)

This HEDIS measure looks at the percentage of members ages 3 to 17 years who had an outpatient visit with a PCP or OB/GYN and who had evidence of the following during the measurement year:

- BMI Percentile documentation*
- Counseling for Nutrition
- Counseling for Physical Activity

* Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value.

Record your efforts

Three separate rates are reported:

- Height, weight, and BMI percentile (not BMI value):
 - o May be a BMI growth chart if utilized
- Counseling for nutrition (diet):
 - o Services rendered during a telephone visit, e-visit, or virtual check-in meet criteria
- Counseling for physical activity (sports participation/exercise):
 - o Services rendered for obesity or eating disorders may be used to meet criteria
 - o Services rendered during a telephone visit, e-visit, or virtual check-in meet criteria

Exclusions:

- Members with a diagnosis of pregnancy
- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Description	CPT/HCPCS/ICD10CM/LOINC
BMI Percentile	ICD10CM
	Z68.51 : Body mass index [BMI] pediatric, less than the 5th percentile for
	age
	Z68.52: Body mass index [BMI] pediatric, 5th percentile to less than the
	85th percentile for age
	Z68.53: Body mass index [BMI] pediatric, 85th percentile to less than the
	95th percentile for age
	Z68.54: Body mass index [BMI] pediatric, greater than or equal to the 95th
	percentile for age
	LOINC
	59574-4: Body mass index (BMI) [Percentile]
	59575-1: Body mass index (BMI) [Percentile] per age
	59576-9: Body mass index (BMI) [Percentile] per age and sex
Nutrition Counseling	CPT
	97802, 97803, 97804
	·
	l ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
	· ·
	HCPCS G0270: Medical nutrition therapy; reassessment and subsequent intervention(s) following second referral in the same year for change in diagnosis, medical condition, or treatment regimen (including additional hours needed for renal disease), individual, face-to-face with the patient, each 15 minutes G0271: Medical nutrition therapy, reassessment, and subsequent intervention(s) following second referral in the same year for change in diagnosis, medical condition, or treatment regimen (including additional

Description	CPT/HCPCS/ICD10CM/LOINC				
	hours needed for renal disease), group (2 or more individuals), each 30				
	minutes				
	G0447: Face-to-face behavioral counseling for obesity, 15 minutes				
	S9449: Weight management classes, non-physician provider, per session				
	S9452: Nutrition classes, non-physician provider, per session				
	S9470: Nutritional counseling, dietitian visit				
Physical Activity	HCPCS				
Counseling	G0447: Face-to-face behavioral counseling for obesity, 15 minutes				
	S9451: Exercise classes, non-physician provider, per session				
Encounter for Physical	ICD10CM				
Activity Counseling	Z02.5: Encounter for examination for participation in sport				
	Z71.82: Exercise counseling				

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Measure height and weight at least annually and document the BMI percentile for age in the medical record.
- Consider incorporating appropriate nutritional and weight management questioning and counseling into your routine clinical practice.
- Document any advice you give the member.
- Document face-to-face discussion of current nutritional behavior, like appetite or meal
 patterns, eating and dieting habits, any counseling or referral to nutrition education, any
 nutritional educational materials that were provided during the visit, anticipatory guidance
 for nutrition, eating disorders, nutritional deficiencies, underweight, and obesity or
 overweight discussion.
- Document face-to-face discussion of current physical activity behaviors, like exercise routines, participation in sports activities or bike riding, referrals to physical activity, educational material that was provided, anticipatory guidance on physical activity, and obesity or overweight discussion.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.

for diffdfigements.	•		
Notes:			

Members may be eligible for transportation assistance at no cost, contact Member Services

Child and Adolescent Well-Care Visits (WCV)

This HEDIS measure looks at the percentage of members ages 3 to 21 years who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.

Record your efforts

Documentation must include a note indicating a visit to a PCP, the date when the well-child visit occurred, and evidence of *all* of the following:

- A health history: Health history is an assessment of the member's history of disease or illness. Health history can include but is not limited to past illness (or lack of illness), surgery or hospitalization (or lack of surgery or hospitalization), and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific age-appropriate mental developmental milestones, which are behaviors seen in children as they grow and develop.
- **A physical exam** (for example, height, weight, BMI, heart, lungs, abdomen, more than one system assessed).
- **Health education/anticipatory guidance:** Health education/anticipatory guidance is given by the healthcare provider to parents or guardians in anticipation of emerging issues that a child and family may face.

Exclusions:

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die anytime during the measurement year

Description	CPT/HCPCS
Well Care Visit	СРТ
	99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99461 HCPCS
	G0438: Annual wellness visit; includes a personalized prevention plan of service (PPS), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (PPS), subsequent visit
	S0302: Completed early periodic screening diagnosis and treatment (EPSDT) service (list in addition to code for appropriate evaluation and management service)
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3 : White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

Helpful tips:

- Use your member roster to contact members who are due for an annual exam.
- Schedule the next visit at the end of the appointment.
- If you use EMRs, consider creating a flag to track members due or past due for preventive services. If you do not use EMRs, consider creating a manual tracking method for well checks. Sick visits may be missed opportunities for your member to get health checks.
- Consider extending your office hours into the evening, early morning, or weekend to accommodate working parents.
- Remember to include the applicable ICD-10 code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your provider relationship management representative for additional details and questions.

How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing individualized reports of your members overdue for services.
- Encouraging members to get preventive care through our programs.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangements.

Notes:		

Patient care opportunities

You can find patient care opportunities within the **Patient360** application located on Availity Essentials **Payer Spaces**. To access the **Patient360** application, you must have the *Patient360* role assignment. From Availity's home page, select **Payer Spaces**, then choose the health plan from the menu. Choose the **Patient360** tile from the **Payer Space Applications** menu and complete the required information on the screen. Gaps in care are located in the *Active Alerts* section of the *Member Summary*.

Notes:	

