

Provider Bulletin

September 2021

Prenatal Depression Screening and Follow-Up (PND-E) coding bulletin

This HEDIS[®] measure reviews the percentage of deliveries in which members were screened for clinical depression while pregnant and, if screened positive, received follow-up care. Two rates are reported:

- Depression screening: the percentage of deliveries in which members were screened for clinical depression during pregnancy using a standardized instrument with recorded result.
- Follow-up on positive screen: the percentage of deliveries in which members received any of the following follow-up care on or up to 30 days of a positive depression screen finding:
 - o An outpatient, telephone, e-visit, or virtual check-in follow-up visit with a diagnosis of depression or other behavioral health condition.
 - A depression case management encounter that documents assessment for symptoms of depression or a diagnosis of depression or other behavioral health condition.
 - o A behavioral health encounter, including assessment, therapy, collaborative care, or medication management.
 - o A dispensed antidepressant medication.
- Documentation of additional depression screening on a full-length instrument indicating either no depression or no symptoms that require follow-up (for example, a negative screen) on the same day as a positive screen on a brief screening instrument.

Note: For example, if there is a positive screen resulting from a PHQ-2 score, documentation of a negative finding from a PHQ-9 performed on the same day qualifies as evidence of follow-up.

*Scoring included in this bulletin does not override clinical judgment and all positive answers to suicidality should be discussed.

Exclusions:

- Deliveries that occurred at less than 37 weeks gestation
- Deliveries in which members were in hospice or using hospice services

Specified standardized assessment instruments by age group and thresholds for positive findings:

Instruments for adolescents (12 to 17 years)	Positive finding
Patient Health Questionnaire (PHQ-9)®	Total score ≥ 10
Patient Health Questionnaire Modified for Teens (PHQ-9M)®	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)® 1	Total score ≥ 3
Beck Depression Inventory-Fast Screen (BDI-FS)® 1, 2, 3	Total score ≥ 8
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
PROMIS Depression	Total score (T Score) ≥ 60

¹ Brief screening instrument. All other instruments are full-length.

 $\label{eq:hedge} \textit{HEDIS} \\ \textbf{@} \ \text{is a registered trademark of the National Committee for Quality Assurance (NCQA)}.$

www.anthem.com/inmedicaiddoc

Anthem Blue Cross and Blue Shield is the trade name of Anthem Insurance Companies, Inc., independent licensee of the Blue Cross and Blue Shield Association. Anthem is a registered trademark of Anthem Insurance Companies, Inc.

Providers who are contracted with Anthem Blue Cross and Blue Shield to serve Hoosier Healthwise, Healthy Indiana Plan and Hoosier Care Connect through an accountable care organization (ACO), participating medical group (PMG) or Independent Physician Association (IPA) are to follow guidelines and practices of the group. This includes but is not limited to authorization, covered benefits and services, and claims submittal. If you have questions, please contact your group administrator or your Anthem network representative.

AINPEC-3354-21 September 2021

² Proprietary; cost or licensing requirement may be associated with use.

³ Approved only for ages 13 years and older.

Instruments for adults (18+ years)	Positive finding
Patient Health Questionnaire (PHQ-9)®	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2)® 1	Total score ≥ 3
Beck Depression Inventory-Fast Screen (BDI-FS)® 1, 2	Total score ≥ 8
Beck Depression Inventory (BDI-II)	Total score ≥ 20
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17
Duke Anxiety-Depression Scale (DADS)® 2	Total score ≥ 30
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
My Mood Monitor (M-3)®	Total score ≥ 5
PROMIS Depression	Total score (T Score) ≥ 60
Clinically Useful Depression Outcome Scale (CUDOS)	Total score ≥ 31

Diagnosis		CPT®	ICD-10PCS		
Deliveries		59400, 59409, 59410, 59510, 59514,	10D00Z0, 10D00Z1, 10D00Z2,		
		59515, 59610, 59612, 59614, 59618,	10D07Z3, 10D07Z4, 10D07Z5,		
		59620, 59622	10D07Z6, 10D07Z7, 10D07Z8,		
			10E0XZZ		
Description	n	ICD-10			
37 to 43 w	eeks	Z3A.37, Z3A.38, Z3A.39, Z3A.40, Z3A.41, Z3A.42, Z3A.49			
gestation	gestation				
Description			LOINC		
Beck Depression Inventory Fast Screen total score			89208-3		
Beck Depression Inventory II total score			89209-1		
Center for Epidemiologic Studies Depression Scale-Revised total score			89205-9		
Edinburgh Postnatal Depression Scale total score			71354-5		
My Mood Monitor Total score			71777-7		
Patient Health Questionnaire 2 item (PHQ-2) total score				55758-7	
Patient Health Questionnaire 9 item (PHQ-9) total score				44261-6	
Patient Health Questionnaire 9: Modified for teens total score			89204-2		
PROMIS 29 Depression score total score			71965-8		
Clinically Useful Depression Outcome Scale (CUDOS) total score			90221-3		
Duke Anxiety-Depression Scale (DADS) total score			90853-3		
HCPCS	Description of findings/results				
G8510	Screening for depression is documented as negative; a follow-up plan is not required				
G8431	Screening for depression is documented as being positive, and a follow-up plan is documented				
G8511	Screening for depression documented as positive, follow-up plan not documented, reason not				
	given				
	* Use of code	e not recommended			

How can we help?

Members are eligible for transportation assistance at no cost; contact member services at **844-772-6632** Monday through Friday, 8 a.m. to 8 p.m. Eastern time for arrangement.

Helpful tips:

- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your quality representative for additional details and answers to questions.
- Optimize your charting system to prompt your providers to perform any of the specified prenatal depression screening tools at the first prenatal visit as part of your standard initial prenatal exam.