

# HEDIS Benchmarks and Coding Guidelines

Electronic Clinical Data Systems (ECDS)







# Anthem Blue Cross and Blue Shield Healthcare Solutions | Medicaid Managed Care

# **Table of Contents**

Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)	2
Adults' Access to Preventive/Ambulatory Health Services (AAP)	4
Antidepressant Medication Management (AMM)	7
Asthma Medication Ratio (AMR)	11
Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)	15
Blood Pressure Control for Patients With Diabetes (BPD)	18
Controlling High Blood Pressure (CBP)	22
Cervical Cancer Screening (CCS)	27
Childhood Immunization Status (CIS)	31
Chlamydia Screening in Women (CHL)	37
Cardiac Rehabilitation (CRE)	40
Appropriate Testing for Pharyngitis (CWP)	42
Eye Exam for Patients With Diabetes (EED)	45
Follow-up After Emergency Department Visit for Substance Use (FUA)	47
Follow-Up After Hospitalization for Mental Illness (FUH)	54
Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)	57
Exclusions	57
Follow-Up After Emergency Department Visit for Mental Illness (FUM)	63
Glycemic Status Assessment for Patients With Diabetes (GSD)	68
Initiation and Engagement of Substance Use Disorder Treatment (IET)	71
Immunizations for Adolescents (IMA)	79
Kidney Health Evaluation for Patients with Diabetes (KED)	81
Use of Imaging Studies for Low Back Pain (LBP)	84
Lead Screening in Children (LSC)	87
Oral Evaluation, Dental Services (OED)	90
Prenatal and Postpartum Care (PPC)	90
Statin Therapy for Patients with Cardiovascular Disease (SPC)	95
Statin Therapy for Patients With Diabetes (SPD)	97
Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Media	cations
(SSD)	100
Topical Fluoride for Children (TFC)	103
Appropriate Treatment for Upper Respiratory Infection (URI)	104
Well-Child Visits in the First 30 Months of Life (W30)	
Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents (WCC)	109
Child and Adolescent Well-Care Visits (WCV)	112

# Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB)

This HEDIS measure looks at the percentage of episodes for members ages 3 months and older with a diagnosis of acute bronchitis/ bronchiolitis that did not result in an antibiotic dispensing event July 1 of the year prior to the measurement year to June 30 of the measurement year.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who die any time during the measurement year.

Description	CPT"/HCPCS
Outpatient,	СРТ
ED and	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205,
Telehealth	99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281, 99282, 99283,
	99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382,
	99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397,
	99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442,
	99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a
	virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally
	qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an rhc or fqhc practitioner, occurring
	in lieu of an office visit; rhc or fqhc only
	G0402: Initial preventive physical examination; face-to-face visit, services limited to new
	beneficiary during the first 12 months of medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of service (pps), initial
	visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (pps),
	subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician or
	other qualified health care professional who can report evaluation and management services,

HEDIS<sup>®</sup> is a registered trademark of the National Committee for Quality Assurance (NCQA).

Description	CPT®/HCPCS
Description	provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion G2250: Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion T1015: Clinic visit/encounter, all-inclusive

Description	ICD10CM
Pharyngitis	J02.0: Streptococcal pharyngitis
	J02.8: Acute pharyngitis due to other specified organisms
	J02.9: Acute pharyngitis, unspecified
	J03.00: Acute streptococcal tonsillitis, unspecified
	J03.01: Acute recurrent streptococcal tonsillitis
	J03.80: Acute tonsillitis due to other specified organisms
	J03.81: Acute recurrent tonsillitis due to other specified organisms
	J03.90: Acute tonsillitis, unspecified
	J03.91: Acute recurrent tonsillitis, unspecified

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

- If a Member insists on an antibiotic:
  - Refer to the illness as a chest cold rather than bronchitis; members tend to associate the label with a less-frequent need for antibiotics.
  - Write a prescription for symptom relief, such as an over-the-counter cough medicine.
  - o Treat with antibiotics if associated comorbid diagnosis.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

We help you with avoidance of antibiotic treatment for members with acute bronchitis/bronchiolitis by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

#### Other available resources

Go to https://www.cdc.gov/antibiotic-use/index.html

# Adults' Access to Preventive/Ambulatory Health Services (AAP)

This HEDIS measure looks at the percentage of members 20 years of age and older who had an ambulatory or preventive care visit. The organization reports percentages for members who had an ambulatory or preventive care visit during the measurement year.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit anytime during the measurement vear
- Members who died during the measurement year

Ambulatory Visits  CPT  92002, 92004, 92012, 92014, 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99315, 99316, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99457, 99458, 99483 HCPCS  G0071:Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an rhc or fqhc practitioner,
occurring in lieu of an office visit; rhc or fqhc only G0402: Initial preventive physical examination; face-to-face visit, services limited to new beneficiary during the first 12 months of medicare enrollment G0438: Annual wellness visit; includes a personalized prevention plan of service (pps), initial visit G0439: Annual wellness visit, includes a personalized prevention plan of service (pps), subsequent visit

Description	CPT/HCPCS
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a
	physician or other qualified health care professional who can report evaluation and
	management services, provided to an established patient, not originating from a related
	e/m service provided within the previous 7 days nor leading to an e/m service or
	procedure within the next 24 hours or soonest available appointment; 5-10 minutes of
	medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related service provided within the
	previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services,
	provided to an established patient, not originating from a related service provided within
	the previous 7 days nor leading to a service or procedure within the next 24 hours or
	soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and
	management services, provided to an established patient, not originating from a related
	e/m service provided within the previous 7 days nor leading to an e/m service or
	procedure within the next 24 hours or soonest available appointment; 11-20 minutes of
	medical discussion
	S0620: Routine ophthalmological examination including refraction; new patient
	S0621: Routine ophthalmological examination including refraction; new patient
	T1015: Clinic visit/encounter, all-inclusive

Description	ICD10CM
Reason for	Z00.00: Encounter for general adult medical examination without abnormal findings
Ambulatory Visit	Z00.01: Encounter for general adult medical examination with abnormal findings
	Z00.121: Encounter for routine child health examination with abnormal findings
	Z00.129: Encounter for routine child health examination without abnormal findings
	Z00.3: Encounter for examination for adolescent development state
	Z00.5: Encounter for examination of potential donor of organ and tissue
	Z00.8: Encounter for other general examination
	Z02.0: Encounter for examination for admission to educational institution
	Z02.1: Encounter for pre-employment examination
	Z02.2: Encounter for examination for admission to residential institution

#### HEDIS Coding Booklet Page 6 of 114

Description	ICD10CM
	Z02.3: Encounter for examination for recruitment to armed forces
	Z02.4: Encounter for examination for driving license
	Z02.5: Encounter for examination for participation in sport
	Z02.6: Encounter for examination for insurance purposes
	Z02.71: Encounter for disability determination
	Z02.79: Encounter for issue of other medical certificate
	Z02.81: Encounter for paternity testing
	Z02.82: Encounter for adoption services
	Z02.83: Encounter for blood-alcohol and blood-drug test
	Z02.89: Encounter for other administrative examinations
	Z02.9: Encounter for administrative examinations, unspecified
	Z76.1: Encounter for health supervision and care of foundling
	Z76.2: Encounter for health supervision and care of other healthy infant and child

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

Notos

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

 Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

HEDIS Couling Booklet			
Page 7 of 114			
Tage / OI 114			
-			
	·	_	

# **Antidepressant Medication Management (AMM)**

This measure looks at the percentage of members 18 years of age and older who were treated with antidepressant medication, had a diagnosis of major depression and who remained on an antidepressant medication treatment May 1 of the year prior to the measurement year to April 30 of the measurement year. Two rates are reported:

- Effective Acute Phase Treatment: The percentage of members who remained on an antidepressant medication for at least 84 days (12 weeks)
- Effective Continuation Phase Treatment: The percentage of members who remained on an antidepressant medication for at least 180 days (six months)

#### Record your efforts

LIEDIS Cadina Daaklat

- Identify all acute and nonacute inpatient stays
- Identify the admission and discharge dates for the stay. Either an admission or discharge during the required time frame meets criteria.

#### **Exclusions**

- Members who did not have an encounter with a diagnosis of major depression during the 121-day period from 60 days prior to the index prescription start date (IPSD), through the IPSD and the 60 days after the IPSD
- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Description	ICD10CM/CPT/ ICD10PCS/HCPCS
Major	ICD10CM
depression	F32.0: Major depressive disorder, single episode, mild

Description	ICD10CM/CPT/ ICD10PCS/HCPCS
2 00000	F32.1: Major depressive disorder, single episode, moderate
	F32.2: Major depressive disorder, single episode, severe without psychotic features
	F32.3: Major depressive disorder, single episode, severe with psychotic features
	F32.4: Major depressive disorder, single episode, in partial remission
	F32.9: Major depressive disorder, single episode, unspecified
	F33.0: Major depressive disorder, recurrent, mild
	F33.1: Major depressive disorder, recurrent, moderate
	F33.2: Major depressive disorder, recurrent severe without psychotic features
	F33.3: Major depressive disorder, recurrent, severe with psychotic symptoms
	F33.41: Major depressive disorder, recurrent, in partial remission
	F33.9: Major depressive disorder, recurrent, unspecified
Behavioral	CPT
health (BH)	98960-98962, 99078, 99202-99205, 99211-99215, 99242-99245, 99341-99345, 99347-
outpatient	99350, 99381-99387, 99391-99397, 99401-99404, 99411, 99412, 99483, 99492-99494,
	99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15 minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation,
	related to the care and treatment of patient's disabling mental health problems, per session
	(45 minutes or more)
	G0177: Training and educational services related to the care and treatment of patient's
	disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the
	patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by a corf-qualified social worker or psychologist in a corf)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (rhc/fqhc) only, psychiatric
	collaborative care model (psychiatric cocm), 60 minutes or more of clinical staff time for
	psychiatric cocm services directed by an rhc or fqhc practitioner (physician, np, pa, or cnm)
	and including services furnished by a behavioral health care manager and consultation with a
	psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to treatment
	program H0004: Rehavioral health counseling and therapy, nor 15 minutes
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes

Description	ICD10CM/CPT/ ICD10PCS/HCPCS
2 00011 ptio11	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020:Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Electroconvuls	CPT
ive therapy	90870
	ICD10PCS
	GZB0ZZZ: Electroconvulsive Therapy, Unilateral-Single Seizure
	GZB1ZZZ: Electroconvulsive Therapy, Unilateral-Multiple Seizure
	GZB2ZZZ: Electroconvulsive Therapy, Bilateral-Single Seizure
	GZB3ZZZ: Electroconvulsive Therapy, Bilateral-Multiple Seizure
	GZB4ZZZ: Other Electroconvulsive Therapy
Transcranial	CPT
Magnetic	90867, 90868, 90869
Stimulation	30007, 300005
Online	CPT
assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a
	virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally
	qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an rhc or fqhc practitioner, occurring
	in lieu of an office visit; rhc or fqhc only
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician or
	other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related service provided within the previous

Description	ICD10CM/CPT/ ICD10PCS/HCPCS						
	7 days nor leading to a service or procedure within the next 24 hours or soonest available						
	appointment						
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified						
	health care professional who cannot report evaluation and management services, provided						
	to an established patient, not originating from a related service provided within the previous						
	7 days nor leading to a service or procedure within the next 24 hours or soonest available						
	appointment; 5-10 minutes of clinical discussion						
	G2252: Brief communication technology-based service, e.g. virtual check-in, by a physicial other qualified health care professional who can report evaluation and management						
	services, provided to an established patient, not originating from a related e/m service						
	provided within the previous 7 days nor leading to an e/m service or procedure within the						
	next 24 hours or soonest available appointment; 11-20 minutes of medical discussion						
Telephone	СРТ						
visits	98966, 98967, 98968, 99441, 99442, 99443						
Visit Setting	СРТ						
Unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847,						
	90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239,						
	99252, 99253, 99254, 99255						

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

Educate your members and their spouses, caregivers, and/or guardians about the importance of:

- Complying with long-term medications.
- Not abruptly stopping medications without consulting you.
- Contacting you immediately if they experience any unwanted/adverse reactions so that their treatment can be re-evaluated.
- Scheduling and attending follow-up appointments to review the effectiveness of their medications.
- Calling your office if they cannot get their medications refilled.
- Discuss the benefits of participating in a behavioral health case management program.
- Ask your members who have a behavioral health diagnosis to provide you access to their behavioral health records if you are their primary care provider.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

 Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

We help you with antidepressant medication management by:

• Offering current *Clinical Practice Guidelines* on our provider self-service website.

#### Other available resources

#### HEDIS Coding Booklet Page 11 of 114

You can find more information and tools online at:

- www.ahrq.gov
- www.ncbi.nlm.nih.gov

Notes	
_	

# Asthma Medication Ratio (AMR)

This HEDIS measure looks at the percentage of members 5 to 64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.5 or greater during the measurement year.

#### Record your efforts

• Oral medication dispensing event: Multiple prescriptions for different medications dispensed on the same day are counted as separate dispensing events — If multiple prescriptions for the same medication

- are dispensed on the same day, sum up the days' supply and divide by 30. Use the drug ID to determine if the prescriptions are the same or different.
- Inhaler dispensing event: All inhalers (for example, canisters) of the same medication dispensed on the same day count as one dispensing event — Medications with different drug IDs dispensed on the same day are counted as different dispensing events.
- Injection dispensing events: Each injection counts as one dispensing event. Multiple dispensed injections of the same or different medications count as separate dispensing events.
- Units of medications: When identifying medication units for the numerator, count each individual medication, defined as an amount lasting 30 days or less, as one medication unit. One medication unit equals one inhaler canister, one injection, or a 30-day or less supply of an oral medication.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members who had no asthma controller or reliever medications dispensed during the measurement year.
- Members who had a diagnosis that requires a different treatment approach than members with asthma any time during the member's history through December 31 of the measurement year.

Description	ICD10CM/CPT/HCPCS					
Asthma	ICD10CM					
	J45.21: Mild intermittent asthma with (acute) exacerbation					
	J45.22: Mild intermittent asthma with status asthmaticus					
	J45.30: Mild persistent asthma, uncomplicated					
	J45.31: Mild persistent asthma with (acute) exacerbation					
	J45.32: Mild persistent asthma with status asthmaticus					
	J45.40: Moderate persistent asthma, uncomplicated					
	J45.41: Moderate persistent asthma with (acute) exacerbation					
	J45.42: Moderate persistent asthma with status asthmaticus					
	J45.50: Severe persistent asthma, uncomplicated					
	J45.51: Severe persistent asthma with (acute) exacerbation					
	J45.52: Severe persistent asthma with status asthmaticus					
	J45.901: Unspecified asthma with (acute) exacerbation					
	J45.902: Unspecified asthma with status asthmaticus					
	J45.909: Unspecified asthma, uncomplicated					
	J45.991: Cough variant asthma					
	J45.998: Other asthma					
Outpatient and	СРТ					
Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205,					
	99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344,					
	99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387,					
	99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411,					

Description	ICD10CM/CPT/HCPCS
·	99412, 99421, 99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458,
	99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a
	virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally
	qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an rhc or fqhc practitioner,
	occurring in lieu of an office visit; rhc or fqhc only
	G0402: Initial preventive physical examination; face-to-face visit, services limited to new
	beneficiary during the first 12 months of medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of service (pps), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (pps),
	subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician
	or other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 5-10 minutes of medical discussion G2250: Remote assessment of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related service provided within the
	previous 7 days nor leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified
	health care professional who cannot report evaluation and management services,
	provided to an established patient, not originating from a related service provided within
	the previous 7 days nor leading to a service or procedure within the next 24 hours or
	soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician
	or other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive

#### HEDIS Coding Booklet Page 14 of 114

Description	ICD10CM/CPT/HCPCS					
CDC Race and	002-5: American Indian or Alaska Native					
Ethnicity	2028-9: Asian					
	2054-5: Black or African American					
	2076-8: Native Hawaiian or Other Pacific Islander					
	2106-3: White					
	2135-2: Hispanic or Latino					
	2186-5: Not Hispanic or Latino					

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with Member scheduling if needed.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes		

# Use of First-Line Psychosocial Care for Children and Adolescents on Antipsychotics (APP)

This HEDIS measure looks at the percentage of children and adolescents 1 to 17 years of age who had a new prescription for an antipsychotic medication and had documentation of psychosocial care as first-line treatment January 1 through December 1 of the measurement year.

#### Record your efforts

Documentation of psychosocial care in the 121-day period from 90 days prior to the IPSD through 30 days after the IPSD.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Members for whom first-line antipsychotic medications may be clinically appropriate: members with a
  diagnosis of schizophrenia, schizoaffective disorder, bipolar disorder, other psychotic disorder, autism,
  or other developmental disorder on at least two different dates of service during the measurement
  year.

Description	CPT/HCPCS/ICD10CM					
Psychosocial	СРТ					
care	90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90846, 90847, 90849,					
	90853, 90875, 90876, 90880					
	HCPCS					
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation,					
	related to the care and treatment of patient's disabling mental health problems, per					
	session (45 minutes or more)					
	G0177: Training and educational services related to the care and treatment of patient's					
	disabling mental health problems per session (45 minutes or more)					
	G0409: Social work and psychological services, directly relating to and/or furthering the					
	patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services prov					
by a corf-qualified social worker or psychologist in a corf)						
	G0410: Group psychotherapy other than of a multiple-family group, in a partial					
	hospitalization setting, approximately 45 to 50 minutes					
	G0411: Interactive group psychotherapy, in a partial hospitalization setting, approximately					
	45 to 50 minutes					
	H0004: Behavioral health counseling and therapy, per 15 minutes					
	H0035: Mental health partial hospitalization, treatment, less than 24 hours					
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes					

Description	CPT/HCPCS/ICD10CM				
2 cocription	H0037: Community psychiatric supportive treatment program, per diem				
	H0038: Self-help/peer services, per 15 minutes				
	H0039: Assertive community treatment, face-to-face, per 15 minutes				
	H0040: Assertive community treatment program, per diem				
	H2000: Comprehensive multidisciplinary evaluation				
	H2001: Rehabilitation program, per 1/2 day				
	H2011: Crisis intervention service, per 15 minutes				
	H2012: Behavioral health day treatment, per hour				
	H2013: Psychiatric health facility service, per diem				
	H2014: Skills training and development, per 15 minutes				
	H2017: Psychosocial rehabilitation services, per 15 minutes				
	H2018: Psychosocial rehabilitation services, per diem				
	H2019: Therapeutic behavioral services, per 15 minutes				
	H2020: Therapeutic behavioral services, per diem				
	S0201: Partial hospitalization services, less than 24 hours, per diem				
	S9480: Intensive outpatient psychiatric services, per diem				
	S9484: Crisis intervention mental health services, per hour				
	S9485: Crisis intervention mental health services, per diem				
Bipolar Disorder	ICD10CM				
	F30.10: Manic episode without psychotic symptoms, unspecified				
	F30.11: Manic episode without psychotic symptoms, mild				
	F30.12: Manic episode without psychotic symptoms, moderate				
	F30.13: Manic episode, severe, without psychotic symptoms				
	F30.2: Manic episode, severe with psychotic symptoms				
	F30.3: Manic episode in partial remission				
	F30.4: Manic episode in full remission				
	F30.8: Other manic episodes				
	F30.9: Manic episode, unspecified				
	F31.0: Bipolar disorder, current episode hypomanic				
	F31.10: Bipolar disorder, current episode manic without psychotic features, unspecified				
	F31.11: Bipolar disorder, current episode manic without psychotic features, mild				
	F31.12: Bipolar disorder, current episode manic without psychotic features, moderate				
	F31.13: Bipolar disorder, current episode manic without psychotic features, severe				
	F31.2: Bipolar disorder, current episode manic severe with psychotic features				
	F31.30: Bipolar disorder, current episode depressed, mild or moderate severity,				
	unspecified				
	F31.31: Bipolar disorder, current episode depressed, mild				
	F31.32: Bipolar disorder, current episode depressed, moderate				
	F31.4: Bipolar disorder, current episode depressed, severe, without psychotic features				
	F31.5: Bipolar disorder, current episode depressed, severe, with psychotic features				
	F31.60: Bipolar disorder, current episode mixed, unspecified				
	F31.61: Bipolar disorder, current episode mixed, mild				

Description	CPT/HCPCS/ICD10CM					
	F31.62: Bipolar disorder, current episode mixed, moderate					
	F31.63: Bipolar disorder, current episode mixed, severe, without psychotic features					
	F31.64: Bipolar disorder, current episode mixed, severe, with psychotic features					
	F31.70: Bipolar disorder, currently in remission, most recent episode unspecified					
	F31.71: Bipolar disorder, in partial remission, most recent episode hypomanic					
	F31.72: Bipolar disorder, in full remission, most recent episode hypomanic					
	F31.73: Bipolar disorder, in partial remission, most recent episode manic					
	F31.74: Bipolar disorder, in full remission, most recent episode manic					
	F31.75: Bipolar disorder, in partial remission, most recent episode depressed					
	F31.76: Bipolar disorder, in full remission, most recent episode depressed					
	F31.77: Bipolar disorder, in partial remission, most recent episode mixed					
	F31.78: Bipolar disorder, in full remission, most recent episode mixed					
Other Psychotic	ICD10CM					
and	F22: Delusional disorders					
Developmental	F23: Brief psychotic disorder					
Disorders	F24: Shared psychotic disorder					
	F28: Other psychotic disorder not due to a substance or known physiological condition					
	F29: Unspecified psychosis not due to a substance or known physiological condition					
	F32.3: Major depressive disorder, single episode, severe with psychotic features					
	F33.3: Major depressive disorder, recurrent, severe with psychotic symptoms					
	F84.0: Autistic disorder					
	F84.2: Rett's syndrome					
	F84.3: Other childhood disintegrative disorder					
	F84.5: Asperger's syndrome					
	F84.8: Other pervasive developmental disorders					
	F84.9: Pervasive developmental disorder, unspecified					
	F95.0: Transient tic disorder					
	F95.1: Chronic motor or vocal tic disorder					
	F95.2: Tourette's disorder					
	F95.8: Other tic disorders					
	F95.9: Tic disorder, unspecified					
Residential	HCPCS					
Behavioral	H0017: Behavioral health; residential (hospital residential treatment program), without					
Health	room and board, per diem					
Treatment	H0018: Behavioral health; short-term residential (non-hospital residential treatment					
	program), without room and board, per diem					
	H0019: Behavioral health; long-term residential (non-medical, non-acute care in a					
	residential treatment program where stay is typically longer than 30 days), without room and board, per diem					
T2048: Behavioral health; long-term care residential (non-acute care in a residen						
	treatment program where stay is typically longer than 30 days), with room and board, per					
	diem					
	den					

Description	CPT/HCPCS/ICD10CM					
Schizophrenia	ICD10CM					
	F20.0: Paranoid schizophrenia					
	F20.1: Disorganized schizophrenia					
	F20.2: Catatonic schizophrenia					
	F20.3: Undifferentiated schizophrenia					
	F20.5: Residual schizophrenia					
	F20.81: Schizophreniform disorder					
	F20.89: Other schizophrenia					
	F20.9: Schizophrenia, unspecified					
	F25.0: Schizoaffective disorder, bipolar type					
	F25.1: Schizoaffective disorder, depressive type					
	F25.8: Other schizoaffective disorders					
	F25.9: Schizoaffective disorder, unspecified					

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tip:

• If using an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with Member scheduling if needed.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

HEDIS Coding Booklet			
Page 19 of 114			
rage 13 01 114			
-			

# Blood Pressure Control for Patients With Diabetes (BPD)

This HEDIS measure looks at the percentage of members 18 to 75 years of age with diabetes (type 1 and 2) whose blood pressure (BP) was adequately controlled (< 140/90 mm Hg) during the measurement year.

#### Record your efforts

- Members 18 to 75 years of age whose BP is < 140/90 mm Hg</li>
- If there are multiple BPs on the same date of service, use the lowest systolic and lowest diastolic BP on that date as the representative BP
- BP readings taken by the member and documented in the member's medical record are eligible for use in reporting (provided the BP does not meet any exclusion criteria).

#### What does not count?

Do not include BP readings:

- Taken during an acute inpatient stay or an ED visit.
- Taken on the same day as a diagnostic test or diagnostic or therapeutic procedure that requires a
  change in diet or change in medication on or one day before the day of the test or procedure, with the
  exception of fasting blood tests.
- Taken by the member using a non-digital device such as with a manual blood pressure cuff and a stethoscope.

#### **Exclusions**

#### HEDIS Coding Booklet Page 20 of 114

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members receiving palliative care any time during the measurement year.
- Members who had an encounter for palliative anytime during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded.

Description	CPT-CAT II/LOINC
Diastolic Blood	CPT-CAT II
Pressure	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM) 3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM) 3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM) LOINC
	75995-1: Diastolic blood pressure by Continuous non-invasive monitoring
	8453-3: Diastolic blood pressuresitting
	8454-1: Diastolic blood pressurestanding
	8455-8: Diastolic blood pressuresupine
	8462-4: Diastolic blood pressure
	8496-2: Brachial artery Diastolic blood pressure
	8514-2: Brachial artery - left Diastolic blood pressure
	8515-9: Brachial artery - right Diastolic blood pressure
	89267-9: Diastolic blood pressurelying in L-lateral position
Diastolic Less Than	CPT-CAT II
90	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)
Cataliana	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
Systolic and Diastolic Result	CPT-CAT II
Diastolic Result	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD) 3077F: Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN, CKD, CAD) (DM)
	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM) 3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM) 3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN,
	CKD, CAD) (DM)
Systolic Blood	CPT-CAT II
Pressure	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)

Description	CPT-CAT II/LOINC
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN,
	CKD, CAD) (DM)
	LOINC
	75997-7: Systolic blood pressure by Continuous non-invasive monitoring
	8459-0: Systolic blood pressure—sitting
	8460-8: Systolic blood pressurestanding
	8461-6: Systolic blood pressure—supine
	8480-6: Systolic blood pressure
	8508-4: Brachial artery Systolic blood pressure
	8546-4: Brachial artery - left Systolic blood pressure
	8547-2: Brachial artery - right Systolic blood pressure
	89268-7: Systolic blood pressurelying in L-lateral position
Systolic less than	CPT-CAT II
140	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD,
	CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

- Improve the accuracy of BP measurements performed by your clinical staff by:
  - o Providing training materials from the American Heart Association.
  - o Conducting BP competency tests to validate the education of each clinical staff Member.
  - Making a variety of cuff sizes available.
- Instruct your office staff to recheck BPs for all members with initial recorded readings greater than
  systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits; have your staff record the
  recheck in member's medical records.
- Refer high-risk members to our hypertension programs for additional education and support.
- Educate members and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
  - Heart-healthy eating and a low-salt diet.
  - Smoking cessation and avoiding secondhand smoke.
  - Adding regular exercise to daily activities.
  - Home BP monitoring.
  - o Ideal body mass index (BMI).
  - The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

#### HEDIS Coding Booklet Page 22 of 114

We support you in helping members control high blood pressure by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Reaching out to our hypertensive members through our programs.
- Helping identify your hypertensive members.
- Helping you schedule, plan, implement and evaluate a health screening Clinic Day; call your Provider Solutions representative to find out more.
- Educating our members on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.
- Members may be eligible for transportation assistance at no cost, contact Services for arrangement.

#### Other available resources

You can find more information and tools online at:

- www.nhlbi.nih.gov
- https://www.cdc.gov/bloodpressure/index.htm

Notes			
_			

# Controlling High Blood Pressure (CBP)

This HEDIS measure looks at the percentage of members ages 18 to 85 years who had a diagnosis of hypertension (HTN) and whose blood pressure (BP) was adequately controlled (< 140/90 mm Hg) during the measurement year.

#### Record your efforts

Document blood pressure and diagnosis of HTN. Members whose BP is adequately controlled include:

- Members 18 to 85 years of age who had a diagnosis of HTN and whose BP was adequately controlled (< 140/90 mm Hg) during the measurement year.</li>
- The most recent BP reading during the measurement year on or after the second diagnosis of hypertension:
  - If multiple BP measurements occur on the same date or are noted in the chart on the same date, use the lowest systolic and lowest diastolic BP reading.
  - o If no BP is recorded during the measurement year, assume that the Member is not controlled.

#### What does not count?

• If taken on the same day as a diagnostic test or procedure that requires a change in diet or medication regimen

- On or one day before the day of the test or procedure with the exception of fasting blood tests
- Taken during an acute inpatient stay or an ED visit
- Taken by the Member using a non-digital device such as with a manual blood pressure cuff and a stethoscope.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement vear
- Members who die any time during the measurement year
- Members receiving palliative care any time during the measurement year
- Members who had an encounter for palliative care anytime during the measurement year.
- Members with a diagnosis that indicates end-stage renal disease (ESRD) any time during the member's history on or prior to December 31 of the measurement year.
- Members with a procedure that indicates ESRD: dialysis, nephrectomy, or kidney transplant any time during the member's history on or prior to December 31 of the measurement year
- Members with a diagnosis of pregnancy any time during the measurement year.
- Members 66 to 80 years of age as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet BOTH frailty and advanced illness criteria to be excluded.
- Members 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year.

Description	CDT/CDT CAT II/I OINC/HCDCS
Description	CPT/CPT-CAT II/LOINC/HCPCS
Diastolic Blood	CPT-CAT II
Pressure	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
	3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN,
	CKD, CAD) (DM)
	LOINC
	75995-1: Diastolic blood pressure by Continuous non-invasive monitoring
	8453-3: Diastolic blood pressuresitting
	8454-1: Diastolic blood pressurestanding
	8455-8: Diastolic blood pressuresupine
	8462-4: Diastolic blood pressure
	8496-2: Brachial artery Diastolic blood pressure
	8514-2: Brachial artery - left Diastolic blood pressure
	8515-9: Brachial artery - right Diastolic blood pressure
	89267-9: Diastolic blood pressurelying in L-lateral position
Diastolic Less Than	CPT-CAT II
90	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
Systolic and	CPT-CAT II
Diastolic Result	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD, CAD)

Description	CPT/CPT-CAT II/LOINC/HCPCS
•	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN,
	CKD, CAD) (DM)
	3078F: Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)
	3079F: Most recent diastolic blood pressure 80-89 mm Hg (HTN, CKD, CAD) (DM)
	3080F: Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN,
	CKD, CAD) (DM)
Systolic Blood	CPT-CAT II
Pressure	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)
	3077F: Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN,
	CKD, CAD) (DM)
	LOINC
	75997-7: Systolic blood pressure by Continuous non-invasive monitoring
	8459-0: Systolic blood pressure—sitting
	8460-8: Systolic blood pressurestanding
	8461-6: Systolic blood pressure—supine
	8480-6: Systolic blood pressure
	8508-4: Brachial artery Systolic blood pressure
	8546-4: Brachial artery - left Systolic blood pressure
	8547-2: Brachial artery - right Systolic blood pressure
	89268-7: Systolic blood pressurelying in L-lateral position
Systolic less than	CPT-CAT II
140	3074F: Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD, CAD)
	3075F: Most recent systolic blood pressure 130-139 mm Hg (DM) (HTN, CKD, CAD)
Outpatient and	СРТ
Telehealth Without	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,
UBREV	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99341,
	99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382, 99383, 99384,
	99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401,
	99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442,
	99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more
	of a virtual (non-face-to-face) communication between an rural health clinic (rhc) or
	federally qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes
	or more of remote evaluation of recorded video and/or images by an rhc or fqhc
	practitioner, occurring in lieu of an office visit; rhc or fqhc only
	G0402: Initial preventive physical examination; face-to-face visit, services limited to
	new beneficiary during the first 12 months of medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of service (pps),
	initial visit

Description	CPT/CPT-CAT II/LOINC/HCPCS
	G0439: Annual wellness visit, includes a personalized prevention plan of service (pps),
	subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (e.g., store and forward), including interpretation with follow-up
	with the patient within 24 business hours, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within
	the next 24 hours or soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a
	physician or other qualified health care professional who can report evaluation and
	management services, provided to an established patient, not originating from a related
	e/m service provided within the previous 7 days nor leading to an e/m service or
	procedure within the next 24 hours or soonest available appointment; 5-10 minutes of
	medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an
	established patient (e.g., store and forward), including interpretation with follow-up
	with the patient within 24 business hours, not originating from a related service
	provided within the previous 7 days nor leading to a service or procedure within the
	next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a
	qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service
	provided within the previous 7 days nor leading to a service or procedure within the
	next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, e.g. virtual check-in, by a
	physician or other qualified health care professional who can report evaluation and
	management services, provided to an established patient, not originating from a related
	e/m service provided within the previous 7 days nor leading to an e/m service or
	procedure within the next 24 hours or soonest available appointment; 11-20 minutes of
	medical discussion
	T1015: Clinic visit/encounter, all-inclusive
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

#### HEDIS Coding Booklet Page 26 of 114

- Improve the accuracy of BP measurements performed by your clinical staff by:
  - o Providing training materials from the American Heart Association.
  - o Conducting BP competency tests to validate the education of each clinical staff Member.
  - Making a variety of cuff sizes available.
- Instruct your office staff to recheck BPs for all members with initial recorded readings greater than systolic 140 mm Hg and diastolic of 90 mm Hg during outpatient office visits; have your staff record the recheck in Member's medical records.
- Refer high-risk members to our hypertension programs for additional education and support.
- Educate members and their spouses, caregivers, or guardians about the elements of a healthy lifestyle such as:
  - Heart-healthy eating and a low-salt diet.
  - Smoking cessation and avoiding secondhand smoke.
  - Adding regular exercise to daily activities.
  - o Home BP monitoring.
  - Ideal body mass index (BMI).
  - o The importance of taking all prescribed medications as directed.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

We support you in helping members control high blood pressure by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Reaching out to our hypertensive members through our programs.
- Helping identify your hypertensive members.
- Helping you schedule, plan, implement and evaluate a health screening Clinic Day; call your Provider Solutions representative to find out more.
- Educating our members on high blood pressure through health education materials if available.
- Supplying copies of healthy tips for your office.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

#### Other available resources

You can find more information and tools online at:

- www.nhlbi.nih.gov
- https://www.cdc.gov/bloodpressure/index.htm

Notes			

HEDIS Coding Booklet
HEDIS Coding Booklet Page 27 of 114

## Cervical Cancer Screening (CCS)

This HEDIS measure looks at the percentage of members 21 to 64 years of age who were recommended for routine cervical cancer screening and were screened for cervical cancer using any of the following criteria:

- Members 21 to 64 years of age who were recommended for routine cervical cancer screening and had cervical cytology performed within the last 3 years.
- Members 30 to 64 years of age who were recommended for routine cervical cancer screening and had cervical high-risk human papillomavirus (hrHPV) testing performed within the last 5 years.
- Members 30 to 64 years of age who were recommended for routine cervical cancer screening and had cervical cytology/high-risk human papillomavirus (hrHPV) cotesting within the last 5 years.

#### Record your efforts

Make sure your medical records reflect:

- The date when the cervical cytology was performed.
- The results or findings
  - Unknown is not considered a result/finding
- Notes in member's chart if member has a history of hysterectomy.
  - Complete details if it was a complete, total, or radical abdominal, vaginal, or unspecified
    hysterectomy with no residual cervix; also, document history of cervical agenesis or acquired
    absence of cervix. (Include, at a minimum, the year the surgical procedure was performed.)

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Hysterectomy with no residual cervix
- Cervical agenesis or acquired absence of cervix
- Members receiving palliative care
- Member who had an encounter for palliative care
- Members with Sex Assigned at Birth of Male at any time in the patient's history.

Description	CPT/HCPCS/LOINC
Cervical Cytology	CPT
Lab Test	88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166,
	88167, 88174, 88175
	HCPCS
	G0123: Screening cytopathology, cervical or vaginal (any reporting system), collected in
	preservative fluid, automated thin layer preparation, screening by cytotechnologist under physician supervision
	G0124: Screening cytopathology, cervical or vaginal (any reporting system), collected in
	preservative fluid, automated thin layer preparation, requiring interpretation by
	physician
	G0141: Screening cytopathology smears, cervical or vaginal, performed by automated
	system, with manual rescreening, requiring interpretation by physician
	G0143: Screening cytopathology, cervical or vaginal (any reporting system), collected in
	preservative fluid, automated thin layer preparation, with manual screening and
	rescreening by cytotechnologist under physician supervision
	G0144: Screening cytopathology, cervical or vaginal (any reporting system), collected in
	preservative fluid, automated thin layer preparation, with screening by automated
	system, under physician supervision
	G0145: Screening cytopathology, cervical or vaginal (any reporting system), collected in
	preservative fluid, automated thin layer preparation, with screening by automated
	system and manual rescreening under physician supervision
	G0147: Screening cytopathology smears, cervical or vaginal, performed by automated
	system under physician supervision

Description	CPT/HCPCS/LOINC
	G0148: Screening cytopathology smears, cervical or vaginal, performed by automated
	system with manual rescreening
	P3000: Screening papanicolaou smear, cervical or vaginal, up to three smears, by
	technician under physician supervision
	P3001: Screening papanicolaou smear, cervical or vaginal, up to three smears, requiring
	interpretation by physician
	Q0091: Screening papanicolaou smear; obtaining, preparing and conveyance of cervical
	or vaginal smear to laboratory
	LOINC
	10524-7: Microscopic observation [Identifier] in Cervix by Cyto stain
	18500-9: Microscopic observation [Identifier] in Cervix by Cyto stain.thin prep 19762-4: General categories [Interpretation] of Cervical or vaginal smear or scraping by
	Cyto stain
	19764-0: Statement of adequacy [Interpretation] of Cervical or vaginal smear or
	scraping by Cyto stain
	19765-7: Microscopic observation [Identifier] in Cervical or vaginal smear or scraping by
	Cyto stain
	19766-5: Microscopic observation [Identifier] in Cervical or vaginal smear or scraping by
	Cyto stain Narrative
	19774-9: Cytology study comment Cervical or vaginal smear or scraping Cyto stain
	33717-0: Cervical AndOr vaginal cytology study
	47527-7: Cytology report of Cervical or vaginal smear or scraping Cyto stain.thin prep
	47528-5: Cytology report of Cervical or vaginal smear or scraping Cyto stain
High Risk HPV Lab	CPT
Test	87624, 87625
	HCPCS
	G0476: Infectious agent detection by nucleic acid (dna or rna); human papillomavirus
	(hpv), high-risk types (e.g., 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 68) for cervical
	cancer screening, must be performed in addition to pap test LOINC
	21440-3: Human papilloma virus 16+18+31+33+35+45+51+52+56 DNA [Presence] in
	Cervix by Probe
	30167-1: Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+59+68 DNA
	[Presence] in Cervix by Probe with signal amplification
	38372-9: Human papilloma virus
	6+11+16+18+31+33+35+39+42+43+44+45+51+52+56+58+59+68 DNA [Presence] in
	Cervix by Probe with signal amplification
	59263-4: Human papilloma virus 16 DNA [Presence] in Cervix by Probe with signal
	amplification
	59264-2: Human papilloma virus 18 DNA [Presence] in Cervix by Probe with signal
	amplification

Description	CPT/HCPCS/LOINC
	59420-0: Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+59+66+68
	DNA [Presence] in Cervix by Probe with signal amplification
	69002-4: Human papilloma virus E6+E7 mRNA [Presence] in Cervix by NAA with probe
	71431-1: Human papilloma virus 31+33+35+39+45+51+52+56+58+59+66+68 DNA
	[Presence] in Cervix by NAA with probe detection
	75694-0: Human papilloma virus 18+45 E6+E7 mRNA [Presence] in Cervix by NAA with probe detection
	77379-6: Human papilloma virus 16 and 18 and
	31+33+35+39+45+51+52+56+58+59+66+68 DNA [Interpretation] in Cervix
	77399-4: Human papilloma virus 16 DNA [Presence] in Cervix by NAA with probe detection
	77400-0: Human papilloma virus 18 DNA [Presence] in Cervix by NAA with probe
	82354-2: Human papilloma virus 16 and 18+45 E6+E7 mRNA [Identifier] in Cervix by NAA with probe detection
	82456-5: Human papilloma virus 16 E6+E7 mRNA [Presence] in Cervix by NAA with probe detection
	82675-0: Human papilloma virus 16+18+31+33+35+39+45+51+52+56+58+59+66+68
	DNA [Presence] in Cervix by NAA with probe detection
	95539-3: Human papilloma virus 31 DNA [Presence] in Cervix by NAA with probe detection

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

- Discuss the importance of well-woman exams, mammograms, Pap tests and HPV testing with all female members between ages 21 to 64 years.
- Be a champion in promoting women's health by reminding them of the importance of annual wellness visits.
- Refer members to another appropriate provider if your office does not perform Pap tests and request copies of Pap test/HPV co-testing results be sent to your office.
- Talk to your Provider Solutions representative to determine if a health screening Clinic Day has been scheduled in your community. Our staff may be able to help plan, implement and evaluate events for a particular preventive screening, like a cervical cancer screening or a complete comprehensive women's health screening event (only if this is offered in your practice area).
- Train your staff on the use of educational materials to promote cervical cancer screening.
- Use a tracking mechanism, (for example, EMR flags and/or manual tracking tool) to identify members due for cervical cancer screening.
- Display posters and educational messages in treatment rooms and waiting areas to help motivate members to initiate discussions with you about screening.
- Train your staff on preventive screenings or find out if we provide training.

#### HEDIS Coding Booklet Page 31 of 114

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

We help you get our members this critical service by:

- Offering you access to our Clinical Practice Guidelines on our provider self-service website.
- Coordinating with you to plan and focus on improving health awareness for our members by providing health screenings, activities, materials, and resources if available or as needed.
- Educating members on the importance of cervical cancer screening through various sources, such as phone calls, post cards, newsletters, and health education fliers if available.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources
You can find more information and tools online at www.uspreventiveservicestaskforce.org.
Notes

## Childhood Immunization Status (CIS)

This measure looks at the percentage of children turning 2 years of age who had four diphtheria, tetanus and acellular pertussis (DTaP); three polio (IPV); one measles, mumps and rubella (MMR); three haemophilus

influenza type B (HiB); three hepatitis B (Hep B), one chicken pox (VZV); four pneumococcal conjugate (PCV); one hepatitis A (Hep A); two or three rotavirus (RV); and two influenza (flu) vaccines by their second birthday. The measure calculates a rate for each vaccine and three combination rates.

- DTap (Diphtheria, Tetanus, Pertussis): At least four vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- IPV (Inactivated Polio Vaccine): At least three vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- MMR (Measles, Mumps and Rubella: Can only be given on or between the child's first and second birthdays.
- HiB (Haemophilus influenza type b): At least three vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
   Hep B (Hepatitis B): At least three vaccinations with different dates of service. One of the three vaccinations can be a newborn hepatitis B vaccination during the 8-day period that begins on the date of birth and ends 7 days after the date of birth.
- VZV (Herpes Zoster Zostavax): At least one vaccination with a date of service on or between the child's first and second birthdays.
- PCV (Pneumococcal conjugate vaccine): At least four vaccinations with different dates of service. Do not count a vaccination administered prior to 42 days after birth.
- Hep A (Hepatitis A): At least one vaccination with a date of service on or between the child's first and second birthdays.
- RV (Rotavirus): At least two doses of the two-dose rotavirus vaccine on different dates of service,
  - or at least three doses of the three-dose rotavirus vaccine different dates of service
  - o or at least one dose of the two-dose rotavirus vaccine and at least two doses of the three-dose rotavirus vaccine all on different dates of service.
    - Do not count a vaccination administered prior to 42 days after birth.
- Flu (Influenza): At least two influenza vaccinations with different dates of service on or before the child's second birthday. Do not count a vaccination administered prior to 180 days after birth.
  - An influenza vaccination recommended for children 2 years and older administered on the child's second birthday meets criteria for one of the two required vaccinations.

Immunization	Dose(s)
DTaP	4
IPV	3
MMR	1
Hib	3
Нер В	3
VZV	1
PCV	4
Нер А	1
Rotavirus	Two-dose (Rotarix)

	Three-dose (Rotateq) vaccine
Influenza	2 Second dose may be LAIV given on 2nd birthday

#### Record your efforts

Once you give our members their needed immunizations, let us and the state know by:

- Recording the immunizations in your state registry.
- Documenting the immunizations (historic and current) within medical records to include:
  - o A note indicating the name of the specific antigen and the date of the immunization.
  - o The certificate of immunization prepared by an authorized health care provider or agency.
  - For documented history of illness or anaphylaxis, there must be a note indicating the date of the event, which must have occurred by the member's second birthday.
  - The date of the first hepatitis B vaccine given at the hospital and name of the hospital if available.
  - A note that the *Member is up to date* with all immunizations but which does not list the dates of all immunizations and the names of the immunization agents does not constitute sufficient evidence of immunization for HEDIS reporting.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
   Members who had a contraindication to a childhood vaccine on or before their second birthday

#### Codes to identify immunizations:

Immunization	СРТ	CVX/HCPCS/ICD10PCS
DTaP	CPT 90697, 90698, 90700, 90723	20: diphtheria, tetanus toxoids and acellular pertussis vaccine 50: DTaP-Haemophilus influenzae type b conjugate vaccine 106: diphtheria, tetanus toxoids and acellular pertussis vaccine, 5 pertussis antigens 107: diphtheria, tetanus toxoids and acellular pertussis vaccine, unspecified formulation 110: DTaP-hepatitis B and poliovirus vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.
IPV	CPT 90697, 90698, 90713, 90723	10: poliovirus vaccine, inactivated 89: poliovirus vaccine, unspecified formulation 110: DTaP-hepatitis B and poliovirus vaccine

Hib  CPT 90644, 90647, 90748  90698, 90748  Ac Haemophilus influenzae type b vaccine, conjugate unspecified formulation 90698, 90748  46: Haemophilus influenzae type b vaccine, PRP-D conjugate 47: Haemophilus influenzae type b vaccine, PRP-T conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 48: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, Haemophilus influenzae type b conjugate and Hepatitis B vaccine, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  Hep B  CPT 90697, 90723, 90697, 90723, 90740, 90744, 90747, 90748  Figure 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Tetanus Toxoid Conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus vaccine (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine into Muscle, Percutaneous Approach	Immunization	СРТ	CVX/HCPCS/ICD10PCS
inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  MMR  CPT 90707, 90710 30: measles, mumps and rubella virus vaccine 94: measles, mumps, rubella, and varicella virus vaccine Hib  CPT 90644, 90647, 90648, 90697, 90698, 90748 47: Haemophilus influenzae type b vaccine, conjugate unspecified formulation 48: Haemophilus influenzae type b vaccine, PRP-D conjugate 48: Haemophilus influenzae type b vaccine, PRP-Conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate and Hepatitis B vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria, atetanus toxoids and acellular pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 149: hepatitis B vaccine, unspecified formulation 70067, 90723, 90744, 90744, 90747, 90748 90747, 90748 90747, 90748 11: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine 146: Diphtheria and Tetanus Toxoid and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine Incompatition of hepatitis b vaccine Percutaneous Approach			
146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  MMR  CPT 90707, 90710 94: measles, mumps and rubella virus vaccine 90707, 90710 94: measles, mumps, rubella, and varicella virus vaccine 17: Haemophilus influenzae type b vaccine, conjugate unspecified formulation 90648, 90647, 90648, 90697, 46: Haemophilus influenzae type b vaccine, PRP-D conjugate 48: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 49: Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria, tetanus toxoids and acellular pertussis Adsorbed, Inactivated Poliovirus, Haemophilus B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus D Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine into Muscle, Percutaneous Approach			Haemophilus influenzae type b conjugate, and poliovirus vaccine,
Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  MMR  CPT 90707, 90710  Hib  CPT 90644, 90647, 90648, 90697, 90698, 90748  As: Haemophilus influenzae type b vaccine, conjugate unspecified formulation 47: Haemophilus influenzae type b vaccine, PRP-D conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-T conjugate 50: DTaP-Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate, and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vadorbed, Inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 90697, 90723, 90740, 90744, 90747, 90748  S1: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B vaccine, unspecified formulation 10: DTaP-hepatitis B vaccine, unspecified formulation 11: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine			inactivated (DTaP-Hib-IPV)
(Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  MMR  CPT  90707, 90710  94: measles, mumps and rubella virus vaccine  Hib  CPT  90644, 90647, 90648, 90697, 90698, 90748  46: Haemophilus influenzae type b vaccine, Conjugate unspecified formulation 46: Haemophilus influenzae type b vaccine, PRP-D conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine, 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 08: hepatitis B vaccine, dialysis patient dosage 44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, dialysis patient dosage 46: hepatitis B vaccine, dialysis patient dosage 47: hepatitis B vaccine, dialysis patient dosage 48: hepatitis B vaccine, dialysis patient dosage 49: hepatitis B vaccine, dialysis patient dosage 40: hepatit			146: Diphtheria and Tetanus Toxoids and Acellular Pertussis
MMR CPT 90707, 90710 93: measles, mumps and rubella virus vaccine 94: measles, mumps, rubella, and varicella virus vaccine 94: measles, mumps, rubella, and varicella virus vaccine 17: Haemophilus influenzae type b vaccine, conjugate unspecified formulation 90648, 90697, 90698, 90748 47: Haemophilus influenzae type b vaccine, PRP-D conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 149: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Tetanus Toxoid Conjugate Vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus vaccine of Tetanus Toxoid Conjugate and Hepatitis B vaccine (Meningococcal Protein Conjugate), and Hepatitis B vaccine (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus vaccine of Tetanus Toxoid Secondary (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine 147: Diphtheria and Tetanus Toxoid Secondary (Meningococcal Protein Conjugate), and H			Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate
MMR CPT 90707, 90710 93: measles, mumps, rubella, and varicella virus vaccine 17: Haemophilus influenzae type b vaccine, conjugate unspecified formulation 90648, 90697, 90698, 90748 46: Haemophilus influenzae type b vaccine, PRP-D conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 49: Haemophilus influenzae type b conjugate vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate and Hepatitis B vaccine, Haemophilus influenzae type b conjugate vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Tetanus Toxoid Conjugate Vaccine 48: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 44: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine (Meningococcal Protein Conjugate), and Hepatitis B vaccine (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) V			(Meningococcal Protein Conjugate), and Hepatitis B (Recombinant)
Hib  CPT 90644, 90647, 90748  90698, 90748  Ac Haemophilus influenzae type b vaccine, conjugate unspecified formulation 90698, 90748  46: Haemophilus influenzae type b vaccine, PRP-D conjugate 47: Haemophilus influenzae type b vaccine, PRP-T conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 48: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, Haemophilus influenzae type b conjugate and Hepatitis B vaccine, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  Hep B  CPT 90697, 90723, 90697, 90723, 90740, 90744, 90747, 90748  Figure 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Tetanus Toxoid Conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus vaccine (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine into Muscle, Percutaneous Approach			Vaccine.
Hib  CPT 90644, 90647, 90648, 90697, 90698, 90748  17: Haemophilus influenzae type b vaccine, conjugate unspecified formulation 46: Haemophilus influenzae type b vaccine, PRP-D conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 249: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine 360342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach	MMR	СРТ	03: measles, mumps and rubella virus vaccine
90644, 90647, 90648, 90697, 90698, 90748  90698, 90748  46: Haemophillus influenzae type b vaccine, PRP-D conjugate 47: Haemophillus influenzae type b vaccine, PRP-T conjugate 48: Haemophillus influenzae type b vaccine, PRP-T conjugate 49: Haemophillus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophillus influenzae type b conjugate vaccine 51: Haemophillus influenzae type b conjugate vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophillus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophillus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophillus b Tetanus Toxoid Conjugate Vaccine 44: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophillus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) vaccine HCPCS G0010: Administration of hepatitis b vaccine		90707, 90710	94: measles, mumps, rubella, and varicella virus vaccine
90648, 90697, 90698, 90748  46: Haemophilus influenzae type b vaccine, PRP-D conjugate 47: Haemophilus influenzae type b vaccine, PRP-T conjugate 48: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV)  146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  44: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administration of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach	Hib	СРТ	17: Haemophilus influenzae type b vaccine, conjugate unspecified
90698, 90748  47: Haemophilus influenzae type b vaccine, HbOC conjugate 48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine 08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  1CD10PCS 3E02342: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach		90644, 90647,	
48: Haemophilus influenzae type b vaccine, PRP-T conjugate 49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine Po697, 90723, 90740, 90744, 90747, 90748  45: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  1CD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach		90648, 90697,	46: Haemophilus influenzae type b vaccine, PRP-D conjugate
49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 90697, 90723, 90740, 90744, 90747, 90748  O8: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach		90698, 90748	47: Haemophilus influenzae type b vaccine, HbOC conjugate
49: Haemophilus influenzae type b vaccine, PRP-OMP conjugate 50: DTaP-Haemophilus influenzae type b conjugate vaccine 51: Haemophilus influenzae type b conjugate vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 90697, 90723, 90740, 90744, 90747, 90748  O8: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			48: Haemophilus influenzae type b vaccine, PRP-T conjugate
51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			
51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV) 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine. 148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			50: DTaP-Haemophilus influenzae type b conjugate vaccine
120: diphtheria, tetanus toxoids and acellular pertussis vaccine, Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV)  146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT  08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine
Haemophilus influenzae type b conjugate, and poliovirus vaccine, inactivated (DTaP-Hib-IPV)  146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT  08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			
inactivated (DTaP-Hib-IPV)  146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT  08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			
Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 90697, 90723, 90740, 90744, 90747, 90748  45: hepatitis B vaccine, pediatric or pediatric/adolescent dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			
(Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 90697, 90723, 90740, 90744, 90747, 90748  45: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			146: Diphtheria and Tetanus Toxoids and Acellular Pertussis
(Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT 90697, 90723, 90740, 90744, 90747, 90748  45: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate
Vaccine.  148: Meningococcal Groups C and Y and Haemophilus b Tetanus Toxoid Conjugate Vaccine  Hep B  CPT  90697, 90723, 90740, 90744, 90747, 90748  10: DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			(Meningococcal Protein Conjugate), and Hepatitis B (Recombinant)
Toxoid Conjugate Vaccine  Hep B  CPT 90697, 90723, 90740, 90744, 90747, 90748  DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS B Vaccine Administered  Description  Adsorbation  B vaccine  Toxoid Conjugate Vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine			
Toxoid Conjugate Vaccine  Hep B  CPT 90697, 90723, 90740, 90744, 90747, 90748  DTaP-hepatitis B and poliovirus vaccine 110: DTaP-hepatitis B and Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS B Vaccine Administered  Description  Adsorbation  B vaccine  Toxoid Conjugate Vaccine, pediatric or pediatric/adolescent dosage 44: hepatitis B vaccine, dialysis patient dosage 44: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine			148: Meningococcal Groups C and Y and Haemophilus b Tetanus
90697, 90723, 90740, 90744, 90747, 90748  44: hepatitis B vaccine, dialysis patient dosage 45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  1CD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			
90740, 90744, 90747, 90748  45: hepatitis B vaccine, unspecified formulation 51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  1CD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach	Нер В	СРТ	08: hepatitis B vaccine, pediatric or pediatric/adolescent dosage
90747, 90748  51: Haemophilus influenzae type b conjugate and Hepatitis B vaccine 110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach		90697, 90723,	44: hepatitis B vaccine, dialysis patient dosage
110: DTaP-hepatitis B and poliovirus vaccine 146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach		90740, 90744,	45: hepatitis B vaccine, unspecified formulation
146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS B Vaccine Administered  146: Diphtheria and Tetanus Toxoids and Acellular Pertussis Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach		90747, 90748	
Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS B Vaccine Administered  Administered  Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate (Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine			110: DTaP-hepatitis B and poliovirus vaccine
(Meningococcal Protein Conjugate), and Hepatitis B (Recombinant) Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			146: Diphtheria and Tetanus Toxoids and Acellular Pertussis
Vaccine HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine SE0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			Adsorbed, Inactivated Poliovirus, Haemophilus b Conjugate
HCPCS G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine Administered  HCPCS G0010: Administration of hepatitis b vaccine  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			(Meningococcal Protein Conjugate), and Hepatitis B (Recombinant)
G0010: Administration of hepatitis b vaccine  Newborn Hepatitis B Vaccine S 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			Vaccine
Newborn Hepatitis B Vaccine Administered  ICD10PCS 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Percutaneous Approach			HCPCS
B Vaccine 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Administered Percutaneous Approach			G0010: Administration of hepatitis b vaccine
B Vaccine 3E0234Z: Introduction of Serum, Toxoid and Vaccine into Muscle, Administered Percutaneous Approach	Newborn Hepatitis		ICD10PCS
Administered Percutaneous Approach	B Vaccine		
	Administered		·
	VZV	СРТ	21: varicella virus vaccine

Immunization	СРТ	CVX/HCPCS/ICD10PCS
	90710, 90716	94: measles, mumps, rubella, and varicella virus vaccine
PCV	CPT	109: pneumococcal vaccine, unspecified formulation
	90670, 90671	133: pneumococcal conjugate vaccine, 13 valent
		152: Pneumococcal Conjugate, unspecified formulation
		215: Pneumococcal conjugate vaccine 15-valent (PCV15),
		polysaccharide CRM197 conjugate, adjuvant, preservative free
Нер А	СРТ	31: hepatitis A vaccine, pediatric dosage, unspecified formulation
	90633	83: hepatitis A vaccine, pediatric/adolescent dosage, 2 dose schedule
		85: hepatitis A vaccine, unspecified formulation
Rotavirus (two- or	Two-dose: 90681	Two-dose: 119
three-dose)	Three-dose: 90680	Three-dose
		116: rotavirus, live, pentavalent vaccine
		122: rotavirus vaccine, unspecified formulation
Influenza	CPT	88: influenza virus vaccine, unspecified formulation
	90655, 90657,	140: Influenza, seasonal, injectable, preservative free
	90661, 90673,	141: Influenza, seasonal, injectable
	90674, 90685,	150: Influenza, injectable, quadrivalent, preservative free
	90686, 90687, 90688, 90689	153: Influenza, injectable, Madin Darby Canine Kidney, preservative free
	·	155: Seasonal, trivalent, recombinant, injectable influenza vaccine, preservative free
		158: influenza, injectable, quadrivalent, contains preservative
		161: Influenza, injectable, quadrivalent, preservative free, pediatric
		171: Influenza, injectable, Madin Darby Canine Kidney, preservative
		free, quadrivalent
		186: Influenza, injectable, Madin Darby Canine Kidney, quadrivalent
		with preservative
		HCPCS
		G0008: Administration of influenza virus vaccine
Influenza: live	CPT	111: Influenza virus vaccine, live attenuated, for intranasal
attenuated for	90660, 90672	149: Influenza, live, intranasal, quadrivalent
intranasal use		

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

- If you use an EMR, create a flag to track members due for immunizations.
- Extend your office hours into the evening, early morning, or weekends to accommodate working parents.
- Develop or implement standing orders for nurses and physician assistants in your practice to allow staff to identify opportunities to immunize.

# HEDIS Coding Booklet Page 36 of 114


- Enroll in the Vaccines for Children (VFC) program to receive vaccines. If you have questions about enrollment and vaccine orders, contact your state VFC coordinator. Find your coordinator when you visit www.cdc.gov/vaccines/programs/vfc/contacts-state.html or call 800-CDC-INFO (800-232-4636).
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

## How can we help?

We can help you get children in for their immunizations by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing you with individual reports of your members overdue for services if needed.
- Assisting with member scheduling if needed.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			
_			
_			
	 		 -



# Chlamydia Screening in Women (CHL)

This HEDIS measure looks at the percentage of women 16 to 24 years of age who were identified as sexually active and who had at least one test for chlamydia during the measurement year.

## Record your efforts

Indicate the date the test was performed and the results

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who died during the measurement year

Based on a pregnancy test alone and who meet either of the following:

- A pregnancy test and a prescription for isotretinoin on the date of the pregnancy test or the six days after
- A pregnancy test and an x-ray on the date of the pregnancy test or the six days after

Description	CPT/LOINC
Chlamydia	CPT
testing	87110, 87270, 87320, 87490, 87491, 87492, 87810, 0353U
	LOINC
	14463-4: Chlamydia trachomatis [Presence] in Cervix by Organism specific culture
	14464-2: Chlamydia trachomatis [Presence] in Vaginal fluid by Organism specific culture
	14465-9: Chlamydia trachomatis [Presence] in Urethra by Organism specific culture
	14467-5: Chlamydia trachomatis [Presence] in Urine sediment by Organism specific culture
	14474-1: Chlamydia trachomatis Ag [Presence] in Urine sediment by Immunoassay
	14513-6: Chlamydia trachomatis Ag [Presence] in Urine sediment by Immunofluorescence
	16600-9: Chlamydia trachomatis rRNA [Presence] in Genital specimen by Probe
	21190-4: Chlamydia trachomatis DNA [Presence] in Cervix by NAA with probe detection
	21191-2: Chlamydia trachomatis DNA [Presence] in Urethra by NAA with probe detection
	23838-6: Chlamydia trachomatis rRNA [Presence] in Genital fluid by Probe
	31775-0: Chlamydia trachomatis Ag [Presence] in Urine sediment
	34710-4: Chlamydia trachomatis Ag [Presence] in Anal
	42931-6: Chlamydia trachomatis rRNA [Presence] in Urine by NAA with probe detection

B	CDT // CINIC
Description	CPT/LOINC
	44806-8: Chlamydia trachomatis+Neisseria gonorrhoeae DNA [Presence] in Urine by NAA with
	probe detection
	44807-6: Chlamydia trachomatis+Neisseria gonorrhoeae DNA [Presence] in Genital specimen by
	NAA with probe detection
	45068-4: Chlamydia trachomatis+Neisseria gonorrhoeae DNA [Presence] in Cervix by NAA with
	probe detection
	45069-2: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Genital specimen
	by Probe
	45072-6: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Anal by Probe
	45073-4: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Tissue by Probe
	45075-9: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Urethra by Probe
	45084-1: Chlamydia trachomatis DNA [Presence] in Vaginal fluid by NAA with probe detection
	45089-0: Chlamydia trachomatis rRNA [Presence] in Anal by Probe
	45090-8: Chlamydia trachomatis DNA [Presence] in Anal by NAA with probe detection
	45091-6: Chlamydia trachomatis Ag [Presence] in Genital specimen
	45093-2: Chlamydia trachomatis [Presence] in Anal by Organism specific culture
	45095-7: Chlamydia trachomatis [Presence] in Genital specimen by Organism specific culture
	50387-0: Chlamydia trachomatis rRNA [Presence] in Cervix by NAA with probe detection
	53925-4: Chlamydia trachomatis rRNA [Presence] in Urethra by NAA with probe detection
	53926-2: Chlamydia trachomatis rRNA [Presence] in Vaginal fluid by NAA with probe detection
	57287-5: Chlamydia trachomatis rRNA [Presence] in Anal by NAA with probe detection
	6353-7: Chlamydia trachomatis Ag [Presence] in Tissue by Immunofluorescence
	6356-0: Chlamydia trachomatis DNA [Presence] in Genital specimen by NAA with probe
	detection
	6357-8: Chlamydia trachomatis DNA [Presence] in Urine by NAA with probe detection
	80360-1: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Urine by NAA with
	probe detection
	80361-9: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Cervix by NAA with
	probe detection
	80362-7: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Vaginal fluid by
	NAA with probe detection
	80363-5: Chlamydia trachomatis DNA [Presence] in Anorectal by NAA with probe detection
	80364-3: Chlamydia trachomatis rRNA [Presence] in Anorectal by NAA with probe detection
	80365-0: Chlamydia trachomatis+Neisseria gonorrhoeae rRNA [Presence] in Anorectal by NAA
	with probe detection
	80367-6: Chlamydia trachomatis [Presence] in Anorectal by Organism specific culture
	82306-2: Chlamydia trachomatis rRNA [Presence] in Throat by NAA with probe detection
	87949-4: Chlamydia trachomatis DNA [Presence] in Tissue by NAA with probe detection
	87950-2: Chlamydia trachomatis [Presence] in Tissue by Organism specific culture
	88221-7: Chlamydia trachomatis DNA [Presence] in Throat by NAA with probe detection
	89648-0: Chlamydia trachomatis [Presence] in Throat by Organism specific culture
	91860-7: Chlamydia trachomatis Ag [Presence] in Genital specimen by Immunofluorescence

Descriptio	n CPT/LOINC
	91873-0: Chlamydia trachomatis Ag [Presence] in Throat by Immunofluorescence

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

#### How can we help?

 Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

## Helpful resource

www.cdc.gov/std/chlamydia/efault.htm

#### Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes					
	-	-	-	-	

# Cardiac Rehabilitation (CRE)

This HEDIS measure evaluates the percentage of members 18 years and older who attended cardiac rehabilitation following a qualifying cardiac event, including myocardial infarction, percutaneous coronary intervention, coronary artery bypass grafting, heart and heart/lung transplantation or heart valve repair/replacement on or between July 1 of the year prior to the measurement year to June 30 of the measurement year. Four rates are reported:

- Initiation: The percentage of members who attended 2 or more sessions of cardiac rehabilitation within 30 days after a qualifying event.
- Engagement 1: The percentage of members who attended 12 or more sessions of cardiac rehabilitation within 90 days after a qualifying event.
- Engagement 2: The percentage of members who attended 24 or more sessions of cardiac rehabilitation within 180 days after a qualifying event.
- Achievement: The percentage of members who attended 36 or more sessions of cardiac rehabilitation within 180 days after a qualifying event.

# Record your efforts

Count multiple cardiac rehabilitation sessions on the same date of service as multiple sessions. For example, if a member has two different codes for cardiac rehabilitation on the same date of service (or one code billed as two units), count this as two sessions of cardiac rehabilitation.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members receiving palliative care any time during the measurement year.
- Members who had an encounter for palliative anytime during the measurement year.
- Members 66 to 80 years of age and older as of December 31 of the measurement year (all product lines)
  with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be
  excluded.
- Members 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year.
- Discharged from an inpatient setting with any of the following on the discharge claim during the 180 days after the episode date:
  - Myocardial Infarction (MI)
  - Coronary artery bypass graft (CABG)
  - Heart or heart/lung transplant
  - Heart valve repair or replacement
  - Percutaneous Coronary Intervention (PCI)

# HEDIS Coding Booklet Page 41 of 114

Description	CPT/HCPCS
Cardiac	CPT
Rehabilitation	93797, 93798
	HCPCS
	G0422: Intensive cardiac rehabilitation; with or without continuous ecg monitoring with
	exercise, per session
	G0423: Intensive cardiac rehabilitation; with or without continuous ecg monitoring;
	without exercise, per session
	S9472: Cardiac rehabilitation program, non-physician provider, per diem


#### How can we help?

• Members may be eligible for transportation assistance at no cost, contact Services for arrangement.

### Helpful tips

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes					
	 	•	•	•	•



# Appropriate Testing for Pharyngitis (CWP)

This HEDIS measure evaluates the percentage of episodes for members 3 years of age and older where the member was diagnosed with pharyngitis, dispensed an antibiotic, and received a group A streptococcus (strep) test for the episode on or between July 1 of the year prior to the measurement year to June 30 of the measurement year.

# Record your efforts

- Document results of all strep tests or refusal for testing in medical record.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year

Description	CDT / UCDCC / ICD4 OCM4 / LOINIC
Description	CPT/HCPCS/ICD10CM/LOINC
Pharyngitis	ICD10CM
	J02.0: Streptococcal pharyngitis
	J02.8: Acute pharyngitis due to other specified organisms
	J02.9: Acute pharyngitis, unspecified
	J03.00: Acute streptococcal tonsillitis, unspecified
	J03.01: Acute recurrent streptococcal tonsillitis
	J03.80: Acute tonsillitis due to other specified organisms
	J03.81: Acute recurrent tonsillitis due to other specified organisms
	J03.90: Acute tonsillitis, unspecified
	J03.91: Acute recurrent tonsillitis, unspecified
Group A Strep	CPT
Tests	87070, 87071, 87081, 87430, 87650, 87651, 87652, 87880
	LOINC
	101300-2: Streptococcus pyogenes DNA [Presence] in Throat by NAA with non-probe
	detection
	11268-0: Streptococcus pyogenes [Presence] in Throat by Organism specific culture
	17656-0: Streptococcus pyogenes [Presence] in Specimen by Organism specific culture
	17898-8: Bacteria identified in Throat by Aerobe culture

Description	CPT/HCPCS/ICD10CM/LOINC
•	18481-2: Streptococcus pyogenes Ag [Presence] in Throat
	31971-5: Streptococcus pyogenes Ag [Presence] in Specimen
	49610-9: Streptococcus pyogenes DNA [Identifier] in Specimen by NAA with probe
	detection
	5036-9: Streptococcus pyogenes rRNA [Presence] in Specimen by Probe
	60489-2: Streptococcus pyogenes DNA [Presence] in Throat by NAA with probe detection
	626-2: Bacteria identified in Throat by Culture
	6557-3: Streptococcus pyogenes Ag [Presence] in Throat by Immunofluorescence
	6558-1: Streptococcus pyogenes Ag [Presence] in Specimen by Immunoassay
	6559-9: Streptococcus pyogenes Ag [Presence] in Specimen by Immunofluorescence
	68954-7: Streptococcus pyogenes rRNA [Presence] in Throat by Probe
	78012-2:Streptococcus pyogenes Ag [Presence] in Throat by Rapid immunoassay
Outpatient, ED	СРТ
and Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205,
	99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281, 99282, 99283,
	99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349, 99350, 99381, 99382,
	99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397,
	99401, 99402, 99403, 99404, 99411, 99412, 99421, 99422, 99423, 99429, 99441, 99442,
	99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a
	virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally
	qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an rhc or fqhc practitioner, occurring
	in lieu of an office visit; rhc or fqhc only
	G0402: Initial preventive physical examination; face-to-face visit, services limited to new
	beneficiary during the first 12 months of medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of service (pps), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (pps), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician
	or other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 5-10 minutes of medical discussion

Description	CPT/HCPCS/ICD10CM/LOINC
	G2250: Remote assessment of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related service provided within the
	previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified
	health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the
	previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

# Helpful tips

- If a member tests negative for group A strep but insists on an antibiotic:
  - Refer to the illness as a sore throat due to a cold; members tend to associate the label with a less-frequent need for antibiotics.
  - Write a prescription for symptom relief, like over-the-counter medications.
- Educate members on the difference between bacterial and viral infections. This is the key point in the success of this measure. Use CDC handouts or education tools as needed.
- Discuss with members ways to treat symptoms:
  - Get extra rest.
  - Drink plenty of fluids.
  - Use over-the-counter medications.
  - Use the cool-mist vaporizer and nasal spray for congestion.
  - Eat ice chips or use throat spray/lozenges for sore throats.
- Educate members and their parents or caregivers that they can prevent infection by:
  - Washing hands frequently.
  - Disinfecting toys.
  - Keeping the child out of school or day care for at least 24 hours until antibiotics have been taken and symptoms have improved.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

Members may be eligible for transportation assistance at no cost, contact Services for arrangement.

Helpful resources https://www.cdc.gov/antibiotic-use/index.html	
Notes	

# Eye Exam for Patients With Diabetes (EED)

This HEDIS measure looks at the percentage of members 18 to 75 years of age with diabetes (types 1 and 2) who had a retinal eye exam.

#### Record your efforts

- A retinal or dilated eye exam by an eye care professional (optometrist or ophthalmologist) in the measurement year.
- A negative retinal or dilated eye exam (negative for retinopathy) by an eye care professional in the year prior to the measurement year.
- Bilateral eye enucleation any time during the Member's history through December 31 of the measurement year.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members receiving palliative care any time during the measurement year.
- Members who had an encounter for palliative anytime during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded.

Services	CPT/HCPCS/CPT-CAT II
Unilateral eye	СРТ
enucleation	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114

Services	CPT/HCPCS/CPT-CAT II
Diabetic retinal	CPT
screening	67028, 67030, 67031, 67036, 67039, 67041, 67042, 67043, 67101, 67105, 67107, 67108, 67110, 67113, 67121, 67141, 67145, 67208, 67210, 67218, 67220, 67221, 67227, 67228, 92002, 92004, 92012, 92014, 92018, 92019, 92134, 92201, 92202, 92227, 92228, 92230, 92235, 92240, 92250, 92260, 99203, 99204, 99205, 99213, 99214, 99215, 99242, 99243, 99244, 99245 HCPCS S0620: Routine ophthalmological examination including refraction; new patient S0621: Routine ophthalmological examination including refraction; established patient S3000: Diabetic indicator; retinal eye exam, dilated, bilateral
Eye exam with	CPT-CAT II
evidence of	2022F: Dilated retinal eye exam with interpretation by an ophthalmologist or
retinopathy	optometrist documented and reviewed; with evidence of retinopathy (DM)
	2024F: 7 standard field stereoscopic retinal photos with interpretation by an
	ophthalmologist or optometrist documented and reviewed; with evidence of
	retinopathy (DM)
	2026F: Eye imaging validated to match diagnosis from 7 standard field stereoscopic
Fire average with and	retinal photos results documented and reviewed; with evidence of retinopathy (DM)
Eye exam without evidence of	CPT-CAT II 2023F: Dilated retinal eye exam with interpretation by an ophthalmologist or
retinopathy	optometrist documented and reviewed; without evidence of retinopathy (DM)
retinopatity	2025F: 7 standard field stereoscopic retinal photos with interpretation by an
	ophthalmologist or optometrist documented and reviewed; without evidence of
	retinopathy (DM)
	2033F: Eye imaging validated to match diagnosis from 7 standard field stereoscopic
	retinal photos results documented and reviewed; without evidence of retinopathy (DM)
Unilateral eye	СРТ
enucleation	65091, 65093, 65101, 65103, 65105, 65110, 65112, 65114
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

# Helpful tips

• For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.

# HEDIS Coding Booklet Page 47 of 114

- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a member's screenings are due.
- Send appointment reminders and call members to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results, eye exam results or any specialist referral and document on your chart.
- Refer members to the network of eye providers for their annual diabetic eye exam.
- Educate your members and their families, caregivers, and guardians on diabetes care, including:
  - o Taking all prescribed medications as directed.
  - Adding regular exercise to daily activities.
  - Having a diabetic eye exam each year with an eye care provider.
  - o Regularly monitoring blood sugar and blood pressure at home.
  - o Maintaining healthy weight and ideal body mass index.
  - Eating heart-healthy, low-calorie, and low-fat foods.
  - Stopping smoking and avoiding second-hand smoke.
  - Keeping all medical appointments; getting help with scheduling necessary appointments, screenings, and tests to improve compliance.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health
  plan to capture all coded elements. Contact your Provider Solutions representative for additional details
  and questions.

## How can we help?

We can help you with comprehensive diabetes care by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Providing programs that may be available to our diabetic members.
- Supplying copies of educational resources on diabetes that may be available for your office.
- Providing education at your office if available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes				

HEDIS Coding Booklet Page 48 of 114
Follow-up After Emergency Department Visit for Substance Use

# Follow-up After Emergency Department Visit for Substance Use (FUA)

This HEDIS measure evaluates the percentage of emergency department (ED) visits for members 13 years of age and older with a principal diagnosis of substance use disorder (SUD), or any diagnosis of drug overdose, who had a follow up visit for SUD during the measurement year. Two rates are reported:

- The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days)
- The percentage of ED visits for which the member received follow-up within seven days of the ED visit (8 total days)

# Record your efforts

• 30 Day Follow-Up: A Member has a follow-up visit or a pharmacotherapy dispensing event 30 days after the ED visit (31 total days). Include events and visits that occur on the date of the ED visit.

# HEDIS Coding Booklet Page 49 of 114

• 7 Day Follow-Up: A member has a follow-up visit or a pharmacotherapy dispensing event 7 days after the ED visit (8 total days). Include events and visits that occur on the date of the ED visit.

#### **Exclusions**

- ED visits that result in an inpatient stay
- Members who use hospice services or elect to use a hospice benefit anytime during the measurement year
- Members who died during the measurement year

Services	CPT/HCPCS/ICD10CM/POS
BH outpatient	СРТ
•	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214,
	99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492,
	99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15
	minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation,
	related to the care and treatment of patient's disabling mental health problems, per
	session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of patient's
	disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the
	patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided
	by a corf-qualified social worker or psychologist in a corf)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (rhc/fqhc) only, psychiatric
	collaborative care model (psychiatric cocm), 60 minutes or more of clinical staff time for
	psychiatric cocm services directed by an rhc or fqhc practitioner (physician, np, pa, or cnm)
	and including services furnished by a behavioral health care manager and consultation
	with a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to treatment
	program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation

Services	CPT/HCPCS/ICD10CM/POS
Jet vices	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Substance	ICD10CM
Abuse	Z71.41: Alcohol abuse counseling and surveillance of alcoholic
Counseling and	Z71.51: Drug abuse counseling and surveillance of drug abuser
Surveillance	
Substance Use	CPT
Disorder	99408, 99409
Services	HCPCS
	G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
	audit, dast), and brief intervention 15 to 30 minutes
	G0397: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g., audit, dast), and intervention, greater than 30 minutes
	G0443: Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes
	H0001: Alcohol and/or drug assessment
	H0005: Alcohol and/or drug services; group counseling by a clinician
	H0007: Alcohol and/or drug services; crisis intervention (outpatient)
	H0015: Alcohol and/or drug services; intensive outpatient (treatment program that
	operates at least 3 hours/day and at least 3 days/week and is based on an individualized
	treatment plan), including assessment, counseling; crisis intervention, and activity
	therapies or education
	H0016: Alcohol and/or drug services; medical/somatic (medical intervention in ambulatory
	setting)
	H0022: Alcohol and/or drug intervention service (planned facilitation)
	H0047: Alcohol and/or other drug abuse services, not otherwise specified
	H0050: Alcohol and/or drug services, brief intervention, per 15 minutes
	H2035: Alcohol and/or other drug treatment program, per hour
	H2036 Alcohol and/or other drug treatment program, per diem
	T1006: Alcohol and/or substance abuse services, family/couple counseling
College	T1012: Alcohol and/or substance abuse services, skills development
Substance Use	HCPCS
Services	H0006: Alcohol and/or drug services; case management

Services	CPT/HCPCS/ICD10CM/POS
	H0028: Alcohol and/or drug prevention problem identification and referral service (e.g., student assistance and employee assistance programs), does not include assessment
OUD monthly	HCPCS:
office-based	G2086: Office-based treatment for opioid use disorder, including development of the
treatment	treatment plan, care coordination, individual therapy and group therapy and counseling; at least 70 minutes in the first calendar month
	G2087: Office-based treatment for opioid use disorder, including care coordination,
	individual therapy and group therapy and counseling; at least 60 minutes in a subsequent
	calendar month
OUD weekly	HCPCS:
drug treatment	G2067: Medication assisted treatment, methadone; weekly bundle including dispensing
service	and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a medicare-enrolled opioid treatment program)
	G2068: Medication assisted treatment, buprenorphine (oral); weekly bundle including
	dispensing and/or administration, substance use counseling, individual and group therapy,
	and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)
	G2069: Medication assisted treatment, buprenorphine (injectable); weekly bundle
	including dispensing and/or administration, substance use counseling, individual and group
	therapy, and toxicology testing if performed (provision of the services by a medicare-
	enrolled opioid treatment program)
	G2070: Medication assisted treatment, buprenorphine (implant insertion); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)
	G2072: Medication assisted treatment, buprenorphine (implant insertion and removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)
	G2073: Medication assisted treatment, naltrexone; weekly bundle including dispensing
	and/or administration, substance use counseling, individual and group therapy, and
	toxicology testing if performed (provision of the services by a medicare-enrolled opioid
	treatment program)
OUD weekly	HCPCS
Nondrug service	G2071: Medication assisted treatment, buprenorphine (implant removal); weekly bundle
Tronulug selvice	including dispensing and/or administration, substance use counseling, individual and group
	therapy, and toxicology testing if performed (provision of the services by a medicare-
	enrolled opioid treatment program)
	G2074: Medication assisted treatment, weekly bundle not including the drug, including
	substance use counseling, individual and group therapy, and toxicology testing if
	performed (provision of the services by a medicare-enrolled opioid treatment program)
	performed (provision of the services by a medicare-emolied opiola treatment program)

Services	CPT/HCPCS/ICD10CM/POS
	G2075: Medication assisted treatment, medication not otherwise specified; weekly bundle
	including dispensing and/or administration, substance use counseling, individual and group
	therapy, and toxicology testing, if performed (provision of the services by a medicare-
	enrolled opioid treatment program)
	G2076: Intake activities, including initial medical examination that is a complete, fully
	documented physical evaluation and initial assessment by a program physician or a
	primary care physician, or an authorized healthcare professional under the supervision of a
	program physician qualified personnel that includes preparation of a treatment plan that
	includes the patient's short-term goals and the tasks the patient must perform to complete
	the short-term goals; the patient's requirements for education, vocational rehabilitation,
	and employment; and the medical, psycho- social, economic, legal, or other supportive
	services that a patient needs, conducted by qualified personnel (provision of the services
	by a medicare-enrolled opioid
	G2077: Periodic assessment; assessing periodically by qualified personnel to determine the
	most appropriate combination of services and treatment (provision of the services by a
	medicare-enrolled opioid treatment program); list separately in addition to code for
	primary procedure
	G2080: Each additional 30 minutes of counseling in a week of medication assisted
	treatment, (provision of the services by a medicare-enrolled opioid treatment program);
	list separately in addition to code for primary procedure
Residential	HCPCS
Program	H0010: Alcohol and/or drug services; sub-acute detoxification (residential addiction
Detoxification	program inpatient)
	H0011: Alcohol and/or drug services; acute detoxification (residential addiction program
	inpatient)
Telehealth POS	POS
reienealth 105	02: Telehealth Provided Other than in Patient's Home
	10: Telehealth Provided in Patient's Home
Telephone visits	CPT
	98966, 98967, 98968, 99441, 99442, 99443
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
-	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

### How can we help?

# HEDIS Coding Booklet Page 53 of 114

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources

You can find more information and tools online at:

www.qualityforum.org

lpful	

If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

otes	
·	

Page 54 of 114			

# Follow-Up After Hospitalization for Mental Illness (FUH)

This HEDIS measure evaluates the percentage of discharges for members ages 6 years and older who were hospitalized for treatment of selected mental illness or intentional self-harm diagnoses and who had a follow-up visit with a mental health provider during the measurement year. Two rates are reported:

- The percentage of discharges for which the Member received follow-up within 30 days after discharge
- The percentage of discharges for which the Member received follow-up within 7 days after discharge

#### **Exclusions:**

LIEDIS Cadina Daaklat

- Exclude discharges followed by readmission or direct transfer to a nonacute inpatient care setting within the 30-day follow-up period, regardless of principal diagnosis for the readmission.
- Members who use hospice or elect to use a hospice benefit any time during the measurement year.
- Members who died during the measurement year

Services	CPT/HCPCS/POS
BH outpatient	CPT
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214,
	99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492,
	99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15
	minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation,
	related to the care and treatment of patient's disabling mental health problems, per
	session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of patient's
	disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the
	patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided
	by a corf-qualified social worker or psychologist in a corf)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (rhc/fqhc) only, psychiatric
	collaborative care model (psychiatric cocm), 60 minutes or more of clinical staff time for
	psychiatric cocm services directed by an rhc or fqhc practitioner (physician, np, pa, or cnm)
	payernative court services directed by an rive of right practitioner (physician, fip, pa, of chin)

Services	CPT/HCPCS/POS
23.7.023	and including services furnished by a behavioral health care manager and consultation
	with a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to treatment
	program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Psychiatric	CPT
Collaborative	99492, 99493, 99494
Care	HCPCS
Management	G0512: Rural health clinic or federally qualified health center (rhc/fqhc) only, psychiatric
	collaborative care model (psychiatric cocm), 60 minutes or more of clinical staff time for
	psychiatric cocm services directed by an rhc or fqhc practitioner (physician, np, pa, or cnm)
	and including services furnished by a behavioral health care manager and consultation
	with a psychiatric consultant, per calendar month
Transitional care	СРТ
management	99495, 99496
services	
Telephone visits	СРТ
	98966, 98967, 98968, 99441, 99442, 99443
Telehealth POS	POS
	02
	10
Visit setting	СРТ
unspecified	

Services	CPT/HCPCS/POS
00.1.000	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847,
	90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239,
	99252, 99253, 99255
Outpatient POS	POS
	03: School
	05: Indian Health Service Free-standing Facility
	07: Facility
	09: Tribal 638 Free-standing Facility
	11: Office
	12: Home
	13: Assisted Living Facility
	14: Group Home
	15: Mobile Unit
	16: Temporary Lodging
	17: Walk-in Retail Clinic
	18: Place of Employment-Worksite
	19: Off Campus-Outpatient Hospital
	20: Urgent Care Facility
	22: On-Campus Outpatient Hospital
	33: Custodial Care Facility
	49: Independent Clinic
	50: Federally Qualified Health Center
	71: Public Health Clinic
	72: Rural Health Clinic
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
No. 1	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

- Educate your members and their spouses, caregivers, or guardians about the importance of compliance with long-term medications, if prescribed.
- Encourage members to participate in our behavioral health case management program for help getting a follow-up discharge appointment within seven days and other support.
- Teach member's families to review all discharge instructions for members and ask for details of all
  follow-up discharge instructions, such as the dates and times of appointments. The post discharge
  follow up should optimally be within seven days of discharge.

- Ask members with a mental health diagnosis to allow you access to their mental health records if you are their primary care provider.
- Telehealth services that are completed by a qualified mental health provider can be used for this measure.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

# Follow-Up After High-Intensity Care for Substance Use Disorder (FUI)

This HEDIS measure evaluates the percentage of acute inpatient hospitalizations, residential treatment, or withdrawal management visits for a diagnosis of substance use disorder among members 13 years of age and older that result in a follow-up visit or service for substance use disorder during the measurement year. Two rates are reported:

- The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 30 days after the visit or discharge.
- The percentage of visits or discharges for which the member received follow-up for substance use disorder within the 7 days after the visit or discharge.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

Services	CPT/HCPCS/ICD10CM/POS
BH outpatient	CPT
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214,
	99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492,
	99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15
	minutes

Services	CPT/HCPCS/ICD10CM/POS
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation,
	related to the care and treatment of patient's disabling mental health problems, per
	session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of patient's
	disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the
	patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided
	by a corf-qualified social worker or psychologist in a corf)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (rhc/fqhc) only, psychiatric
	collaborative care model (psychiatric cocm), 60 minutes or more of clinical staff time for
	psychiatric cocm services directed by an rhc or fqhc practitioner (physician, np, pa, or cnm)
	and including services furnished by a behavioral health care manager and consultation
	with a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to treatment
	program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
6.1.	T1015: Clinic visit/encounter, all-inclusive
Substance	ICD10CM
Abuse	Z71.41: Alcohol abuse counseling and surveillance of alcoholic
Counseling and	Z71.51: Drug abuse counseling and surveillance of drug abuser
Surveillance	
Substance Use	CPT
Disorder	99408, 99409
Services	HCPCS

Services	CPT/HCPCS/ICD10CM/POS
	G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
	audit, dast), and brief intervention 15 to 30 minutes
	G0397: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
	audit, dast), and intervention, greater than 30 minutes
	G0443: Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes
	H0001: Alcohol and/or drug assessment
	H0005: Alcohol and/or drug services; group counseling by a clinician
	H0007: Alcohol and/or drug services; crisis intervention (outpatient)
	H0015: Alcohol and/or drug services; intensive outpatient (treatment program that
	operates at least 3 hours/day and at least 3 days/week and is based on an individualized
	treatment plan), including assessment, counseling; crisis intervention, and activity
	therapies or education
	H0016: Alcohol and/or drug services; medical/somatic (medical intervention in ambulatory
	setting)
	H0022: Alcohol and/or drug intervention service (planned facilitation)
	H0047: Alcohol and/or other drug abuse services, not otherwise specified
	H0050: Alcohol and/or drug services, brief intervention, per 15 minutes
	H2035: Alcohol and/or other drug treatment program, per hour
	H2036 Alcohol and/or other drug treatment program, per diem
	T1006: Alcohol and/or substance abuse services, family/couple counseling
	T1012: Alcohol and/or substance abuse services, skills development
Substance Use	HCPCS
Services	H0006: Alcohol and/or drug services; case management
	H0028: Alcohol and/or drug prevention problem identification and referral service (e.g.,
	student assistance and employee assistance programs), does not include assessment
OUD monthly	HCPCS:
office-based	G2086: Office-based treatment for opioid use disorder, including development of the
treatment	treatment plan, care coordination, individual therapy and group therapy and counseling; at
	least 70 minutes in the first calendar month
	G2087: Office-based treatment for opioid use disorder, including care coordination,
	individual therapy and group therapy and counseling; at least 60 minutes in a subsequent
	calendar month
OUD weekly	HCPCS:
drug treatment	G2067: Medication assisted treatment, methadone; weekly bundle including dispensing
service	and/or administration, substance use counseling, individual and group therapy, and
	toxicology testing, if performed (provision of the services by a medicare-enrolled opioid
	treatment program)
	G2068: Medication assisted treatment, buprenorphine (oral); weekly bundle including
	dispensing and/or administration, substance use counseling, individual and group therapy,
	and toxicology testing if performed (provision of the services by a medicare-enrolled
	opioid treatment program)

G2069: Medication assisted treatment, buprenorphine (injectable); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program) G2070: Medication assisted treatment, buprenorphine (implant insertion); weekly bundle including dispensing and/or administration, substance use counseling, individual and group
therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)  G2072: Medication assisted treatment, buprenorphine (implant insertion and removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)  G2073: Medication assisted treatment, naltrexone; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid
treatment program)
HCPCS G2071: Medication assisted treatment, buprenorphine (implant removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program) G2074: Medication assisted treatment, weekly bundle not including the drug, including substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program) G2075: Medication assisted treatment, medication not otherwise specified; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a medicare-enrolled opioid treatment program) G2076: Intake activities, including initial medical examination that is a complete, fully documented physical evaluation and initial assessment by a program physician or a primary care physician, or an authorized healthcare professional under the supervision of a program physician qualified personnel that includes preparation of a treatment plan that includes the patient's short-term goals and the tasks the patient must perform to complete the short-term goals; the patient's requirements for education, vocational rehabilitation, and employment; and the medical, psycho-social, economic, legal, or other supportive services that a patient needs, conducted by qualified personnel (provision of the services by a medicare-enrolled opioid G2077: Periodic assessment; assessing periodically by qualified personnel to determine the most appropriate combination of services and treatment (provision of the services by a
( \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \

Services	CPT/HCPCS/ICD10CM/POS
	G2080: Each additional 30 minutes of counseling in a week of medication assisted
1	treatment, (provision of the services by a medicare-enrolled opioid treatment program);
1	list separately in addition to code for primary procedure
Online	CPT
Assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458 HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an rhc or fqhc practitioner, occurring in lieu of an office visit; rhc or fqhc only G2010: Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion G2250: Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication tec
Outpatient POS	POS 03: School
	05: Indian Health Service Free-standing Facility
	07: Facility
	09: Tribal 638 Free-standing Facility
	1

Services	CPT/HCPCS/ICD10CM/POS
	12: Home
	13: Assisted Living Facility
	14: Group Home
	15: Mobile Unit
	16: Temporary Lodging
	17: Walk-in Retail Clinic
	18: Place of Employment-Worksite
	19: Off Campus-Outpatient Hospital
	20: Urgent Care Facility
	22: On-Campus Outpatient Hospital
	33: Custodial Care Facility
	49: Independent Clinic
	50: Federally Qualified Health Center
	71: Public Health Clinic
	72: Rural Health Clinic
Telephone visits	СРТ
	98966, 98967, 98968, 99441, 99442, 99443
Telehealth POS	POS
	02
	10
Visit setting	СРТ
unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847,
	90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239,
	99252, 99253, 99254, 99255

## How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offer current Clinical Practice Guidelines on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

#### Other available resources

You can find more information and tools online at:

www.qualityforum.org

## Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

HEDIS Coding Booklet Page 63 of 114		
Follow-Up After Emergency Department Visit for Mental Illness (FUM)		

This HEDIS measure evaluates the percentage of emergency department (ED) visits for members ages 6 years and older with a principal diagnosis of mental illness or intentional self-harm, who had a follow-up visit for mental illness during the measurement year. Two rates are reported:

- 1. The percentage of ED visits for which the member received follow-up within 30 days of the ED visit (31 total days)
- 2. The percentage of ED visits for which the member received follow-up within 7 days of the ED visit (8 total days)

#### **Exclusions**

- ED visits that result in an inpatient stay
- ED visits followed by admission to an acute or nonacute inpatient care setting on the date of the ED visit or within the 30 days after the ED visit (31 total days)
- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who died during the measurement year

Services	CPT/HCPCS
BH outpatient	CPT
вп оигранеті	
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214,
	99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492,
	99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15
	minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation,
	related to the care and treatment of patient's disabling mental health problems, per
	session (45 minutes or more)
	G0177: Training and educational services related to the care and treatment of patient's
	disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the
	patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided
	by a corf-qualified social worker or psychologist in a corf)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (rhc/fqhc) only, psychiatric
	collaborative care model (psychiatric cocm), 60 minutes or more of clinical staff time for
	psychiatric cocm services directed by an rhc or fqhc practitioner (physician, np, pa, or cnm)
	and including services furnished by a behavioral health care manager and consultation
	with a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to treatment
	program

Services	CPT/HCPCS
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Telehealth POS	POS
	02
	10
Outpatient POS	POS
	03: School
	05: Indian Health Service Free-standing Facility
	07: Facility
	09: Tribal 638 Free-standing Facility
	11: Office
	12: Home
	13: Assisted Living Facility
	14: Group Home
	15: Mobile Unit
	16: Temporary Lodging
	17: Walk-in Retail Clinic
	18: Place of Employment-Worksite
	19: Off Campus-Outpatient Hospital
	20: Urgent Care Facility
	22: On-Campus Outpatient Hospital 33: Custodial Care Facility
	,
	49: Independent Clinic
	50: Federally Qualified Health Center 71: Public Health Clinic
	71: Public Health Clinic

Services	CPT/HCPCS
	72: Rural Health Clinic
Visit setting	CPT
unspecified	90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847,
	90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239,
	99252, 99253, 99254, 99255
Online	CPT
Assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
1.00000	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a
	virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally
	qualified health center (fghc) practitioner and rhc or fghc patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an rhc or fqhc practitioner,
	occurring in lieu of an office visit; rhc or fqhc only
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician
	or other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related service provided within the
	previous 7 days nor leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified
	health care professional who cannot report evaluation and management services,
	provided to an established patient, not originating from a related service provided within
	the previous 7 days nor leading to a service or procedure within the next 24 hours or
	soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician
	or other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Telephone visits	CPT
	98966, 98967, 98968, 99441, 99442, 99443
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian

# HEDIS Coding Booklet Page 67 of 114

Services	CPT/HCPCS
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

# How can we help?

We help you with follow-up after hospitalization for mental illness by:

- Offer current *Clinical Practice Guidelines* on our provider self-service website.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

#### Other available resources

You can find more information and tools online at:

www.qualityforum.org

#### Helpful tip

Notos

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			
_			
_			

HEDIS Coding Booklet				
Page 68 of 114				
		_	_	

# Glycemic Status Assessment for Patients With Diabetes (GSD)

This measure looks at the percentage of members 18 to 75 years of age with diabetes (types 1 and 2) whose most recent glycemic status (hemoglobin A1c HbA1c or glucose management indicator GMI) was at the following levels during the measurement year:

- Glycemic Status < 8.0%.
- Glycemic Status >9.0%.

Note: A lower rate indicates better performance for this indicator (i.e., low rates of Glycemic Status >9% indicate better care).

#### Record your efforts

- Document the result of the most recent glycemic status assessment (HbA1c or GMI) performed during the measurement year
- When identifying the most recent glycemic status assessment (HbA1c or GMI), GMI values must include
  documentation of the continuous glucose monitoring data date range used to derive the value. The
  terminal date in the range should be used to assign assessment date.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members receiving palliative care any time during the measurement year.
- Members who had an encounter for palliative anytime during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded.

Description	CPT/CPT-CAT II/LOINC/HCPCS
HbA1c Level	CPT-CAT II
Greater Than or	3046F: Most recent hemoglobin A1c level greater than 9.0% (DM)
Equal to 8.0	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less
	than or equal to 9.0% (DM)
HbA1c Level	CPT-CAT II
Less Than 8.0	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less
	than 8.0% (DM)
Hb1c Level Less	CPT-CAT II
Than or Equal to	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
9.0	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less
	than 8.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less
	than or equal to 9.0% (DM)
HbA1c Tests	CPT-CAT II
Results or	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
Findings:	3046F: Most recent hemoglobin A1c level greater than 9.0% (DM)
	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less
	than 8.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less
III. Ada I ala Tari	than or equal to 9.0% (DM)
HbA1c Lab Test	CPT
	83036, 83037 LOINC
	17855-8: Hemoglobin A1c/Hemoglobin.total in Blood by calculation
	17856-6: Hemoglobin A1c/Hemoglobin.total in Blood by Calculation
	4548-4: Hemoglobin A1c/Hemoglobin.total in Blood
	4549-2: Hemoglobin A1c/Hemoglobin.total in Blood by Electrophoresis
	96595-4: Hemoglobin A1c/Hemoglobin.total in DBS
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tips

• For the recommended frequency of testing and screening, refer to the *Clinical Practice Guidelines* for diabetes mellitus.

# HEDIS Coding Booklet Page 70 of 114

- If your practice uses EMRs, have flags or reminders set in the system to alert your staff when a member's screenings are due.
- Send appointment reminders and call members to remind them of upcoming appointments and necessary screenings.
- Follow up on lab test results and document on your chart.
- Draw labs in your office if accessible or refer members to a local lab for screenings.
- Educate your members and their families, caregivers, and guardians on diabetes care, including:
  - o Taking all prescribed medications as directed.
  - Adding regular exercise to daily activities.
  - o Regularly monitoring blood sugar and blood pressure at home.
  - Maintaining healthy weight and ideal body mass index.
  - Eating heart-healthy, low-calorie, and low-fat foods.
  - Stopping smoking and avoiding second-hand smoke.
  - o Fasting prior to having blood sugar and lipid panels drawn to ensure accurate results.
  - Keeping all medical appointments; getting help with scheduling necessary appointments, screenings, and tests to improve compliance.
- Remember to include the applicable Category II reporting code above on the claim form to help reduce the burden of HEDIS medical record review.
- If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health
  plan to capture all coded elements. Contact your Provider Solutions representative for additional details
  and questions.

## How can we help?

We can help you with comprehensive diabetes care by:

- Providing online Clinical Practice Guidelines on our provider self-service website.
- Providing programs that may be available to our diabetic members.
- Supplying copies of educational resources on diabetes that may be available for your office.
- Scheduling Clinic Days or providing education at your office if available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes				

HEDIS Coding Booklet Page 71 of 114
Initiation and Engagement of Substance Use Disorder Treatment

# (IET)

This measure looks at the percentage of new substance use disorder (SUD) episodes that result in treatment initiation and engagement. Two rates are reported:

- Initiation of SUD Treatment. The percentage of new SUD episodes that result in treatment initiation through an inpatient SUD admission, outpatient visit, intensive outpatient encounter, partial hospitalization, telehealth visit or medication treatment within 14 days November 15 of the year prior to the measurement year to November 14 of the measurement year.
- Engagement of SUD Treatment. The percentage of new SUD episodes that have evidence of treatment engagement within 34 days of initiation.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who died during the measurement year

Initiation and engagement of alcohol and other drug dependence treatment (IET) codes:

_	ragement of alcohol and other drug dependence treatment (IET) codes:
Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
BH outpatient	CPT
	98960, 98961, 98962, 99078, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214,
	99215, 99242, 99243, 99244, 99245, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99483, 99492,
	99493, 99494, 99510
	HCPCS
	G0155: Services of clinical social worker in home health or hospice settings, each 15 minutes
	G0176: Activity therapy, such as music, dance, art or play therapies not for recreation,
	related to the care and treatment of patient's disabling mental health problems, per session
	(45 minutes or more)
	G0177: Training and educational services related to the care and treatment of patient's
	disabling mental health problems per session (45 minutes or more)
	G0409: Social work and psychological services, directly relating to and/or furthering the
	patient's rehabilitation goals, each 15 minutes, face-to-face; individual (services provided by
	a corf-qualified social worker or psychologist in a corf)
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G0512: Rural health clinic or federally qualified health center (rhc/fqhc) only, psychiatric
	collaborative care model (psychiatric cocm), 60 minutes or more of clinical staff time for
	psychiatric cocm services directed by an rhc or fqhc practitioner (physician, np, pa, or cnm)
	and including services furnished by a behavioral health care manager and consultation with
	a psychiatric consultant, per calendar month
	H0002: Behavioral health screening to determine eligibility for admission to treatment
	program
	H0004: Behavioral health counseling and therapy, per 15 minutes
	H0031: Mental health assessment, by non-physician
	H0034: Medication training and support, per 15 minutes
	H0036: Community psychiatric supportive treatment, face-to-face, per 15 minutes
	H0037: Community psychiatric supportive treatment program, per diem
	H0039: Assertive community treatment, face-to-face, per 15 minutes
	H0040: Assertive community treatment program, per diem
	H2000: Comprehensive multidisciplinary evaluation
	H2010: Comprehensive medication services, per 15 minutes
	H2011: Crisis intervention service, per 15 minutes
	H2013: Psychiatric health facility service, per diem
	H2014: Skills training and development, per 15 minutes
	H2015: Comprehensive community support services, per 15 minutes
	1

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
	H2016: Comprehensive community support services, per diem
	H2017: Psychosocial rehabilitation services, per 15 minutes
	H2018: Psychosocial rehabilitation services, per diem
	H2019: Therapeutic behavioral services, per 15 minutes
	H2020: Therapeutic behavioral services, per diem
	T1015: Clinic visit/encounter, all-inclusive
Buprenorphine	HCPCS
Implant	G2070: Medication assisted treatment, buprenorphine (implant insertion); weekly bundle
•	including dispensing and/or administration, substance use counseling, individual and group
	therapy, and toxicology testing if performed (provision of the services by a medicare-
	enrolled opioid treatment program)
	G2072: Medication assisted treatment, buprenorphine (implant insertion and removal);
	weekly bundle including dispensing and/or administration, substance use counseling,
	individual and group therapy, and toxicology testing if performed (provision of the services
	by a medicare-enrolled opioid treatment program)
	J0570: Buprenorphine implant, 74.2 mg
Buprenorphine	HCPCS
Injection	G2069: Medication assisted treatment, buprenorphine (injectable); weekly bundle including
	dispensing and/or administration, substance use counseling, individual and group therapy,
	and toxicology testing if performed (provision of the services by a medicare-enrolled opioid
	treatment program)
	Q9991: Injection, buprenorphine extended-release (sublocade), less than or equal to 100 mg
	Q9992: Injection, buprenorphine extended-release (sublocade), greater than 100 mg
Buprenorphine	HCPCS
Naloxone	J0572: Buprenorphine/naloxone, oral, less than or equal to 3 mg buprenorphine
	J0573: Buprenorphine/naloxone, oral, greater than 3 mg, but less than or equal to 6 mg
	buprenorphine
	J0574: Buprenorphine/naloxone, oral, greater than 6 mg, but less than or equal to 10 mg
	buprenorphine
	J0575: Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine
Buprenorphine	HCPCS
Oral	H0033: Oral medication administration, direct observation
	J0571: Buprenorphine, oral, 1 mg
Buprenorphine	HCPCS
Oral Weekly	G2068: Medication assisted treatment, buprenorphine (oral); weekly bundle including
	dispensing and/or administration, substance use counseling, individual and group therapy,
	and toxicology testing if performed (provision of the services by a medicare-enrolled opioid
	treatment program)
	G2079: Take-home supply of buprenorphine (oral); up to 7 additional day supply (provision
	of the services by a medicare-enrolled opioid treatment program); list separately in addition
	to code for primary procedure
Detoxification	HCPCS

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
	H0008: Alcohol and/or drug services; sub-acute detoxification (hospital inpatient)
	H0009: Alcohol and/or drug services; acute detoxification (hospital inpatient)
	H0010: Alcohol and/or drug services; sub-acute detoxification (residential addiction program inpatient)
	H0011: Alcohol and/or drug services; acute detoxification (residential addiction program
	inpatient) H0012: Alcohol and/or drug services; sub-acute detoxification (residential addiction program
	outpatient)
	H0013: Alcohol and/or drug services; acute detoxification (residential addiction program outpatient)
	H0014: Alcohol and/or drug services; ambulatory detoxification ICD10PCS:
	HZ2ZZZZ: Detoxification Services for Substance Abuse Treatment
Methadone	HCPCS
Oral	H0020: Alcohol and/or drug services; methadone administration and/or service (provision of
	the drug by a licensed program)
	S0109: Methadone, oral, 5 mg
Methadone	HCPCS
Oral Weekly	G2067: Medication assisted treatment, methadone; weekly bundle including dispensing
	and/or administration, substance use counseling, individual and group therapy, and
	toxicology testing, if performed (provision of the services by a medicare-enrolled opioid
	treatment program)
	G2078: Take-home supply of methadone; up to 7 additional day supply (provision of the
	services by a medicare-enrolled opioid treatment program); list separately in addition to
	code for primary procedure
Naltrexone	HCPCS
Injection	G2073: Medication assisted treatment, naltrexone; weekly bundle including dispensing
	and/or administration, substance use counseling, individual and group therapy, and
	toxicology testing if performed (provision of the services by a medicare-enrolled opioid
	treatment program)
	J2315: Injection, naltrexone, depot form, 1 mg
Online	CPT
assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a
	virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally
	qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an rhc or fqhc practitioner, occurring
	in lieu of an office visit; rhc or fqhc only
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
OUD monthly office-based	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion G2250: Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion HCPCS: G2086: Office-based treatment for opioid use disorder, including development of the
treatment	treatment plan, care coordination, individual therapy and group therapy and counseling; at least 70 minutes in the first calendar month G2087: Office-based treatment for opioid use disorder, including care coordination, individual therapy and group therapy and counseling; at least 60 minutes in a subsequent calendar month
OUD weekly drug treatment service	HCPCS: G2067: Medication assisted treatment, methadone; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a medicare-enrolled opioid treatment program) G2068: Medication assisted treatment, buprenorphine (oral); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program) G2069: Medication assisted treatment, buprenorphine (injectable); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS
·	G2070: Medication assisted treatment, buprenorphine (implant insertion); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program) G2072: Medication assisted treatment, buprenorphine (implant insertion and removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program) G2073: Medication assisted treatment, naltrexone; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid
OUD weekly	treatment program) HCPCS
Nondrug service	G2071: Medication assisted treatment, buprenorphine (implant removal); weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)
	G2074: Medication assisted treatment, weekly bundle not including the drug, including substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by a medicare-enrolled opioid treatment program)
	G2075: Medication assisted treatment, medication not otherwise specified; weekly bundle including dispensing and/or administration, substance use counseling, individual and group therapy, and toxicology testing, if performed (provision of the services by a medicare-enrolled opioid treatment program)
	G2076: Intake activities, including initial medical examination that is a complete, fully documented physical evaluation and initial assessment by a program physician or a primary care physician, or an authorized healthcare professional under the supervision of a program physician qualified personnel that includes preparation of a treatment plan that includes the patient's short-term goals and the tasks the patient must perform to complete the short-term goals; the patient's requirements for education, vocational rehabilitation, and employment; and the medical, psycho-social, economic, legal, or other supportive services that a patient needs, conducted by qualified personnel (provision of the services by a medicare-enrolled opioid
	G2077: Periodic assessment; assessing periodically by qualified personnel to determine the most appropriate combination of services and treatment (provision of the services by a medicare-enrolled opioid treatment program); list separately in addition to code for primary procedure
	G2080: Each additional 30 minutes of counseling in a week of medication assisted treatment, (provision of the services by a medicare-enrolled opioid treatment program); list separately in addition to code for primary procedure
Substance	ICD10CM
Abuse	Z71.41: Alcohol abuse counseling and surveillance of alcoholic

Description CPT/HCPCS/ICD10CM/ICD10PCS/POS  Counseling and Surveillance of drug abuser  Surveillance Substance Use Disorder 99408, 99409  Services HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
and Surveillance  Substance Use Disorder Services  HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
Surveillance  Substance Use Disorder Services  HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
Substance Use Disorder 99408, 99409 Services HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
Disorder 99408, 99409 Services HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
Services HCPCS G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
G0396: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g.,
I SUBIT ASST. SNA PRIOTIPTONION 15 to 30 MINUTOS
audit, dast), and brief intervention 15 to 30 minutes
G0397: Alcohol and/or substance (other than tobacco) misuse structured assessment (e.g., audit, dast), and intervention, greater than 30 minutes
G0443: Brief face-to-face behavioral counseling for alcohol misuse, 15 minutes
H0001: Alcohol and/or drug assessment
H0005: Alcohol and/or drug services; group counseling by a clinician
H0007: Alcohol and/or drug services; crisis intervention (outpatient)
H0015: Alcohol and/or drug services; intensive outpatient (treatment program that operate
at least 3 hours/day and at least 3 days/week and is based on an individualized treatment
plan), including assessment, counseling; crisis intervention, and activity therapies or
education
H0016: Alcohol and/or drug services; medical/somatic (medical intervention in ambulatory
setting)
H0022: Alcohol and/or drug intervention service (planned facilitation)
H0047: Alcohol and/or other drug abuse services, not otherwise specified
H0050: Alcohol and/or other drug treatment program, per hour
H2035: Alcohol and/or other drug treatment program, per hour
H2036 Alcohol and/or other drug treatment program, per diem
T1006: Alcohol and/or substance abuse services, family/couple counseling
T1012: Alcohol and/or substance abuse services, skills development
Telehealth POS POS 02: Telehealth Provided Other than in Patient's Home
10: Telehealth Provided in Patient's Home
Telephone CPT 98966, 98967, 98968, 99441, 99442, 99443
Visit setting CPT
unspecified 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847,
90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239,
99252, 99253, 99254, 99255
CDC Race and 1002-5: American Indian or Alaska Native
Ethnicity 2028-9: Asian
2054-5: Black or African American
2076-8: Native Hawaiian or Other Pacific Islander
2106-3: White
2135-2: Hispanic or Latino

Description	CPT/HCPCS/ICD10CM/ICD10PCS/POS	
	2186-5: Not Hispanic or Latino	

Note: The codes listed are informational only; this information does not guarantee reimbursement.

# How can we help?

We can help you with monitoring initiation and engagement of alcohol and other drug dependence treatment by:

- Reaching out to providers to be advocates and providing the resources to educate our members.
- Calling our behavioral health Provider Service for additional information.
- Guiding with the above noted services to drive member success in completing alcohol and other drug dependence treatment.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

## Helpful tip

Notos

 If utilizing an electronic medical record (EMR) system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes		

HEDIS Coding Booklet Page 79 of 114				
	·	· · · · · · · · · · · · · · · · · · ·	·	
		·		

# Immunizations for Adolescents (IMA)

This measure reviews the percentage of adolescents 13 years of age who had one dose of meningococcal vaccine, one tetanus, diphtheria toxoids and acellular pertussis (Tdap) vaccine, and have completed the human papillomavirus (HPV) vaccine series by their 13th birthday. The measure calculates a rate for each vaccine and two combination rates.

Vaccines administered on or before their 13th birthday:

- One MCV/meningococcal vaccine on or between 11th and 13th birthdays, and one Tdap or one Td vaccine on or between their 10th and 13th birthdays
- At least two doses of HPV vaccine with DOS at 146 days apart on or between the 9th and 13th birthdays:
  - Or at least three HPV vaccines with different dates of service on or between the 9th and 13th birthdays

# Record your efforts

Immunization information obtained from the medical record:

- A note indicating the name of the specific antigen and the date of the immunization.
- A certificate of immunization prepared by an authorized health care provider or agency, including the specific dates and types of immunizations administered.
- Document in the medical record parent or guardian refusal.

# Two-dose HPV vaccination series

There must be at least 146 days between the first and second dose of the HPV vaccine.

#### Meningococcal

• Do not count meningococcal recombinant (serogroup B) (MenB) vaccines.

# HEDIS Coding Booklet Page 80 of 114

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who died during the measurement year

Description	СРТ	CVX
HPV Vaccine	90649, 90650, 90651	62: human papilloma virus vaccine, quadrivalent
Procedure		118: human papilloma virus vaccine, bivalent
		137: HPV, unspecified formulation
		165: Human Papillomavirus 9-valent vaccine
Meningococcal	90619, 90733, 90734	32: meningococcal polysaccharide vaccine (MPSV4)
Vaccine		108: meningococcal ACWY vaccine, unspecified
Procedure		formulation
		114: meningococcal polysaccharide (groups A, C, Y and
		W-135) diphtheria toxoid conjugate vaccine (MCV4P)
		136: meningococcal oligosaccharide (groups A, C, Y
		and W-135) diphtheria toxoid conjugate vaccine
		(MCV4O)
		147: Meningococcal, MCV4, unspecified conjugate
		formulation(groups A, C, Y and W-135)
		167: meningococcal vaccine of unknown formulation
		and unknown serogroups
		203: meningococcal polysaccharide (groups A, C, Y, W-
		135) tetanus toxoid conjugate vaccine 0.5mL dose,
		preservative free
Tdap Vaccine	90715	115
Procedure		
CDC Race and	1002-5: American Indian or	
Ethnicity	Alaska Native	
	2028-9: Asian	
	2054-5: Black or African	
	American	
	2076-8: Native Hawaiian or	
	Other Pacific Islander	
	2106-3: White	
	2135-2: Hispanic or Latino	
	2186-5: Not Hispanic or Latino	

Note: The codes listed are informational only; this information does not guarantee reimbursement.

# How can we help?

We help you meet this benchmark by:

• Offering current *Clinical Practice Guidelines* on our provider self-service website.

# HEDIS Coding Booklet Page 81 of 114

 Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

## Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

# Kidney Health Evaluation for Patients with Diabetes (KED)

This measure evaluates the percentage of members 18 to 85 years of age with diabetes (type 1 and type 2) who received a kidney health evaluation, defined by an estimated glomerular filtration rate (eGFR) *and* a urine albumin-creatinine ratio (uACR), during the measurement year.

## **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members receiving palliative care any time during the measurement year
- Members who had an encounter for palliative care anytime during the measurement year.
- Members with a diagnosis of end-stage renal disease (ESRD) any time during the member's history on or prior to December 31 of the measurement year.
- Members who had dialysis any time during the member's history on or prior to December 31 of the measurement year
- Members 66 to 80 years of age as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet BOTH frailty and advanced illness criteria to be excluded.
- Members 81 years of age and older as of December 31 of the measurement year (all product lines) with at least two indications of frailty with different dates of service during the measurement year.
- Advanced illness on at least two different dates of service.
- Dispensed dementia medication

Description	CPT/LOINC
Estimated	СРТ
Glomerular	80047, 80048, 80050, 80053, 80069, 82565
Filtration Rate Lab	LOINC
Test	50044-7: Glomerular filtration rate/1.73 sq M.predicted among females [Volume
	Rate/Area] in Serum, Plasma or Blood by Creatinine-based formula (MDRD)
	50210-4: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum,
	Plasma or Blood by Cystatin C-based formula
	50384-7: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum,
	Plasma or Blood by Creatinine-based formula (Schwartz)
	62238-1: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum,
	Plasma or Blood by Creatinine-based formula (CKD-EPI)
	69405-9: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum,
	Plasma or Blood
	70969-1: Glomerular filtration rate/1.73 sq M.predicted among males [Volume
	Rate/Area] in Serum, Plasma or Blood by Creatinine-based formula (MDRD)
	77147-7: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum,
	Plasma or Blood by Creatinine-based formula (MDRD)
	94677-2: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum,
	Plasma or Blood by Creatinine and Cystatin C-based formula (CKD-EPI)
	98979-8: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum,
	Plasma or Blood by Creatinine-based formula (CKD-EPI 2021)
	98980-6: Glomerular filtration rate/1.73 sq M.predicted [Volume Rate/Area] in Serum, Plasma or Blood by Creatinine and Cystatin C-based formula (CKD-EPI 2021)
Quantitative Urine	CPT
Albumin Lab Test	82043
7 (IDAI) III LAD TESC	LOINC
	100158-5: Microalbumin [Mass/volume] in Urine collected for unspecified duration
	14957-5: Microalbumin [Mass/volume] in Urine
	1754-1: Albumin [Mass/volume] in Urine
	21059-1: Albumin [Mass/volume] in 24 hour Urine
	30003-8: Microalbumin [Mass/volume] in 24 hour Urine
	43605-5: Microalbumin [Mass/volume] in 4 hour Urine
	53530-2: Microalbumin [Mass/volume] in 24 hour Urine by Detection limit <= 1.0 mg/L
	53531-0: Microalbumin [Mass/volume] in Urine by Detection limit <= 1.0 mg/L
	57369-1: Microalbumin [Mass/volume] in 12 hour Urine
	89999-7: Microalbumin [Mass/volume] in Urine by Detection limit <= 3.0 mg/L
Urine Albumin	LOINC
Creatinine Ratio	13705-9: Albumin/Creatinine [Mass Ratio] in 24 hour Urine
Lab Test	14958-3: Microalbumin/Creatinine [Mass Ratio] in 24 hour Urine
	14959-1: Microalbumin/Creatinine [Mass Ratio] in Urine
	30000-4: Microalbumin/Creatinine [Ratio] in Urine
	44292-1: Microalbumin/Creatinine [Mass Ratio] in 12 hour Urine

Description	CPT/LOINC CPT/LOINC					
Bescription	59159-4: Microalbumin/Creatinine [Ratio] in 24 hour Urine					
	76401-9: Albumin/Creatinine [Ratio] in 24 hour Urine					
	77253-3: Microalbumin/Creatinine [Ratio] in Urine by Detection limit <= 1.0 mg/L					
	77254-1: Microalbumin/Creatinine [Ratio] in 24 hour Urine by Detection limit <= 1.0					
	mg/L					
	89998-9: Microalbumin/Creatinine [Ratio] in Urine by Detection limit <= 3.0 mg/L					
Haina Caratinia	9318-7: Albumin/Creatinine [Mass Ratio] in Urine					
Urine Creatinine	CPT					
Lab Test	82570					
	LOINC					
	20624-3: Creatinine [Mass/volume] in 24 hour Urine					
	2161-8: Creatinine [Mass/volume] in Urine					
	35674-1: Creatinine [Mass/volume] in Urine collected for unspecified duration					
	39982-4: Creatinine [Mass/volume] in Urinebaseline					
	57344-4: Creatinine [Mass/volume] in 2 hour Urine					
	57346-9: Creatinine [Mass/volume] in 12 hour Urine					
	58951-5: Creatinine [Mass/volume] in Urine2nd specimen					
CDC Race and	1002-5: American Indian or Alaska Native					
Ethnicity	2028-9: Asian					
	2054-5: Black or African American					
	2076-8: Native Hawaiian or Other Pacific Islander					
	2106-3: White					
	2135-2: Hispanic or Latino					
	2186-5: Not Hispanic or Latino					

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

#### Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

# How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

## **Notes**

HEDIS Coding Booklet Page 84 of 114
Use of Imaging Studies for Low Back Pain (LBP)
This HEDIS measure looks at the percentage of members 18 to 75 years of age with a principal diagnosis of low back pain who did not have an imaging study (plain X-ray, MRI, CT scan) within 28 days of the diagnosis January 1 to December 3 of the measurement year.
The measure is reported as an inverted rate. A higher score indicates appropriate treatment of low back pain

use a hospice benefit any time during the measurement year.

The codes and measure tips listed are informational only, not clinical guidelines or standards of medical care, and do not guarantee reimbursement. All enrollee care and related decisions of treatment are the sole responsibility of the provider. This information does not standard to the provider. This information does not standard to the provider.

Members who use hospice services or elect to

(for example, the proportion for whom imaging studies did not occur).

**Exclusions** 

# HEDIS Coding Booklet Page 85 of 114

- Members who die any time during the measurement year.
- Members 66 years of age or older as of
  December 31 of the measurement year (all
  product lines) with frailty and advanced illness.
   Members must meet BOTH frailty and advanced
  illness criteria to be excluded.
- Members that meet any of the following criteria are exclusions:
  - o Cancer

- o Recent trauma
- o Intravenous drug abuse
- Neurological impairment
- o HIV
- Spinal infection
- Major organ transplant
- o Prolonged use of corticosteroids
- Osteoporosis
- Lumbar surgery
- Spondylopathy
- Fragility fracture
- Spondylopathy

Services	CPT/ICD10CM
Uncomplicated	ICD10CM
Low Back Pain	M47.26: Other spondylosis with radiculopathy, lumbar region
	M47.27: Other spondylosis with radiculopathy, lumbosacral region
	M47.28: Other spondylosis with radiculopathy, sacral and sacrococcygeal region
	M47.816: Spondylosis without myelopathy or radiculopathy, lumbar region
	M47.817: Spondylosis without myelopathy or radiculopathy, lumbosacral region
	M47.818: Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal
	region
	M47.896: Other spondylosis, lumbar region
	M47.897: Other spondylosis, lumbosacral region
	M47.898: Other spondylosis, sacral and sacrococcygeal region
	M48.061: Spinal stenosis, lumbar region without neurogenic claudication
	M48.07: Spinal stenosis, lumbosacral region
	M48.08: Spinal stenosis, sacral and sacrococcygeal region
	M51.16: Intervertebral disc disorders with radiculopathy, lumbar region
	M51.17: Intervertebral disc disorders with radiculopathy, lumbosacral region
	M51.26: Other intervertebral disc displacement, lumbar region
	M51.27: Other intervertebral disc displacement, lumbosacral region
	M51.36: Other intervertebral disc degeneration, lumbar region
	M51.37: Other intervertebral disc degeneration, lumbosacral region
	M51.86: Other intervertebral disc disorders, lumbar region
	M51.87: Other intervertebral disc disorders, lumbosacral region
	M53.2X6: Spinal instabilities, lumbar region
	M53.2X7: Spinal instabilities, lumbosacral region
	M53.2X8: Spinal instabilities, sacral and sacrococcygeal region
	M53.3: Sacrococcygeal disorders, not elsewhere classified
	M53.86: Other specified dorsopathies, lumbar region

Services	CPT/ICD10CM
	M53.87: Other specified dorsopathies, lumbosacral region
	M53.88: Other specified dorsopathies, sacral and sacrococcygeal region
	M54.16: Radiculopathy, lumbar region
	M54.17: Radiculopathy, lumbosacral region
	M54.18: Radiculopathy, sacral and sacrococcygeal region
	M54.30: Sciatica, unspecified side
	M54.31: Sciatica, right side
	M54.32: Sciatica, left side
	M54.40: Lumbago with sciatica, unspecified side
	M54.41: Lumbago with sciatica, right side
	M54.42: Lumbago with sciatica, left side
	M54.5X: Low back pain
	M54.50: Low back pain, unspecified
	M54.51: Vertebrogenic low back pain
	M54.59: Other low back pain
	M54.89: Other dorsalgia
	M54.9: Dorsalgia, unspecified
	M99.03: Segmental and somatic dysfunction of lumbar region
	M99.04: Segmental and somatic dysfunction of sacral region
	M99.23: Subluxation stenosis of neural canal of lumbar region
	M99.33: Osseous stenosis of neural canal of lumbar region
	M99.43: Connective tissue stenosis of neural canal of lumbar region
	M99.53: Intervertebral disc stenosis of neural canal of lumbar region
	M99.63: Osseous and subluxation stenosis of intervertebral foramina of lumbar region
	M99.73: Connective tissue and disc stenosis of intervertebral foramina of lumbar region
	M99.83: Other biomechanical lesions of lumbar region
	M99.84: Other biomechanical lesions of sacral region
	S33.100A: Subluxation of unspecified lumbar vertebra, initial encounter
	S33.100D: Subluxation of unspecified lumbar vertebra, subsequent encounter
	S33.100S: Subluxation of unspecified lumbar vertebra, sequela
	S33.110A: Subluxation of L1/L2 lumbar vertebra, initial encounter
	S33.110D: Subluxation of L1/L2 lumbar vertebra, subsequent encounter
	S33.110S: Subluxation of L1/L2 lumbar vertebra, sequela
	S33.120A: Subluxation of L2/L3 lumbar vertebra, initial encounter
	S33.120D: Subluxation of L2/L3 lumbar vertebra, subsequent encounter
	S33.120S: Subluxation of L2/L3 lumbar vertebra, sequela
	S33.130A: Subluxation of L3/L4 lumbar vertebra, initial encounter
	S33.130D: Subluxation of L3/L4 lumbar vertebra, subsequent encounter
	S33.130S: Subluxation of L3/L4 lumbar vertebra, sequela
	S33.140A: Subluxation of L4/L5 lumbar vertebra, initial encounter
	S33.140D: Subluxation of L4/L5 lumbar vertebra, subsequent encounter
	S33.140S: Subluxation of L4/L5 lumbar vertebra, sequela

Services	CPT/ICD10CM				
	S33.5XXA: Sprain of ligaments of lumbar spine, initial encounter				
	S33.6XXA: Sprain of sacroiliac joint, initial encounter				
	S33.8XXA: Sprain of other parts of lumbar spine and pelvis, initial encounter				
	S33.9XXA: Sprain of unspecified parts of lumbar spine and pelvis, initial encounter				
	S39.002A: Unspecified injury of muscle, fascia and tendon of lower back, initial				
	encounter				
	S39.002D: Unspecified injury of muscle, fascia and tendon of lower back, subsequent				
	encounter				
	S39.002S: Unspecified injury of muscle, fascia and tendon of lower back, sequela				
	S39.012A: Strain of muscle, fascia and tendon of lower back, initial encounter				
	S39.012D: Strain of muscle, fascia and tendon of lower back, subsequent encounter				
	S39.012S: Strain of muscle, fascia and tendon of lower back, sequela				
	S39.092A: Other injury of muscle, fascia and tendon of lower back, initial encounter				
	S39.092D: Other injury of muscle, fascia and tendon of lower back, subsequent				
	encounter				
	S39.092S: Other injury of muscle, fascia and tendon of lower back, sequela				
	S39.82XA: Other specified injuries of lower back, initial encounter				
	S39.82XD: Other specified injuries of lower back, subsequent encounter				
	S39.82XS: Other specified injuries of lower back, sequela				
	S39.92XA: Unspecified injury of lower back, initial encounter				
	S39.92XD: Unspecified injury of lower back, subsequent encounter				
	S39.92XS: Unspecified injury of lower back, sequela				
Imaging study	CPT				
	72020, 72040, 72050, 72052, 72070, 72072, 72074, 72080, 72081, 72082, 72083,				
	72084, 72100, 72110, 72114, 72120, 72125, 72126, 72127, 72128, 72129, 72130,				
	72131, 72132, 72133, 72141, 72142, 72146, 72147, 72148, 72149, 72156, 72157,				
	72158, 72200, 72202, 72220				

Note: The codes listed are informational only; this information does not guarantee reimbursement. How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

#### Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

# Lead Screening in Children (LSC)

This HEDIS measure looks at the percentage of children 2 years of age who had one or more capillary or venous lead blood tests for lead poisoning by their 2nd birthday.

## Record your efforts

When documenting lead screening, include:

- Date the test was reported.
- Results or findings.

Note: Unknown is not considered a result/finding for medical record reporting.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year

# Codes to identify lead test:

Services	CPT/LOINC CPT/LOINC
Lead tests	СРТ
	83655
	LOINC
	10368-9: Lead [Mass/volume] in Capillary blood
	10912-4: Lead [Mass/volume] in Serum or Plasma
	14807-2: Lead [Moles/volume] in Blood
	17052-2: Lead [Presence] in Blood
	25459-9: Lead [Moles/volume] in Serum or Plasma
	27129-6: Lead [Mass/mass] in Red Blood Cells
	32325-3: Lead [Moles/volume] in Red Blood Cells
	5671-3: Lead [Mass/volume] in Blood
	5674-7: Lead [Mass/volume] in Red Blood Cells
	77307-7: Lead [Mass/volume] in Venous blood]

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

# Helpful tips

- Draw member's blood while they are in your office instead of sending them to the lab.
- Consider performing finger stick screenings in your practice.
- Assign one staff member to follow up on results when members are sent to a lab for screening.
- Develop a process to check medical records for lab results to ensure previously ordered lead screenings have been completed and documented.
- Use sick and well-child visits as opportunities to encourage parents to have their child tested.
- Include a lead test reminder with lab name and address on your appointment confirmation/reminder cards.

# HEDIS Coding Booklet Page 89 of 114


• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

How can we help?

We help you with lead screening in children by:

- Offering current Clinical Practice Guidelines on our provider self-service website
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Other available resources				
https://www.cdc.gov/nceh/lead/audience/healthcare-providers.html				
Notes				



# Oral Evaluation, Dental Services (OED)

This HEDIS measure looks at the percentage of members under 21 years of age who received a comprehensive oral evaluation with a dental provider during the measurement year.

# Record your efforts

• Date of evaluation

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year

# Codes to identify lead test:

Services	CDT
Oral Evaluation	CDT
	D0120: Periodic oral evaluation - established patient
	D0145: Oral evaluation for a patient under three years of age and counseling with
	primary caregiver
	D0150: Comprehensive oral evaluation - new or established patient

Note: The codes listed are informational only; this information does not guarantee reimbursement.

### Helpful tips

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

# How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

Page 91 of 114					

# Prenatal and Postpartum Care (PPC)

This HEDIS measure looks at the percentage deliveries of live births on or between October 8 of the year prior to the measurement year and October 7 of the measurement year. For these members, the measure assesses the following facets of prenatal and postpartum care:

- Timeliness of prenatal care: The percentage of deliveries that received a prenatal care visit in the first trimester on or before the enrollment start date or within 42 days of enrollment in the organization.
- Postpartum Care: The percentage of deliveries that had a postpartum visit on or between 7 and 84 days after delivery.

## Record your efforts

Prenatal care visit must include one of the following:

- Diagnosis of pregnancy
- A physical examination that includes one of the following:
  - Auscultation for fetal heart tone
  - o Pelvic exam with obstetric observations
  - Measurement of fundus height
- Evidence that a prenatal care procedure was performed such as one of the following:
  - Obstetric panel including hematocrit, differential WBC count, platelet count, hepatitis B surface antigen, rubella antibody, syphilis test, RBC antibody screen, Rh and ABO blood typing)
  - TORCH antibody panel alone
  - o A rubella antibody test/titer with an Rh incompatibility (ABO/Rh) blood typing
  - Ultrasound of a pregnant uterus
- Documentation of LMP, EDD or gestational age in conjunction with either of the following.
  - Prenatal risk assessment and counseling/education
  - Complete obstetrical history

Postpartum care visit on or between 7 and 84 days after delivery

Documentation in the medical record must include a note indicating the date when a postpartum visit occurred and any of the following:

- Pelvic exam
- Evaluation of weight, BP, breasts, and abdomen
- Notation of breastfeeding is acceptable for the evaluation of breasts component

- Notation of postpartum care, including, but not limited to:
  - o Notation of postpartum care, PP care, PP check, 6-week check
  - o A preprinted Postpartum Care form in which information was documented during the visit
- Perineal or cesarean incision/wound check
- Screening for depression, anxiety, tobacco use, substance use disorder or preexisting mental health disorders
- Glucose screening for women with gestational diabetes
- Documentation of any of the following topics:
  - Infant care or breastfeeding
  - Resumption of intercourse, birth spacing or family planning.
  - o Sleep/fatigue
  - o Resumption of physical activity and attainment of healthy weight

#### **Exclusions**

- Non-live births
- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

Services	CPT/ CPT-CAT II/HCPCS/ ICD10PCS			
Deliveries	СРТ			
	59400, 59409, 59410, 59510, 59514, 59515, 59610, 59612, 59614, 59618, 59620, 59622			
	ICD10PCS			
	10D00Z0: Extraction of Products of Conception, High, Open Approach			
	10D00Z1: Extraction of Products of Conception, Low, Open Approach			
	10D00Z2: Extraction of Products of Conception, Extraperitoneal, Open Approach			
	10D07Z3: Extraction of Products of Conception, Low Forceps, Via Natural or Artificial Opening			
	10D07Z4: Extraction of Products of Conception, Mid Forceps, Via Natural or Artificial			
	Opening			
	10D07Z5: Extraction of Products of Conception, High Forceps, Via Natural or Artificial Opening			
	10D07Z6: Extraction of Products of Conception, Vacuum, Via Natural or Artificial			
	Opening			
	10D07Z7: Extraction of Products of Conception, Internal Version, Via Natural or Artificial			
	Opening			
	10D07Z8: Extraction of Products of Conception, Other, Via Natural or Artificial Opening			
	10E0XZZ: Delivery of Products of Conception, External Approach			
Prenatal Bundled	СРТ			
Services	59400, 59425, 59426, 59510, 59610, 59618			
	HCPCS			
	H1005: Prenatal care, at-risk enhanced service package (includes h1001-h1004)			

Services	CPT/ CPT-CAT II/HCPCS/ ICD10PCS
Prenatal Visits	CPT 98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99421, 99422, 99423, 99441, 99442, 99443, 99457, 99458, 99483 HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally qualified health center (fqhc) practitioner and rhc or fqhc patient, or 5 minutes or more of remote evaluation of recorded video and/or images by an rhc or fqhc practitioner, occurring in lieu of an office visit; rhc or fqhc only G0463: Hospital outpatient clinic visit for assessment and management of a patient G2010: Remote evaluation of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an established patient (e.g., store and forward), including interpretation with follow-up with the patient within 24 business hours, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified health care professional who cannot report evaluation and management services, provided to an established patient, not originating from a related service provided within the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive
Stand Alone Prenatal Visits	CPT 99500 CPT-CAT II

Services	CPT/ CPT-CAT II/HCPCS/ ICD10PCS
	0500F: Initial prenatal care visit (report at first prenatal encounter with health care
	professional providing obstetrical care. Report also date of visit and, in a separate field,
	the date of the last menstrual period [LMP]) (Prenatal)
	0501F: Prenatal flow sheet documented in medical record by first prenatal visit
	(documentation includes at minimum blood pressure, weight, urine protein, uterine size,
	fetal heart tones, and estimated date of delivery). Report also: date of visit and, in a
	separate field, the date of the last menstrual period [LMP] (Note: If reporting 0501F
	Prenatal flow sheet, it is not necessary to report 0500F Initial prenatal care visit)
	(Prenatal)
	0502F: Subsequent prenatal care visit (Prenatal) [Excludes: patients who are seen for a
	condition unrelated to pregnancy or prenatal care (e.g., an upper respiratory infection;
	patients seen for consultation only, not for continuing care)]
	HCPCS
	H1000: Prenatal care, at-risk assessment
	H1001: Prenatal care, at-risk enhanced service; antepartum management
	H1002: Prenatal care, at risk enhanced service; care coordination
	H1003: Prenatal care, at-risk enhanced service; education
	H1004: Prenatal care, at-risk enhanced service; follow-up home visit
Postpartum	CPT
Bundles Services	59400, 59410, 59510, 59515, 59610, 59614, 59618, 59622
Postpartum Care	CPT
	57170, 58300, 59430, 99501
	CPT-CAT II
	Postpartum care visit (Prenatal)
	HCPCS  Consider the second sec
CDC Race and	Cervical or vaginal cancer screening; pelvic and clinical breast examination  1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian 2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino
	2100 3. Not inspaine of Latino

Note: These codes are used to capture encounter data for individual prenatal and postpartum visits. Category II codes do not generate payment but help with more accurate reporting. The designated CPT Category II codes should be used in conjunction with the date of the prenatal or postpartum visit.

#### How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.

# HEDIS Coding Booklet Page 95 of 114

 Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

## Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

# Statin Therapy for Patients with Cardiovascular Disease (SPC)

This HEDIS measure looks at the percentage of males 21 to 75 years of age and females 40 to 75 years of age during the measurement year, who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) and met the following criteria. The following rates are reported:

- Received statin therapy: Members who were dispensed at least one high-intensity or moderate-intensity statin medication during the measurement year.
- Statin adherence 80%: Members who remained on a high-intensity or moderate-intensity statin medication for at least 80% of the treatment period (treatment period begins with the earliest dispensing event for any high-intensity or moderate-intensity statin medication during the measurement year).

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year
- Members with a diagnosis of pregnancy during the measurement year or the year prior to the measurement year.
- In vitro fertilization in the measurement year or the year prior to the measurement year.
- Dispensed at least one prescription for clomiphene during the measurement year or the year prior to the measurement year.
- End stage renal disease (ESRD) during the measurement year or the year prior to the measurement year.
- Dialysis during the measurement year or the year prior to the measurement year.
- Cirrhosis during the measurement year or the year prior to the measurement year.

# HEDIS Coding Booklet Page 96 of 114

- Myalgia, myositis, myopathy, or rhabdomyolysis during the measurement year.
- Members receiving palliative care any time during the measurement year.
- Members who had an encounter for palliative anytime during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year (all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded

High- and Moderate-Intensity Statin Medications

8	
Description	Prescription
High-intensity statin therapy	Atorvastatin 40-80 mg
High-intensity statin therapy	Amlodipine-atorvastatin 40-80 mg
High-intensity statin therapy	Rosuvastatin 20-40 mg
High-intensity statin therapy	Simvastatin 80 mg
High-intensity statin therapy	Ezetimibe-simvastatin 80 mg
Moderate-intensity statin therapy	Atorvastatin 10-20 mg
Moderate-intensity statin therapy	Amlodipine-atorvastatin 10-20 mg
Moderate-intensity statin therapy	Rosuvastatin 5-10 mg
Moderate-intensity statin therapy	Simvastatin 20-40 mg
Moderate-intensity statin therapy	Ezetimibe-simvastatin 20-40 mg
Moderate-intensity statin therapy	Pravastatin 40-80 mg
Moderate-intensity statin therapy	Lovastatin 40 mg
Moderate-intensity statin therapy	Fluvastatin 40-80 mg
Moderate-intensity statin therapy	Pitavastatin 1-4 mg

## How can we help?

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

# Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

HEDIS Coding Booklet		
Page 97 of 114		

# Statin Therapy for Patients With Diabetes (SPD)

This HEDIS measures looks at the percentage of members 40 to 75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who met the following criteria.

Two rates are reported:

- Received statin therapy: members who were dispensed at least one statin medication of any intensity during the measurement year.
- Statin Adherence 80%: members who remained on a statin medication of any intensity for at least 80% of the treatment period (treatment period begins with the earliest dispensing event for any statin medication during the measurement year).

# Record your efforts

- · Document review of continued use of prescribed medications during Member visits
- Document evidence of exclusion criteria

#### **Exclusions**

# HEDIS Coding Booklet Page 98 of 114

- Members with at least one of the following during the year prior to the measurement year in any setting:
  - Myocardial Infarction (MI)
  - Coronary artery bypass graft (CABG)
  - o Percutaneous Coronary Intervention (PCI)
  - Other revascularization procedure
- Members who had at least one encounter with a diagnosis of IVD during both the measurement year and the year prior to the measurement year.
- Members with a diagnosis of pregnancy during the measurement year or year prior to the measurement year.
- In vitro fertilization in the measurement year or year prior to the measurement year.
- Dispensed at least one prescription for clomiphene during the measurement year or the year prior to the measurement year.
- End stage renal disease (ESRD) during the measurement year or the year prior to the measurement year.
- Dialysis during the measurement year or the year prior to the measurement year.
- Cirrhosis during the measurement year or the year prior to the measurement year.
- Myalgia, myositis, myopathy, or rhabdomyolysis during the measurement year.
- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Members receiving palliative care any time during the measurement year.
- Members who had an encounter for palliative care any time during the measurement year.
- Members 66 years of age and older as of December 31 of the measurement year(all product lines) with frailty and advanced illness. Members must meet both frailty and advanced illness criteria to be excluded.

## **Diabetes Medications**

Description	Prescription		
Alpha-glucosidase	Acarbose		
inhibitors	Miglitol		
Amylin analogs	Pramlintide		
Antidiabetic combinations	Alogliptin-metformin Alogliptin-pioglitazone Canagliflozin-metformin Dapagliflozin-metformin Dapagliflozin-saxagliptin Empagliflozin-linagliptin Empagliflozin-linagliptin-metformin	Empagliflozin-metformin Ertugliflozin-metformin Ertugliflozin-sitagliptin Glimepiride-pioglitazone Glipizide-metformin Glyburide-metformin Linagliptin-metformin	Metformin-pioglitazone Metformin-repaglinide Metformin-rosiglitazone Metformin-saxagliptin Metformin-sitagliptin
Insulin	Insulin aspart	Insulin glulis	sine

# HEDIS Coding Booklet Page 99 of 114

Description	Prescription	
	Insulin aspart-insulin aspart protamine	Insulin isophane human
	Insulin degludec	Insulin isophane-insulin regular
	Insulin degludec-liraglutide	Insulin lispro
	Insulin detemir	Insulin lispro-insulin lispro protamine
	Insulin glargine	Insulin regular human
	Insulin glargine-lixisenatide	Insulin human inhaled
Meglitinides	Nateglinide	
	Repaglinide	
Biguanides	Metformin	
Glucagon-like	Albiglutide	Liraglutide
peptide-1 (GLP1)	Dulaglutide	Lixisenatide
agonists	Exenatide	Semaglutide
Sodium glucose	Canagliflozin	Empagliflozin
cotransporter 2	Dapagliflozin	Ertugliflozin
(SGLT2) inhibitor		
Sulfonylureas	Chlorpropamide	Glyburide
•	Glimepiride	Tolazamide
	Glipizide	Tolbutamide
Thiazolidinediones	Pioglitazone	
	Rosiglitazone	
Dipeptidyl	Alogliptin	Saxagliptin
peptidase-4 (DDP-4)	Linagliptin	Sitaglipin
inhibitors		

#### How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

#### Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes			

HEDIS Coding Booklet Page 100 of 114
Dishetes Consenies for Decale With Cabines because as District
Diabetes Screening for People With Schizophrenia or Bipolar

# Disorder Who Are Using Antipsychotic Medications (SSD)

This HEDIS measure looks at the percentage of members 18 to 64 years of age with schizophrenia, schizoaffective disorder, or bipolar disorder and who were dispensed an antipsychotic medication and had a diabetic screening test during the measurement year.

#### Record your efforts

Document review of continued use of prescribed medications during Member visits

Document evidence of exclusion criteria

An antipsychotic medication dispensed event during the measurement year identified by claim/encounter data or pharmacy data and a glucose test or an HbA1c test performed during the measurement year, as identified by claim/encounter or automated laboratory data.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.
- Members with diabetes
- Members who had no antipsychotic medications dispensed during the measurement year.

Services	CPT/CPT-CATII/HCPCS/LOINC
Glucose Lab	CPT
Test	80047, 80048, 80050, 80053, 80069, 82947, 82950, 82951
	LOINC
	10450-5: Glucose [Mass/volume] in Serum or Plasma10 hours fasting
	1492-8: Glucose [Mass/volume] in Serum or Plasma1.5 hours post 0.5 g/kg glucose IV
	1494-4: Glucose [Mass/volume] in Serum or Plasma1.5 hours post 100 g glucose PO
	1496-9: Glucose [Mass/volume] in Serum or Plasma1.5 hours post 75 g glucose PO
	1499-3: Glucose [Mass/volume] in Serum or Plasma1 hour post 0.5 g/kg glucose IV
	1501-6: Glucose [Mass/volume] in Serum or Plasma1 hour post 100 g glucose PO
	1504-0: Glucose [Mass/volume] in Serum or Plasma1 hour post 50 g glucose PO
	1507-3: Glucose [Mass/volume] in Serum or Plasma1 hour post 75 g glucose PO
	1514-9 Glucose [Mass/volume] in Serum or Plasma2 hours post 100 g glucose PO
	1518-0: Glucose [Mass/volume] in Serum or Plasma2 hours post 75 g glucose PO
	1530-5: Glucose [Mass/volume] in Serum or Plasma3 hours post 100 g glucose PO
	1533-9: Glucose [Mass/volume] in Serum or Plasma3 hours post 75 g glucose PO
	1554-5: Glucose [Mass/volume] in Serum or Plasma12 hours fasting
	1557-8 Fasting glucose [Mass/volume] in Venous blood
	1558-6: Fasting glucose [Mass/volume] in Serum or Plasma
	17865-7: Glucose [Mass/volume] in Serum or Plasma8 hours fasting
	20436-2: Glucose [Mass/volume] in Serum or Plasma2 hours post dose glucose
	20437-0: Glucose [Mass/volume] in Serum or Plasma3 hours post dose glucose
	20438-8: Glucose [Mass/volume] in Serum or Plasma1 hour post dose glucose
	20440-4: Glucose [Mass/volume] in Serum or Plasma1.5 hours post dose glucose
	2345-7: Glucose [Mass/volume] in Serum or Plasma
	26554-6: Glucose [Mass/volume] in Serum or Plasma2.5 hours post dose glucose
	41024-1: Glucose [Mass/volume] in Serum or Plasma2 hours post 50 g glucose PO
	49134-0: Glucose [Mass/volume] in Blood2 hours post dose glucose
	6749-6: Glucose [Mass/volume] in Serum or Plasma2.5 hours post 75 g glucose PO
	9375-7: Glucose [Mass/volume] in Serum or Plasma2.5 hours post 100 g glucose PO

Services	CPT/CPT-CATII/HCPCS/LOINC
HbA1c Tests	CPT-CAT II
Results or	3044F: Most recent hemoglobin A1c (HbA1c) level less than 7.0% (DM)
Findings:	3046F: Most recent hemoglobin A1c level greater than 9.0% (DM)
i ilidiligs.	3051F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7.0% and less
	than 8.0% (DM)
	3052F: Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8.0% and less
	than or equal to 9.0% (DM)
HbA1c Lab Test	CPT
TIDATE Lab Test	83036, 83037
	LOINC
	17855-8: Hemoglobin A1c/Hemoglobin.total in Blood by calculation
	17856-6: Hemoglobin A1c/Hemoglobin.total in Blood by HPLC
	4548-4: Hemoglobin A1c/Hemoglobin.total in Blood
	4549-2: Hemoglobin A1c/Hemoglobin.total in Blood by Electrophoresis
	96595-4: Hemoglobin A1c/Hemoglobin.total in DBS
Online	CPT
assessments	98970, 98971, 98972, 98980, 98981, 99421, 99422, 99423, 99457, 99458
assessifients	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or more of a
	virtual (non-face-to-face) communication between an rural health clinic (rhc) or federally
	qualified health center (fghc) practitioner and rhc or fghc patient, or 5 minutes or more of
	remote evaluation of recorded video and/or images by an rhc or fqhc practitioner,
	occurring in lieu of an office visit; rhc or fqhc only
	G2010: Remote evaluation of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related e/m service provided within the
	previous 7 days nor leading to an e/m service or procedure within the next 24 hours or
	soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a physician
	or other qualified health care professional who can report evaluation and management
	services, provided to an established patient, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure within the
	next 24 hours or soonest available appointment; 5-10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an established
	patient (e.g., store and forward), including interpretation with follow-up with the patient
	within 24 business hours, not originating from a related service provided within the
	previous 7 days nor leading to a service or procedure within the next 24 hours or soonest
	available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a qualified
	health care professional who cannot report evaluation and management services,
	· · · · · · · · · · · · · · · · · · ·
	provided to an established patient, not originating from a related service provided within

Services	CPT/CPT-CATII/HCPCS/LOINC
	the previous 7 days nor leading to a service or procedure within the next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion G2252: Brief communication technology-based service, e.g. virtual check-in, by a physician or other qualified health care professional who can report evaluation and management services, provided to an established patient, not originating from a related e/m service provided within the previous 7 days nor leading to an e/m service or procedure within the next 24 hours or soonest available appointment; 11-20 minutes of medical discussion
Telephone visits	CPT 98966, 98967, 98968, 99441, 99442, 99443
Visit Setting Unspecified	CPT 90791, 90792, 90832, 90833, 90834, 90836, 90837, 90838, 90839, 90840, 90845, 90847, 90849, 90853, 90875, 90876, 99221, 99222, 99223, 99231, 99232, 99233, 99238, 99239, 99252, 99253, 99254, 99255

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

# How can we help?

We help you meet this benchmark by:

- Offering current *Clinical Practice Guidelines* on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

# Helpful tip

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

Notes		

# Topical Fluoride for Children (TFC)

This HEDIS measure looks at the percentage of members 1 to 4 years of age who received at least two fluoride varnish applications during the measurement year.

#### Record your efforts

# HEDIS Coding Booklet Page 104 of 114

Two or more fluoride varnish applications on different dates of services

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who died during the measurement year

## Codes to identify lead test:

Services	CPT/CDT
Application of	СРТ
Fluoride Varnish	99188
	CDT
	D1206: Topical application of fluoride varnish

<sup>\*</sup> The codes listed are informational only; this information does not guarantee reimbursement.

# Helpful tips

• If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

# How can we help?

- Offering current Clinical Practice Guidelines on our provider self-service website
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

Notes			

# Appropriate Treatment for Upper Respiratory Infection (URI)

This HEDIS measure looks at the percentage of episodes for members 3 months of age and older with a diagnosis of upper respiratory infection (URI) that did not result in a dispensed antibiotic dispensing event.

A higher rate indicates appropriate URI treatment (i.e., the proportion of episodes that did not result in an antibiotic dispensing event July 1 of the year prior to the measurement year to June 30 of the measurement year.

# Record your efforts

- Document results of all strep tests or refusal for testing in medical records.
- If antibiotics are prescribed for another condition, ensure accurate coding and documentation will associate the antibiotic with the appropriate diagnosis.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

Description	CPT/HCPCS/ICD10CM
Pharyngitis	ICD10CM
	J02.0: Streptococcal pharyngitis
	J02.8: Acute pharyngitis due to other specified organisms
	J02.9: Acute pharyngitis, unspecified
	J03.00: Acute streptococcal tonsillitis, unspecified
	J03.01: Acute recurrent streptococcal tonsillitis
	J03.80: Acute tonsillitis due to other specified organisms
	J03.81: Acute recurrent tonsillitis due to other specified organisms
	J03.90: Acute tonsillitis, unspecified
	J03.91: Acute recurrent tonsillitis, unspecified
URI	ICD10CM
	J00: Acute nasopharyngitis [common cold]
	J06.0: Acute laryngopharyngitis
	J06.9: Acute upper respiratory infection, unspecified
Outpatient, ED, and	CPT
Telehealth	98966, 98967, 98968, 98970, 98971, 98972, 98980, 98981, 99202, 99203, 99204,
	99205, 99211, 99212, 99213, 99214, 99215, 99242, 99243, 99244, 99245, 99281,
	99282, 99283, 99284, 99285, 99341, 99342, 99344, 99345, 99347, 99348, 99349,
	99350, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393,
	99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 99421,
	99422, 99423, 99429, 99441, 99442, 99443, 99455, 99456, 99457, 99458, 99483
	HCPCS
	G0071: Payment for communication technology-based services for 5 minutes or
	more of a virtual (non-face-to-face) communication between an rural health clinic
	(rhc) or federally qualified health center (fqhc) practitioner and rhc or fqhc patient,

Description	CPT/HCPCS/ICD10CM
	or 5 minutes or more of remote evaluation of recorded video and/or images by an
	rhc or fqhc practitioner, occurring in lieu of an office visit; rhc or fqhc only
	G0402: Initial preventive physical examination; face-to-face visit, services limited to
	new beneficiary during the first 12 months of medicare enrollment
	G0438: Annual wellness visit; includes a personalized prevention plan of service
	(pps), initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service
	(pps), subsequent visit
	G0463: Hospital outpatient clinic visit for assessment and management of a patient
	G2010: Remote evaluation of recorded video and/or images submitted by an
	established patient (e.g., store and forward), including interpretation with follow-up
	with the patient within 24 business hours, not originating from a related e/m service
	provided within the previous 7 days nor leading to an e/m service or procedure
	within the next 24 hours or soonest available appointment
	G2012: Brief communication technology-based service, e.g. virtual check-in, by a
	physician or other qualified health care professional who can report evaluation and
	management services, provided to an established patient, not originating from a
	related e/m service provided within the previous 7 days nor leading to an e/m
	service or procedure within the next 24 hours or soonest available appointment; 5-
	10 minutes of medical discussion
	G2250: Remote assessment of recorded video and/or images submitted by an
	established patient (e.g., store and forward), including interpretation with follow-up
	with the patient within 24 business hours, not originating from a related service
	provided within the previous 7 days nor leading to a service or procedure within the
	next 24 hours or soonest available appointment
	G2251: Brief communication technology-based service, e.g. virtual check-in, by a
	qualified health care professional who cannot report evaluation and management
	services, provided to an established patient, not originating from a related service
	provided within the previous 7 days nor leading to a service or procedure within the
	next 24 hours or soonest available appointment; 5-10 minutes of clinical discussion
	G2252: Brief communication technology-based service, e.g. virtual check-in, by a
	physician or other qualified health care professional who can report evaluation and
	management services, provided to an established patient, not originating from a
	related e/m service provided within the previous 7 days nor leading to an e/m
	service or procedure within the next 24 hours or soonest available appointment; 11-
	20 minutes of medical discussion
	T1015: Clinic visit/encounter, all-inclusive

Note: The codes listed are informational only; this information does not guarantee reimbursement.

# Helpful tips

• If a member tests negative for group A strep but insists on an antibiotic:

# HEDIS Coding Booklet Page 107 of 114

- Refer to the illness as a sore throat due to a cold; members tend to associate the label with a less-frequent need for antibiotics.
- Write a prescription for symptom relief, like over-the-counter medications.
- Educate members on the difference between bacterial and viral infections. This is the key point in the success of this measure.
- Discuss with members ways to treat symptoms:
  - Get extra rest.
  - Drink plenty of fluids.
  - o Use over-the-counter medications.
  - Use the cool-mist vaporizer and nasal spray for congestion.
  - Eat ice chips or use throat spray/lozenges for sore throats.
- Educate members and their parents or caregivers that they can prevent infection by:
  - Washing hands frequently.
  - Disinfecting toys.
  - Keeping the child out of school or day care for at least 24 hours until antibiotics have been taken and symptoms have improved.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.


# How can we help?

 Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

# Helpful resources

www.CDC.gov/antibiotic-use

Notes		



# Well-Child Visits in the First 30 Months of Life (W30)

This HEDIS measure looks at the percentage of members who had the following number of well-child visits with a PCP during the last 15 months. The following rates are reported:

- Well-Child Visits in the First 15 Months: children who turned 15 months old during the measurement year: Six or more well-child visits
- Well-Child Visits for Age 15 Months to 30 Months: children who turned 30 months old during the measurement year: Two or more well-child visits

## Record your efforts

Documentation from the medical record must include a note indicating a visit with a PCP, the date when the well-child visit occurred and evidence of *all* of the following:

- A health history: Health history is an assessment of the Member's history of disease or illness. Health history can include, but is not limited to, past illness (or lack of illness), surgery or hospitalization (or lack of surgery or hospitalization) and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific age-appropriate mental developmental milestones, which are behaviors seen in children as they grow and develop.
- A physical exam (for example, height, weight, BMI, heart, lungs, abdomen, more than one system assessed)
- Health education/anticipatory guidance: Health education/anticipatory guidance is given by the health care provider to parents or guardians in anticipation of emerging issues that a child and family may face.

# **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement vear.
- Members who die any time during the measurement year.

Description	CPT/HCPCS/ICD10CM
Well Care	CPT
Visit	99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99461

Description	CPT/HCPCS/ICD10CM
	HCPCS
	G0438: Annual wellness visit; includes a personalized prevention plan of service (pps), initial
	visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (pps), subsequent visit
	S0302: Completed early periodic screening diagnosis and treatment (epsdt) service (list in
	addition to code for appropriate evaluation and management service)
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

## Helpful tips

- Use your member roster to contact members who are due for an exam or are new to your practice.
- Schedule the next visit at the end of the appointment.
- If you use EMRs, consider creating a flag to track members due or past due for a visit. If you do not use EMRs, consider creating a manual tracking method. Sick visits may be a missed opportunity for your member to get a wellness exam.
- Consider extending your office hours into the evening, early morning, or weekend to accommodate working parents.
- Remember to include the applicable ICD-10 code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Providing individualized reports of your members overdue for services.
- Encouraging members to get preventive care through our programs. Contact your Provider Solutions representative for more information.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

	۔ ا	_	_	
11	10	ш	ப	٠.

HEDIS Coding Booklet Page 110 of 114			

# Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents (WCC)

This HEDIS measure looks at the percentage of members ages 3 to 17 years who had an outpatient visit with a PCPs or OB/GYN and who had evidence of the following during the measurement year:

- \*BMI Percentile documentation
- Counseling for Nutrition
- Counseling for Physical Activity

\*Because BMI norms for youth vary with age and gender, this measure evaluates whether BMI percentile is assessed rather than an absolute BMI value.

# Record your efforts

Three separate rates are reported:

- Height, weight, and BMI percentile (not BMI value):
  - May be a BMI growth chart if utilized
- Counseling for nutrition (diet):
  - o Services rendered during a telephone visit, e-visit or virtual check-in meet criteria
- Counseling for physical activity (sports participation/exercise):
  - Services rendered for obesity or eating disorders may be used to meet criteria
  - Services rendered during a telephone visit, e-visit or virtual check-in meet criteria

#### **Exclusions**

Members with a diagnosis of pregnancy

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year
- Members who die any time during the measurement year

Description	CPT/HCPCS/ICD10CM/LOINC
BMI Percentile	ICD10CM
	Z68.51: Body mass index [BMI] pediatric, less than 5th percentile for age
	Z68.52: Body mass index [BMI] pediatric, 5th percentile to less than 85th
	percentile for age
	Z68.53: Body mass index [BMI] pediatric, 85th percentile to less than 95th
	percentile for age
	Z68.54: Body mass index [BMI] pediatric, greater than or equal to 95th percentile
	for age
	LOINC
	59574-4: Body mass index (BMI) [Percentile]
	59575-1: Body mass index (BMI) [Percentile] Per age
	59576-9: Body mass index (BMI) [Percentile] Per age and sex
Nutrition Counseling	CPT
	97802, 97803, 97804
	HCPCS
	G0270: Medical nutrition therapy; reassessment and subsequent intervention(s)
	following second referral in same year for change in diagnosis, medical condition
	or treatment regimen (including additional hours needed for renal disease),
	individual, face to face with the patient, each 15 minutes
	G0271: Medical nutrition therapy, reassessment and subsequent intervention(s)
	following second referral in same year for change in diagnosis, medical condition,
	or treatment regimen (including additional hours needed for renal disease), group
	(2 or more individuals), each 30 minutes
	G0447: Face-to-face behavioral counseling for obesity, 15 minutes
	S9449: Weight management classes, non-physician provider, per session
	S9452: Nutrition classes, non-physician provider, per session
	S9470: Nutritional counseling, dietitian visit
Physical Activity	HCPCS
Counseling	G0447: Face-to-face behavioral counseling for obesity, 15 minutes
	S9451: Exercise classes, non-physician provider, per session
<b>Encounter for Physical</b>	ICD10CM
Activity Counseling	Z02.5: Encounter for examination for participation in sport
	Z71.82: Exercise counseling

Note: The Logical Observation Identifiers Names and Codes (LOINC) are for reporting clinical observations and laboratory testing. The codes listed are informational only; this information does not guarantee reimbursement.

# Helpful tips

- Measure height and weight at least annually and document the BMI percentile for age in the medical record.
- Consider incorporating appropriate nutritional and weight management questioning and counseling into your routine clinical practice.
- Document any advice you give the Member.
- Document face-to-face discussion of current nutritional behavior, like appetite or meal patterns, eating
  and dieting habits, any counselling or referral to nutrition education, any nutritional educational
  materials that were provided during the visit, anticipatory guidance for nutrition, eating disorders,
  nutritional deficiencies, underweight, and obesity or overweight discussion.
- Document face-to-face discussion of current physical activity behaviors, like exercise routines, participation in sports activities or bike riding, referrals to physical activity, educational material that was provided, anticipatory guidance on physical activity, and obesity or overweight discussion.
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

## How can we help?

We help you meet this benchmark by:

- Offering current Clinical Practice Guidelines on our provider self-service website.
- Helping identify community resources, such as health education classes that may be available in your area
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

# Child and Adolescent Well-Care Visits (WCV)

This HEDIS measure looks at the percentage of members ages 3 to 21 years who had at least one comprehensive well-care visit with a PCP or an OB/GYN practitioner during the measurement year.

## Record your efforts

Documentation must include a note indicating a visit to a PCP, the date when the well-child visit occurred and evidence of *all* of the following:

- A health history: Health history is an assessment of the Member's history of disease or illness. Health
  history can include, but is not limited to, past illness (or lack of illness), surgery or hospitalization (or lack
  of surgery or hospitalization) and family health history.
- A physical developmental history: Physical developmental history assesses specific age-appropriate physical developmental milestones, which are physical skills seen in children as they grow and develop.
- A mental developmental history: Mental developmental history assesses specific
  age-appropriate mental developmental milestones, which are behaviors seen in children as they grow
  and develop.
- A physical exam (for example, height, weight, BMI, heart, lungs, abdomen, more than one system assessed)

 Health education/anticipatory guidance: Health education/anticipatory guidance is given by the health care provider to parents or guardians in anticipation of emerging issues that a child and family may face.

#### **Exclusions**

- Members who use hospice services or elect to use a hospice benefit any time during the measurement year.
- Members who die any time during the measurement year.

Description	CPT/HCPCS
Well Care Visit	СРТ
	99381, 99382, 99383, 99384, 99385, 99391, 99392, 99393, 99394, 99395, 99461
	HCPCS
	G0438: Annual wellness visit; includes a personalized prevention plan of service (pps),
	initial visit
	G0439: Annual wellness visit, includes a personalized prevention plan of service (pps),
	subsequent visit
	S0302: Completed early periodic screening diagnosis and treatment (epsdt) service (list in
	addition to code for appropriate evaluation and management service)
CDC Race and	1002-5: American Indian or Alaska Native
Ethnicity	2028-9: Asian
	2054-5: Black or African American
	2076-8: Native Hawaiian or Other Pacific Islander
	2106-3: White
	2135-2: Hispanic or Latino
	2186-5: Not Hispanic or Latino

Note: The codes listed are informational only; this information does not guarantee reimbursement.

# Helpful tips

- Use your member roster to contact members who are due for an annual exam.
- Schedule the next visit at the end of the appointment.
- If you use EMRs, consider creating a flag to track members due or past due for preventive services. If
  you do not use EMRs, consider creating a manual tracking method for well checks. Sick visits may be
  missed opportunities for your member to get health checks.
- Consider extending your office hours into the evening, early morning, or weekend to accommodate working parents.
- Remember to include the applicable ICD-10 code above on the claim form to help reduce the burden of HEDIS medical record review!
- If utilizing an EMR system, consider electronic data sharing with your health plan to capture all coded elements. Contact your Provider Solutions representative for additional details and questions.

#### How can we help?

We help you meet this benchmark by:

• Offering current *Clinical Practice Guidelines* on our provider self-service website.

# HEDIS Coding Booklet Page 114 of 114

- Providing individualized reports of your members overdue for services.
- Encouraging members to get preventive care through our programs.
- Members may be eligible for transportation assistance at no cost, contact Member Services for arrangement.

# Patient care opportunities

You can find patient care opportunities within the Patient360 application located on Availity Essentials Payer Spaces. To access the Patient360 application you must have the Patient360 role assignment. From Availity's home page select Payer Spaces, then choose the health plan from the menu. Choose the Patient360 tile from the Payer Space Applications menu and complete the required information on the screen. Gaps in care are located in the Active Alerts section of the Member Summary.

Notes				
	_	_	_	

