

#### **Provider Bulletin**

February 2023

# **HEDIS Category II coding tips**

Reduce the number of medical records Anthem Blue Cross and Blue Shield requests from you during the HEDIS® medical record review season (January to May each year) by adding specific CPT® CAT II codes to your claims. These codes will help us identify additional information about the visit and improve the accuracy of reporting HEDIS quality measures.\*

**Prenatal and Postpartum Care (PPC)** 

| Frematai anu                                      | i Postpartum Care (PPC)  |   |
|---|--|---|
| Stand-alone prenatal visits                       | the first prenatal encounter with a healthcare professional providing obstetrical care. Report also date of visit and, in a separate field, the date of the last menstrual period (LMP) (prenatal).  or  0501F: Prenatal flow sheet documented in medical record by first prenatal visit — At a minimum, the documentation includes blood pressure, weight, urine protein, uterine size, fetal heart tones, and estimated date of delivery. Report the date of visit and, in a separate field, the date of the last menstrual period (LMP).  Note: If reporting 0501F prenatal flow sheet, it is not necessary to report 0500F initial prenatal care visit (prenatal). |   |
| Stand-alone prenatal visits Postpartum care visit | <b>0502F:</b> Subsequent prenatal care visit (prenatal). Excleondition unrelated to pregnancy or prenatal care (for patients seen for consultation only, not for continuing <b>0503F:</b> Make sure the visit is on or between 7 and 84  | example, an upper respiratory infection); care. |

Hemoglobin A1c Control for Patients With Diabetes (HBD)

| Most recent hemoglobin A1c (HbA1c) level less than 7% (DM)                         | 3044F |
|--|-------|
| Most recent hemoglobin A1c level greater than 9% (DM)                              | 3046F |
| Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7% and less than | 3051F |
| 8% (DM)  |       |
| Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8% and less than | 3052F |
| or equal to 9% (DM)  |       |

HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

### https://providers.anthem.com/oh

## **Eye Exam for Patients With Diabetes (EED)**

|   | 20225 |
|---|-------|
| Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist     | 2022F |
| documented and reviewed, with evidence of retinopathy                                 |       |
| Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist     | 2023F |
| documented and reviewed; without evidence of retinopathy                              |       |
| Seven standard field stereoscopic photos with interpretation by an ophthalmologist or | 2024F |
| optometrist documented and reviewed: with evidence of retinopathy                     |       |
| Seven standard field stereoscopic retinal photos with interpretation by an            | 2025F |
| ophthalmologist or optometrist documented and reviewed: without evidence of           |       |
| retinopathy   |       |
| Eye imaging validated to match diagnosis from seven standard field stereoscopic       | 2026F |
| photos results documented and reviewed: with evidence of retinopathy                  |       |
| Eye imaging validated to match diagnosis from seven standard field stereoscopic       | 2033F |
| retinal photos with interpretation by an ophthalmologist or optometrist documented    |       |
| and reviewed: without evidence of retinopathy   |       |
| Low risk for retinopathy (no evidence of retinopathy in the prior year)               | 3072F |

# **Blood Pressure Control for Patients With Diabetes (BPD)**

| Most recent diestelia blood pressure less   | 3078F |
|---|-------|
| Most recent diastolic blood pressure less   | 30/65 |
| than 80 mm Hg (HTN, CKD, CAD) (DM)          |       |
| Most recent diastolic blood pressure 80 to  | 3079F |
| 89 mm Hg (HTN, CKD, CAD) (DM)               |       |
| Most recent diastolic blood pressure        | 3080F |
| greater than or equal to 90 mm Hg (HTN,     |       |
| CKD, CAD) (DM)                              |       |
| Most recent systolic blood pressure less    | 3074F |
| than 130 mm Hg (DM) (HTN, CKD,              |       |
| CAD)  |       |
| Most recent systolic blood pressure 130 to  | 3075F |
| 139 mm Hg (DM) (HTN, CKD, CAD)              |       |
| Most recent systolic blood pressure greater | 3077F |
| than or equal to 140 mm Hg (HTN, CKD,       |       |
| CAD) (DM)                                   |       |



# Diabetes Screening for People With Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications (SSD)

| Most recent hemoglobin A1c (HbA1c) level less than 7% (DM)                         | 3044F |
|--|-------|
| Most recent hemoglobin A1c level greater than 9% (DM)                              | 3046F |
| Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7% and less than | 3051F |
| 8% (DM)  |       |
| Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8% and less than | 3052F |
| or equal to 9% (DM)  |       |

# Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM) Diabetes Monitoring for People With Diabetes and Schizophrenia (SMD)

| Most recent LDL-C less than 100 mg/dL (CAD) (DM)                                   | 3048F |
|--|-------|
| Most recent LDL-C 100 to 129 mg/dL (CAD) (DM)                                      | 3049F |
| Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)                    | 3050F |
| Most recent hemoglobin A1c (HbA1c) level less than 7% (DM)                         | 3044F |
| Most recent hemoglobin A1c level greater than 9% (DM)                              | 3046F |
| Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7% and less than | 3051F |
| 8% (DM)  |       |
| Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8% and less than | 3052F |
| or equal to 9% (DM)  |       |

#### Cardiovascular Monitoring for People With Cardiovascular Disease and Schizophrenia (SMC)

| Most recent LDL-C less than 100 mg/dL (CAD) (DM)                | 3048F |
|---|-------|
| Most recent LDL-C 100 to 129 mg/dL (CAD) (DM)                   | 3049F |
| Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM) | 3050F |

<sup>\*</sup> The codes listed are for informational purposes only and are not intended to suggest or guide reimbursement. If applicable, refer to your provider contract or health plan contact for reimbursement information. For a complete list of CPT codes, go to the American Medical Association website at <a href="https://www.ama-assn.org">https://www.ama-assn.org</a>.