


Provider Bulletin February 2023

HEDIS category II coding tips

Reduce the number of medical records Anthem Blue Cross and Blue Shield requests from you during the HEDIS® medical record review season (January to May each year) by adding specific CPT® category II codes to your claims. These codes will help us identify additional information about the visit and improve the accuracy of reporting HEDIS quality measures.*

Prenatal and Postpartum Care (PPC)

Prenatal and Postpartum Care (PPC)				
Stand-alone prenatal	0500F: initial prenatal care visit — Report at the first			
visits	prenatal encounter with a healthcare professional providing			
	obstetrical care. Report also date of visit and, in a separate			
	field, the date of the last menstrual period (LMP) (prenatal).			
	or			
	0501F: prenatal flow sheet documented in medical record			
	by first prenatal visit — At a minimum, the documentation			
	includes blood pressure, weight, urine protein, uterine size,			
	fetal heart tones, and estimated date of delivery. Report the			
	date of visit and, in a separate field, the date of the last			
	menstrual period (LMP).			
	Note: If reporting 0501F prenatal flow sheet, it is not			
	necessary to report 0500F initial prenatal care visit			
	(prenatal).			
Stand-alone prenatal	0502F: Subsequent prenatal care visit (Prenatal). Excludes:			
visits	patients who are seen for a condition unrelated to			
	pregnancy or prenatal care (for example, an upper			
	respiratory infection; patients seen for consultation only, not			
	for continuing care.			
Postpartum care visit	0503F — Make sure the visit is on or between seven and			
	84 days of delivery.			



HEDIS® is a registered trademark of the National Committee for Quality Assurance (NCQA).

https://providers.anthem.com/wi

Eye Exam for Patients with Diabetes (EED)

Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed, with	2022F
evidence of retinopathy	
Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed; without evidence of retinopathy	2023F
Seven standard field stereoscopic photos with interpretation by an ophthalmologist or optometrist documented and reviewed: with evidence of retinopathy	2024F
Seven standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed: without evidence of retinopathy	
Eye imaging validated to match diagnosis from seven standard field stereoscopic photos results documented and reviewed: with evidence of retinopathy	2026F
Eye imaging validated to match diagnosis from seven standard field stereoscopic retinal photos with interpretation by an ophthalmologist or optometrist documented and reviewed: without evidence of retinopathy	
Low risk for retinopathy (no evidence of retinopathy in the prior year)	3072F

Hemoglobin A1c Control for Patients with Diabetes (HBD)

Most recent hemoglobin A1c (HbA1c) level less than 7% (DM)	3044F
Most recent hemoglobin A1c level greater than 9% (DM)	3046F
Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7% and less than 8% (DM)	
Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8% and less than or equal to 9% (DM)	3052F

Blood Pressure Control for Patients with Diabetes (BPD)

Most recent diastolic blood pressure less than 80 mm Hg (HTN, CKD, CAD) (DM)	
Most recent diastolic blood pressure 80 to 89 mm Hg (HTN, CKD, CAD) (DM)	3079F
Most recent diastolic blood pressure greater than or equal to 90 mm Hg (HTN, CKD, CAD) (DM)	3080F
Most recent systolic blood pressure less than 130 mm Hg (DM) (HTN, CKD, CAD)	3074F
Most recent systolic blood pressure 130 to 139 mm Hg (DM) (HTN, CKD, CAD)	3075F
Most recent systolic blood pressure greater than or equal to 140 mm Hg (HTN, CKD, CAD) (DM)	3077F

Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia (SMC)

Most recent LDL-C less than 100 mg/dL (CAD) (DM)	3048F
Most recent LDL-C 100 to 129 mg/dL (CAD) (DM)	3049F
Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)	3050F

Metabolic Monitoring for Children and Adolescents on Antipsychotics (APM) Diabetes Monitoring for People with Diabetes and Schizophrenia (SMD)

Most recent LDL-C less than 100 mg/dL (CAD) (DM)	
Most recent LDL-C 100 to 129 mg/dL (CAD) (DM)	
Most recent LDL-C greater than or equal to 130 mg/dL (CAD) (DM)	3050F
Most recent hemoglobin A1c (HbA1c) level less than 7% (DM)	
Most recent hemoglobin A1c level greater than 9% (DM)	
Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7% and less than 8% (DM)	
Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8% and less than or equal to 9% (DM)	3052F

Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who are Using Antipsychotic Medications (SSD)

Most recent hemoglobin A1c (HbA1c) level less than 7% (DM)	
Most recent hemoglobin A1c level greater than 9% (DM)	3046F
Most recent hemoglobin A1c (HbA1c) level greater than or equal to 7% and less than 8% (DM)	3051F
Most recent hemoglobin A1c (HbA1c) level greater than or equal to 8% and less than or equal to 9% (DM)	3052F

The codes listed are for informational purposes only and are not intended to suggest or guide reimbursement. If applicable, refer to your provider contract or health plan contact for reimbursement information. For a complete list of CPT codes, go to the American Medical Association website at https://www.ama-assn.org.



Email is the quickest and most direct way to receive important information from Anthem Blue Cross and Blue Shield.

